



PRODUCT
CATALOGUE

2016



CONTENTS



ČESKÁ ZBROJOVKA A.S. IS TODAY THE ONLY COMPANY
THAT DIRECTLY CONTINUES IN THE GLORIOUS TRADITION OF THE INTERWAR
CZECHOSLOVAK ARMS INDUSTRY.

CZ

CZ-USA

Dan Wesson
DAN WESSON FIREARMS


SAFARI
CLASSICS


ZBROJOVKA BRNO

THE COMPANY WAS FOUNDED IN 1936, WHEN THE RENOWNED STRAKONICE'S ARMS FACTORY ESTABLISHED A SUBSIDIARY FOR THE MANUFACTURE OF AIRCRAFT MACHINE GUNS AND SIGNAL PISTOLS IN UHERSKÝ BROD, A TOWN LOCATED IN SOUTH-EASTERN MORAVIA. IN FACT, WE CAN TALK ABOUT THE HISTORY GOING BACK AS FAR AS THE YEAR 1920, WHEN A LARGE STAFF OF EXPERIENCED EMPLOYEES MOVED FROM STRAKONICE TO THE NEW PLANT IN UHERSKÝ BROD. THANKS TO THIS STRATEGY, THE QUALITY OF PRODUCTION IN UHERSKÝ BROD REACHED AN EXCEPTIONALLY HIGH LEVEL RIGHT AT THE BEGINNING. AS EARLY AS 1945, THE FACTORY IN UHERSKÝ BROD COMMENCED PRODUCTION OF CIVILIAN FIREARMS WHICH HAVE SINCE BECOME (WITH THE EXCEPTION OF A SHORT BREAK IN THE FIRST HALF OF THE 1950S WHEN THE COMPANY SUPPLIED TO SECURITY AND ARMED FORCES FOR THE LAST TIME) AN INTEGRAL PART OF ITS PORTFOLIO. SINCE 1950, THE ARMS FACTORY IN UHERSKÝ BROD HAS BEEN INDEPENDENT, DESPITE BEING INCORPORATED OVER THE FOLLOWING DECADES WITHIN VARIOUS ORGANIZATIONAL UNITS. IN 1988 THE COMPANY RETURNED TO ITS ORIGINAL BRAND NAME ČESKÁ ZBROJOVKA. FOLLOWING THE CHANGE IN POLITICAL REGIME IN THE THEN CZECHOSLOVAKIA, ČESKÁ ZBROJOVKA A.S. (JOINT-STOCK COMPANY) WAS ESTABLISHED IN THE FORM AS IS KNOWN TODAY, ON 1ST MAY 1992. IN THE LONG-TERM, THE SUCCESS OF THE COMPANY IS BASED ON A BALANCED COMBINATION OF MANUFACTURE OF CIVILIAN AND SERVICE WEAPONS COMPLEMENTED BY PRECISION MECHANICAL ENGINEERING PRODUCTION, CURRENTLY FOCUSED MOSTLY ON COOPERATION WITH THE AUTOMOTIVE AND AIRCRAFT INDUSTRIES. A COMMON FEATURE OF ALL PRODUCTS MADE BY ČESKÁ ZBROJOVKA A.S. AS WELL AS ITS SUBSIDIARIES, CZ-USA AND ZBROJOVKA BRNO, S.R.O, IS THEIR HIGH QUALITY AND RELIABILITY , REGARDING FIREARMS IT IS ALSO EXCELLENT ACCURACY AND USABILITY. CONTRIBUTING TO THIS SUCCESS IS THE CONTINUED MODERNIZATION OF PRODUCTION EQUIPMENT, IMPROVEMENT OF TECHNOLOGIES AS WELL AS THE DEVOTION TO RESEARCH AND DEVELOPMENT. ČESKÁ ZBROJOVKA A.S. IS TRADITIONALLY RANKED AMONG THE WORLD'S BIGGEST PRODUCERS OF SMALL ARMS, FOR WHICH IT USES RESPECTED PRODUCT BRAND NAMES SUCH AS CZ, BRNO RIFLES, SLAVIA, DAN WESSON, CZ-USA AND SAFARI CLASSICS. MORE THAN 80% OF ARMS PRODUCED IN UHERSKÝ BROD ARE EXPORTED TO A HUNDRED COUNTRIES WORLDWIDE. SINCE THE FIRST HALF OF 1990S, THE GLOBAL REPUTATION OF PRODUCTS MADE BY ČESKÁ ZBROJOVKA A.S. HAS BEEN INCREASED BY THE EXTRAORDINARY SUCCESS ACHIEVED BY THE COMPANY'S INTERNATIONAL SPORT SHOOTING TEAM, WHO CONTINUOUSLY PROVE AT THE MOST PRESTIGIOUS COMPETITIONS ALL OVER THE WORLD THAT THE CZ FIREARMS AND ALL THE OTHER BRANDS OF THE COMPANY IDEALLY COMBINE TRADITION, ACCURACY AND RELIABILITY.



THE MANUFACTURER RESERVES
THE RIGHT TO MAKE ANY CHANGES IT DEEMS
NECESSARY TO IMPROVE ITS MODELS
OR TO MEET ANY REQUIREMENTS OF MANUFACTURING
OR COMMERCIAL NATURE.

RIMFIRE RIFLES 2



CENTERFIRE RIFLES 18



ZBROJOVKA BRNO 34



SHOTGUNS CZ-USA 36



AIR GUNS 38



PISTOLS 42



SEMI-AUTO 74



ACCESSORIES 82

RIMFIRE RIFLES

**THE CZ RIMFIRE RIFLES - A LONG TRADITION SPANNING NEARLY HALF
A CENTURY, WITH OVER A MILLION UNITS SOLD ALL OVER THE WORLD AND
UNFAILING GLOBAL POPULARITY.**

CZECH RIMFIRE RIFLES ARE A PHENOMENON WELL KNOWN ACROSS ALL CONTINENTS, THEIR TRADITION GOES BACK TO 1945. ČESKÁ ZBRŮJOVKA A.S. HAS ENGAGED IN THE PRODUCTION OF RIMFIRE RIFLES SINCE 1964 AND HAS ALWAYS TAKEN GREAT INTEREST IN THEIR MODERNIZATION. SINCE 2009/2010, THE COMPANY HAS OFFERED A MODULAR MULTI-CALIBRE SERIES WITH THE CZ 455 DESIGNATION. WITH THIS MODEL, CZ UHERSKÝ BROD MADE A SUCCESSFUL JUMP DEEP INTO THE 21ST CENTURY. A SIGNIFICANT GENERATION CHANGE ALSO TOOK PLACE IN THE SEMI-AUTOMATIC RIMFIRE RIFLES SEGMENT, WHERE THE PORTFOLIO OF ČESKÁ ZBRŮJOVKA A.S. WAS EXPANDED WITH A MODERN CONCEPT OF THE CZ 512 IN .22 LR AND .22 WMR CAL. IMMEDIATELY AFTER THEIR LAUNCH, THE NEW CZ RIMFIRE RIFLES WON THE HEARTS OF BOTH TRADITIONAL AND NEW USERS AND TURNED OUT TO BE VERY WELL ACCEPTED AND EXCEPTIONALLY SUCCESSFUL MODELS FROM THE COMMERCIAL POINT OF VIEW, FIRMLY FOLLOWING IN THE FOOTSTEPS OF MODELS DESIGNED BY THE LEGENDARY KOUCKÝ BROTHERS.



CZ 512 TACTICAL

A REAL SLICE OF FUN

WHEN I RECENTLY ARRIVED IN ČESKÁ ZBROJOVKA IN UHERSKÝ BROD TO BECOME ACQUAINTED WITH THE NEW PRODUCTS FOR 2015, RICHARD VELÍSEK, THE PRODUCT MANAGER FOR LONG ARMS DROVE ME TO THE SHOOTING RANGE, SMILING MYSTERIOUSLY. ONCE THERE, HE REMOVED FROM THE CARRYING CASE SOMETHING QUITE DIFFERENT TO WHAT I HAD EXPECTED. RICHARD DOES LIKE HIS BIT OF DRAMA, SO HE REALLY SAVOURED THE MOMENT. I WAS STARING AT A GUN, WHICH AT FIRST SIGHT RESEMBLED NO MODEL FROM THE UHERSKÝ BROD PRODUCTION KNOWN TO ME. ONLY UPON CLOSER EXAMINATION DID I SEE THE FAMILIAR INSCRIPTION CZ 512 ON THE LEFT SIDE OF THE RECEIVER.

RIMFIRE RIFLES. SOMETIMES SEEMINGLY A LITTLE OVERLOOKED BUT IN FACT AN ESSENTIAL PART OF LIFE IN THE GLOBAL SHOOTING COMMUNITY. AFTER ALL, DIDN'T RIMFIRE RIFLES OPEN UP FOR MANY OF US THE MAGICAL DOORS, BEHIND WHICH A COLOURFUL AND VAST WORLD OF GUNS AND SHOOTING AWAITED? AND THAT WAS NOT ALL. WE USE THE .22 LR (AND TO A LESSER EXTENT SEVERAL OTHER RIMFIRE CARTRIDGES) WEAPONS FOR TRAINING, KEEPING FIT, FOR SPORT SHOOTING AT ALL LEVELS, FOR ENTERTAINMENT, HUNTING AND ALSO FOR SELF-DEFENCE. PRAISE THE RIMFIRE RIFLE! WITHOUT THEM, THE LIFE OF A SHOOTER WOULD BE INFINITELY POORER AND DULLER.

THE CZECH JOURNEY

SOMETHING SIMILAR CAN BE SAID ABOUT CZ RIMFIRE RIFLES. THANKS TO THEIR EXCELLENT PROPERTIES, ESPECIALLY SIMPLICITY, DURABILITY, RELIABILITY AND ACCURACY (NOT TO MENTION AFFORDABILITY), THEY ARE ONE OF THE MOST POPULAR AND MOST WIDELY USED. THIS PARTICULARLY APPLIES TO THE REPEATING MODELS OF THE FAMOUS ZKM/CZ 452 SE-

RIES, OF WHICH MORE THAN A MILLION HAVE BEEN MADE. EVEN THEIR DIRECT SUCCESSORS ARE SAID TO BE DOING WELL. THEY BELONG TO THE NEW CZ 455 LINE, WHICH IS REMARKABLE FOR ITS INGENIOUS MODULAR DESIGN. THEN THERE ARE THE SELF-LOADING RIMFIRE RIFLES. THE CZECHS HAVE CONTRIBUTED THE SUCCESSFUL ZKM 581 MODEL, ORIGINALLY DESIGNED BY THE FAMOUS KOUCKÝ BROTHERS (AS IT IS WELL KNOWN, FRANTIŠEK WAS THE CREATOR OF THE UHERSKÝ BROD BESTSELLER CZ 75). IT WAS A NICE LITTLE PIECE FOR HUNTING AS WELL AS SPORT SHOOTING, WHICH BEGAN PRODUCTION IN BRNO, IN THE SECOND HALF OF THE 1950S. HOWEVER, IN 1965, IT STARTED BEING PRODUCED IN UHERSKÝ BROD ON A MUCH LARGER SCALE. IN ADDITION TO THE BASIC EIGHT-ROUND MAGAZINE, YOU COULD ALSO OBTAIN A 16 ROUND ONE, JUST THE THING FOR PLINKING LOVERS.

IN 1980 CAME THE CZ 511 MODEL, A SUBTLY MODERNIZED VERSION OF THE 581. AGAIN, THE DESIGN WAS MORE OF A TRADITIONAL HUNTING RIFLE, NEVERTHELESS, IT DID NOT RULE OUT SHOOTING FOR FUN. I SPEAK FROM MY OWN EXPERIENCE. THE 511 IS A NICE RIFLE AND

EASY TO OPERATE, WHICH DOES NOT SUFFER FROM DIGESTIVE PROBLEMS AND CAN BE FIRED QUICKLY AND ACCURATELY. UNFORTUNATELY, I HAVE NEVER HAD THE LONGER MAGAZINE HANDY, BECAUSE WHAT CAN WE SAY, EIGHT CARTRIDGES DISAPPEAR PRETTY QUICKLY.

CZ 512

THE CZ 511 WAS PRODUCED IN .22 LR CAL. UP UNTIL 2006 AS AN ADDITION TO THE REPEATING RIMFIRE RIFLES ON OFFER. IT WAS CLEAR THAT IF ČESKÁ ZBROJOVKA WANTED TO REMAIN ENGAGED IN THIS FIELD, IT WOULD HAVE TO TAKE A WEAPON WHICH WOULD BE MORE MODERN, MORE VERSATILE AND CAPABLE OF FIRING AMMUNITION OTHER THAN JUST THE TRADITIONAL .22 LR. AND THUS THE CZ 512, A SELF-LOADING RIMFIRE RIFLE WAS BORN AND CAME INTO PRODUCTION IN 2010.

THE 512 IS AN ATTRACTIVE MODERN WEAPON, DESIGNED FOR UNIVERSAL USE BY LEFT AND RIGHT HANDED USERS. THE UNLOCKED STEEL

WHERE HAS TACTICAL COME FROM

WHEN RICHARD VELÍSEK HAD TAKEN ENOUGH DELIGHT IN MY AMAZEMENT ON THE RANGE, HE TOLD ME THAT THE GUN WHICH MADE MY JAW DROP WAS THE CZ 512 TACTICAL. A VERY APT NAME AND UNDOUBTEDLY A VERY GOOD MOVE. BUT WHERE HAS THIS TACTICAL 512 ACTUALLY COME FROM?

APPARENTLY, IT HAD BEEN QUITE A LONG JOURNEY. PEOPLE AT ČESKÁ ZBROJOVKA WERE WELL AWARE OF THE TRADING LIMITS THE BASIC DESIGN HAD. IT WAS ALREADY THREE YEARS EARLIER WHEN THEY BEGAN THINKING HOW TO TAKE ADVANTAGE OF THE CZ 512 MODULARITY TO OFFER A VERSION WHICH WOULD FOLLOW THE LATEST TRENDS. THESE INCLUDE THE EVER-INCREASING POPULARITY OF .22

THE BARREL IS ENCASED IN A LONG ALUMINIUM FOREND WITH SLANTED VENTS. ON THE TOP, THERE IS AN EVEN LONGER WEAVER MOUNTING RAIL AND THE FOREND HAS OPENINGS FOR ATTACHING ADDITIONAL RAILS. ACCESSORIES ENTHUSIASTS CAN THUS BEDECK THEIR CZ 512 TACTICAL AT THEIR PLEASURE. BELOW, THERE IS A PISTOL GRIP WITH RUBBER GRIPPING SURFACES, A TELESCOPIC BUTT IN THE AR-15 STYLE AT THE REAR, ADJUSTABLE IN SIX POSITIONS. IN ADDITION, THE MUZZLE HAS A THREADED COVER AS STANDARD.

WHAT IS MORE, THE CZ 512, DRESSED IN A JACKET FROM ATI NOT ONLY LOOKS DAMN GOOD BUT IS ALSO EXCELLENT TO HOLD AND SHOOTING ITSELF IS PERFECT. THE TUBULAR FOREND LITERALLY MAKES YOU HOLD THE WEAPON IN A MODERN TACTICAL GRIP WITH THE THUMB ON TOP, WHICH IS QUITE UNNECESSARY WITH .22S, BUT THROUGH THIS, ONE CAN LEARN APPROPRIATE HABITS BEFORE SHOOTING FROM FULL-BLOODED ASSAULT RIFLES. THE OPTION TO SET THE LENGTH OF THE STOCK IS PRICELESS. AND THE WONDERFUL PISTOL GRIP...

BOLT MOVES IN THE UPPER PART OF THE RECEIVER, MADE FROM ALUMINIUM ALLOY. IN THE LOWER PART OF THE RECEIVER, MADE OF DURABLE FIBERGLASS AND REINFORCED POLYMER, LIES THE BLOCK WITH THE HAMMER TRIGGER MECHANISM AND THE MAGAZINE WELL. THE TRANSVERSAL MANUAL SAFETY IS LOCATED DOWN IN THE TRIGGER GUARD. THE CZ 512 MODEL HAS BEEN DESIGNED TO BE MODULAR AND THE CHOICE OF CALIBRE IS A MATTER FOR THE FINAL ASSEMBLY. THE .22 LR AND .22 WMR VERSIONS DIFFER IN THE BARREL, BOLT AND MAGAZINE, WITH OR WITHOUT THE INSERT. IN ADDITION, THE WMR IS ALSO EQUIPPED WITH A CHUTE, WHICH PREVENTS THE BUILDING UP OF AMMUNITION DURING HEAVY MOVEMENTS OF THE BOLT BACKWARDS. IN TERMS OF THE DESIGN, THE CZ 512 MODEL STANDS BETWEEN A TRADITIONAL HUNTING RIFLE WITH ITS LACQUERED BEECH STOCK AND A HI-TECH ONE REGARDING THE SHAPE OF THE RECEIVER. IT IS ORIGINAL AND YET NATURAL. THE ONLY THING IS, ITS LOOK UNNECESSARILY DEFINES THE TARGET GROUP TOO NARROWLY, BECAUSE IT IS OBVIOUS THAT DESPITE ALL THE MODERN GADGETS, SUCH A SELF-LOADING RIMFIRE RIFLE WILL APPEAL PRIMARILY TO TRADITIONALISTS.

LR WEAPONS, WHICH OUTWARDLY RESEMBLE SUBMACHINE GUNS OR ASSAULT RIFLES. NEVERTHELESS, IN RECENT YEARS ČESKÁ ZBROJOVKA HAS BEEN FAR FROM IDLE (CHECK OUT THE LAST FEW CATALOGUES), SO THIS INFACORY TUNING NEVER GOT INTO THE MAIN RESEARCH AND DEVELOPMENT PLAN. FORTUNATELY, THEIR COLLEAGUES FROM THE CZ-USA SUBSIDIARY DID NOT ALLOW THE MATTER TO SLEEP. THEY ARE USED TO NOT OBTAINING EVERYTHING "IN HOUSE" AND COOPERATE WITH A NUMBER OF WEAPON COMPONENTS AND ACCESSORIES MANUFACTURERS. IN THIS CASE, THEY HAVE NEGOTIATED WITH ADVANCED TECHNOLOGY INTERNATIONAL, A WELL-KNOWN COMPANY SPECIALIZING IN HIGH-QUALITY PLASTIC STOCKS AND GRIPPING PARTS FOR WEAPONS – AND A NEW PRODUCT WAS BORN. IT IS REMARKABLE HOW LITTLE IT TAKES TO EVOKE A COMPLETELY DIFFERENT IMPRESSION. AFTER ALL, THE BASE IS STILL THE CZ 512: ITS RECEIVER, BOLT AND BARREL. BUT INSTEAD OF THE BEECH STOCK, THE WHOLE THING IS „DRESSED“ IN A TACTICAL CHASSIS AND THE RESULT HAS NOT ONLY MODERN, BUT EVEN SLIGHTLY FUTURISTIC FEEL ABOUT IT.

IN SHORT, I WAS THRILLED. THE CZ 512 DOES APPEAL TO ME, IT IS RELIABLE AND ACCURATE, BUT I ALWAYS HAD THE IMPRESSION THAT IT WAS A RESPECTABLE WEAPON FOR RESPECTABLE HUNTERS. THE CZ 512 TACTICAL IS ANOTHER STORY. OF COURSE YOU CAN GO HUNTING SMALL GAME WITH IT, IN .22 CAL. WMR IT IS POWERFUL ENOUGH. BUT IN MY EYES IT IS ABOVE ALL A RIFLE WITH WHICH YOU CAN HAVE GREAT FUN, ESPECIALLY WHEN YOU PURCHASE THE NEW 25 ROUND MAGAZINE FROM UHERSKÝ BROD, WHICH IS EXTREMELY RELIABLE AND SUITABLE FOR ALL MODERN CZ RIMFIRE RIFLES. AND AT THE VERY END, RICHARD TOLD ME (HOW ELSE THAN WITH A BIT OF DRAMA) THAT THE STORY OF CZ 512 WAS NOT FINISHED JUST YET. BUT MORE ABOUT THAT IN A YEAR ...

CZ 512 TACTICAL

NEW

A SEMI-AUTOMATIC RIMFIRE RIFLE IN TACTICAL DESIGN. THE CZ 512 SYSTEM HAS AN ADJUSTABLE POLYMER STOCK, ALUMINIUM FOREND AND SINGLE-PIECE 530 MM PICATINNY RAIL FOR THE ATTACHMENT OF VARIOUS ACCESSORIES.

.22 LR (1:16) | 25 .22 WMR (1:16) | 10



THE ALUMINIUM CYLINDRICAL FOREND IS VENTED FOR BETTER HEAT DISSIPATION FROM BARREL DURING RAPID FIRE. THE CYLINDER HAS 48 THREADED HOLES FOR THE ATTACHMENT OF VARIOUS ACCESSORIES. THE STOCK MAY BE SET AT 6 DIFFERENT POSITIONS AND THE HEIGHT OF THE COMB IS ALSO ADJUSTABLE. IT IS SUPPLIED WITH A 25 ROUND MAGAZINE FOR .22 LR AND WITH A 10 ROUND MAGAZINE FOR .22 WMR.

CZ 512 CARBINE

CZ 512 CARBINE MODEL WITH A BARREL SHORTENED TO 415 MM AND 1/2"X28 THREAD. ROBUST TANGENT SIGHTS FOR ACCURATE ADJUSTMENT OF SHOOTING DISTANCE. FEATURES AN ATTRACTIVE BEECH STOCK IN SILVERY BLACK STAIN.

.22 LR (1:16) | 10 .22 WMR (1:16) | 10

NEW



CZ 512 AMERICAN

THE CZ 512 AMERICAN HAS A 525 MM BARREL WITHOUT SIGHTS AND A WALNUT STOCK IN OIL FINISH.

.22 LR (1:16) | 5 .22 WMR (1:16) | 5

NEW



CZ 512

FROM 2016, THE CZ 512 HAS AN INNOVATED TRIGGER MECHANISM. IMPROVEMENTS HAVE BEEN MADE IN ITS FUNCTION AND THE ORIGINAL FORCE OF 17.8 - 19.5 N HAS BEEN DECREASED TO 14.3 - 15.0 N.

.22 LR (1:16) | 5 .22 WMR (1:16) | 5



TECHNICAL DATA

	STOCK	STOCK FINISH	CHEEKPIECE	MAGAZINE TYPE	TRIGGER	SIGHTS	LENGTH OF PULL	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	WEIGHT (KG)	BARREL
CZ 512 TACTICAL	POLYMER	–	✓	DM	NON ADJ	–	305-390 (6x)	835-920	415	2,8	HAMMER FORGED

	STOCK	STOCK FINISH	CHEEKPIECE	MAGAZINE TYPE	TRIGGER	SIGHTS	LENGTH OF PULL	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	WEIGHT (KG)	BARREL
CZ 512 CARBINE	BEECH	LACQUERED	–	DM	NON ADJ	ADJ	350	890	415	2,8	HAMMER FORGED
CZ 512 AMERICAN	WALNUT	OIL	–	DM	NON ADJ	–	350	1000	525	2,7	HAMMER FORGED
CZ 512	BEECH	LACQUERED	–	DM	NON ADJ	ADJ	350	1000	525	2,7	HAMMER FORGED

CZ 455 CAMP RIFLE

NEW

THE RIFLE IS SUITABLE FOR BOTH NOVICE AS WELL AS EXPERIENCED SHOOTERS. COMPARED WITH THE OTHER CZ 455 MODELS IT HAS A LENGTH-ADJUSTABLE STOCK. ADJUSTMENTS ARE MADE WITH PLASTIC INSERTS (TWO 12 MM INSERTS). THE SIGHTS CONSISTS OF A FRONT SIGHT ADJUSTABLE IN HEIGHT AND A FULLY ADJUSTABLE DIPTRE REAR SIGHT. THE REAR SIGHT IS FITTED ON THE RECEIVER AND IS REMOVABLE. THE USER MAY THEREFORE OPT TO USE SIGHTS OR A RIFLESCOPE.

.22 LR (1:16) | 1



CZ 455 LUX II.

ELEGANT CZ 455 IN A CLASSIC DESIGN BOASTS A 630 MM LONG BARREL WITH MECHANICAL SIGHTS AND A WALNUT STOCK WITH ELEGANT CHECKERING AND LOOPS FOR A SLING. THE CZ 455 LUX IS AN IDEAL CHOICE FOR LOVERS OF CLASSIC RIFLES.

.17 HMR (1:9) | 5 .22 LR (1:16) | 5 22 WMR (1:16) | 5



CZ 455 LONG

THE CZ 455 IN AN INNOVATIVE VERSION FEATURING A 630MM LONG BARREL, SLIMMER STOCK AND TANGENT REAR SIGHT.

.22 LR (1:16) | 5, 10



CZ 455 STANDARD

THIS MODEL WITH A BEECH WOOD STOCK WITHOUT A CHEEKPIECE OFFERS THE TOP PARAMETERS OF THE LUX VERSION FOR A MORE FAVOURABLE PRICE. THE CZ 455 STANDARD COMES WITH A 5 ROUND PLASTIC MAGAZINE.

.17 HMR (1:9) | 5 .22 LR (1:16) | 5 22 WMR (1:16) | 5



TECHNICAL DATA

	STOCK	STOCK FINISH	CHEEKPIECE	MAGAZINE TYPE	TRIGGER	SIGHTS	LENGTH OF PULL	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	WEIGHT (KG)	BARREL
CZ 455 CAMP RIFLE	BEECH	LACQUERED	-	DM	ADJ	ADJ	324-350 (3x)	991/965	525	2,8	HAMMER FORGED

	STOCK	STOCK FINISH	CHEEKPIECE	MAGAZINE TYPE	TRIGGER	SIGHTS	LENGTH OF PULL	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	WEIGHT (KG)	BARREL
CZ 455 LUX II.	WALNUT	LACQUERED	-	DM	ADJ	ADJ	345	1085	630	2,9	HAMMER FORGED
CZ 455 LONG	BEECH	LACQUERED	-	DM	ADJ	ADJ	345	1085	630	2,9	HAMMER FORGED
CZ 455 STANDARD	BEECH	LACQUERED	-	DM	ADJ	ADJ	350	980	525	2,8	HAMMER FORGED

CZ 455 JAGUAR

A MODEL WITH A SUPERB, 726 MM LONG COLD FORGED BARREL. THE STOCK WITH A CHEEKPIECE PROVIDES GREAT SHOOTING COMFORT.

.22 LR (1:16) | 10



CZ 455 ULTRAMATCH

THE CZ 455 ULTRA MATCH MODEL IS CHARACTERIZED BY ABOVE-AVERAGE ACCURACY AIDED BY 12 GROOVES IN THE BARREL BORE THAT PROVIDE BETTER DIRECTION OF THE BULLET. THIS MODEL COMES WITH A 10 ROUND METAL MAGAZINE.

.22 LR (1:16) | 10



CZ 455 SUPERMATCH

THE CZ 455 SUPER MATCH RIMFIRE RIFLE IS DESIGNED FOR HIGH PRECISION SHOOTING, THE 12 GROOVE BORE PROVIDES SUPERB STABILITY OF THE BULLET AND THE 10 ROUND MAGAZINE ENHANCES THE USER PROPERTIES.

.22 LR (1:16) | 10



CZ 455 FS

IN THE SPIRIT OF EUROPEAN TRADITIONS, THIS ELEGANT HUNTING RIFLE HAS A FULL LENGTH STOCK MADE FROM TURKISH WALNUT, ROUGHENED WITH CHECKERING. IT COMES WITH A 5-ROUND MAGAZINE.

.17 HMR (1:9) | 5 .22 LR (1:16) | 5 22 WMR (1:16) | 5



TECHNICAL DATA

	STOCK	STOCK FINISH	CHEEKPIECE	MAGAZINE TYPE	TRIGGER	SIGHTS	LENGTH OF PULL	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	WEIGHT (KG)	BARREL
CZ 455 JAGUAR	BEECH	LACQUERED	✓	DM	ADJ	ADJ	350	1191	726	3,3	HAMMER FORGED

	STOCK	STOCK FINISH	CHEEKPIECE	MAGAZINE TYPE	TRIGGER	SIGHTS	LENGTH OF PULL	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	WEIGHT (KG)	BARREL
CZ 455 ULTRAMATCH	BEECH	LACQUERED	–	DM	ADJ	ADJ	345	1085	630	2,9	HAMMER FORGED
CZ 455 SUPERMATCH	BEECH	LACQUERED	–	DM	ADJ	ADJ	350	980	525	2,8	HAMMER FORGED
CZ 455 FS	WALNUT	LACQUERED	–	DM	ADJ	ADJ	350	980	525	2,8	HAMMER FORGED

CZ 455 EVOLUTION GG

THE POPULAR CZ 455 EVOLUTION WITH A SPORTY LOOKING STOCK NOW COMES IN WOODLAND COLOURS OF GREEN, BROWN AND GREY.

.22 LR (1:16) | 5 .17 HMR (1:9) | 5 22 WMR (1:16) | 5

NEW



CZ 455 EVOLUTION

THIS .22 LR CAL. MODEL IS PRIMARILY DESIGNED FOR SPORT SHOOTING, DESTINED FOR THIS ACTIVITY WITH ITS HEAVY HAMMER FORGED BARREL AND ORIGINAL DESIGN OF STOCK MADE OF BLUE/GREY LAMINATED WOOD.

.17 HMR (1:9) | 5 .22 LR (1:16) | 5 .22 WMR (1:16) | 5



EVOLUTION TYPE STOCK IN NEW COLOUR COMBINATION.

CZ 455 THUMBHOLE

THIS HUNTING AND SPORT MODEL IS CHARACTERISED BY A STRAIGHT STOCK MADE OF LAMINATED WOOD WITH A LARGE HOLE FOR THE RIGHT- HAND THUMB AND A VARMINT TYPE BARREL OF SUPERIOR ACCURACY.

.17 HMR (1:9) | 5 .22 LR (1:16) | 5 22 WMR (1:16) | 5



CZ 455 THUMBHOLE GREY

THE MOST LUXURIOUS VERSION OF THE CZ 455 RIMFIRE RIFLE FEATURING A FLUTED BARREL, 5-ROUND METAL MAGAZINE AND A THUMBHOLE TYPE STOCK MADE OF GREY LAMINATED WOOD.

.22 LR (1:16) | 5



TECHNICAL DATA

	STOCK	STOCK FINISH	CHEEKPIECE	MAGAZINE TYPE	TRIGGER	SIGHTS	LENGTH OF PULL	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	WEIGHT (KG)	BARREL
CZ 455 EVOLUTION GG	LAMINATED WOOD	LACQUERED	✓	DM	ADJ	–	350	980	525	3,4	HAMMER FORGED

	STOCK	STOCK FINISH	CHEEKPIECE	MAGAZINE TYPE	TRIGGER	SIGHTS	LENGTH OF PULL	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	WEIGHT (KG)	BARREL
CZ 455 EVOLUTION	LAMINATED WOOD	LACQUERED	✓	DM	ADJ	–	350	980	525	3,4	HAMMER FORGED
CZ 455 THUMBHOLE	LAMINATED WOOD	LACQUERED	✓	DM	ADJ	–	340	975	525	3,4	HAMMER FORGED
CZ 455 THUMBHOLE GREY	LAMINATED WOOD	LACQUERED	✓	DM	ADJ	–	340	975	525	3,4	HAMMER FORGED

CZ 455 AMERICAN RED

A TRADITIONAL VERSION OF THE CZ 455 AMERICAN WITH A BEECH STOCK IN AN ATTRACTIVE RED STAIN FINISH. IT FEATURES A RUBBER BUTTPLATE AND BLACK CHECKERING.

NEW

.22 LR (1:16) | 5 .17 HMR (1:9) | 5 22 WMR (1:16) | 5



CZ 455 AMERICAN

THIS IS A LIGHTWEIGHT RIMFIRE RIFLE IN A CLASSIC DESIGN WITHOUT MECHANICAL SIGHTS. IT IS THEREFORE A CLEAR CHOICE FOR ALL HUNTERS WITH THE PREFERENCE FOR A RIMFIRE RIFLE WITH A RIFLESCOPE.

.17 HMR (1:9) | 5 .22 LR (1:16) | 5 22 WMR (1:16) | 5



CZ 455 SYNTHETIC

THANKS TO THE AMERICAN STYLE POLYMER STOCK, THE CZ 455 SYNTHETIC IS LOWER IN WEIGHT AND PROVIDES HIGH COMFORT OF HANDLING IN EXTREME CLIMATIC CONDITIONS.

.17 HMR (1:9) | 5 .22 LR (1:16) | 5 22 WMR (1:16) | 5



CZ 455 VARMINT

THE CZ 455 VARMINT IS A BASIC RIMFIRE RIFLE MODEL FEATURING A HEAVY BARREL. THIS RIFLE IS DESIGNED FOR TARGET SHOOTING AND HUNTING AT LONGER DISTANCES. THE HEAVY, HAMMER FORGED BARREL PROVIDES CONSTANT ACCURACY EVEN WHEN MORE CARTRIDGES ARE FIRED.

.17 HMR (1:9) | 5 .22 LR (1:16) | 5 22 WMR (1:16) | 5









TECHNICAL DATA

	STOCK	STOCK FINISH	CHEEKPIECE	MAGAZINE TYPE	TRIGGER	SIGHTS	LENGTH OF PULL	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	WEIGHT (KG)	BARREL
CZ 455 AMERICAN RED	WALNUT	LACQUERED	–	DM	ADJ	–	345	980	525	2,8	HAMMER FORGED

	STOCK	STOCK FINISH	CHEEKPIECE	MAGAZINE TYPE	TRIGGER	SIGHTS	LENGTH OF PULL	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	WEIGHT (KG)	BARREL
CZ 455 AMERICAN	WALNUT	LACQUERED	–	DM	ADJ	–	345	980	525	2,8	HAMMER FORGED
CZ 455 SYNTHETIC	POLYMER	SOFT-TOUCH	–	DM	ADJ	–	350	980	525	2,4	HAMMER FORGED
CZ 455 VARMINT	WALNUT	LACQUERED	–	DM	ADJ	–	345	980	525	3,2	HAMMER FORGED

RIMFIRE RIFLES

TECHNICAL DATA

MODEL	CALIBER	STOCK	STOCK FINISH	CHEEKPIECE	MAGAZINE TYPE	MAGAZINE CAPACITY	TRIGGER	SIGHTS	LENGTH OF PULL	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	WEIGHT (KG)	BARREL
CZ 455 LUX II.	.17 HMR(1:9) ; .22 LR(1:16); 22 WMR (1:16)	WALNUT	LACQUERED	–	DM	5	ADJ	ADJ	345	1085	630	2,9	HAMMER FORGED
CZ 455 CAMP RIFLE	 .22 LR(1:16)	BEECH	LACQUERED	–	DM	1	ADJ	ADJ	324-350 [3x]	991/965	525	2,8	HAMMER FORGED
CZ 455 JAGUAR	.22 LR(1:16)	BEECH	LACQUERED	✓	DM	10	ADJ	ADJ	350	1191	726	3,3	HAMMER FORGED
CZ 455 LUX	.17 HMR(1:9) ; .22 LR(1:16); 22 WMR (1:16)	WALNUT	LACQUERED	–	DM	5	ADJ	ADJ	350	980	525	2,8	HAMMER FORGED
CZ 455 LONG	.22 LR(1:16)	BEECH	LACQUERED	–	DM	5,10	ADJ	ADJ	345	1085	630	2,9	HAMMER FORGED
CZ 455 STANDARD	.17 HMR(1:9) ; .22 LR(1:16); 22 WMR (1:16)	BEECH	LACQUERED	–	DM	5	ADJ	ADJ	350	980	525	2,8	HAMMER FORGED
CZ 455 ULTRAMATCH	.22 LR(1:16)	BEECH	LACQUERED	–	DM	10	ADJ	ADJ	345	1085	630	2,9	HAMMER FORGED
CZ 455 SUPERMATCH	.22 LR(1:16)	BEECH	LACQUERED	–	DM	10	ADJ	ADJ	350	980	525	2,8	HAMMER FORGED
CZ 455 FS	.17 HMR(1:9); .22 LR(1:16); 22 WMR (1:16)	WALNUT	LACQUERED	–	DM	5	ADJ	ADJ	350	980	525	2,8	HAMMER FORGED
CZ 455 AMERICAN	.17 HMR(1:9) ; .22 LR(1:16); 22 WMR (1:16)	WALNUT	LACQUERED	–	DM	5	ADJ	–	345	980	525	2,8	HAMMER FORGED
CZ 455 AMERICAN RED	 .17 HMR(1:9) ; .22 LR(1:16); 22 WMR (1:16)	WALNUT	LACQUERED	–	DM	5	ADJ	–	345	980	525	2,8	HAMMER FORGED
CZ 455 SYNTHETIC	.17 HMR(1:9) ; .22 LR(1:16); 22 WMR (1:16)	POLYMER	SOFT-TOUCH	–	DM	5	ADJ	–	350	980	525	2,4	HAMMER FORGED
CZ 455 SYNTHETIC 16” PH	.17 HMR(1:9) ; .22 LR(1:16)	POLYMER	SOFT-TOUCH	–	DM	5	ADJ	–	345	891	436	2,8	HAMMER FORGED
CZ 455 VARMINT	.17 HMR(1:9) ; .22 LR(1:16); 22 WMR (1:16)	WALNUT	LACQUERED	–	DM	5	ADJ	–	345	980	525	3,2	HAMMER FORGED
CZ 455 VARMINT 16” PH	.17 HMR(1:9) ; .22 LR(1:16)	WALNUT	LACQUERED	–	DM	5	ADJ	–	345	891	436	3	HAMMER FORGED
CZ 455 EVOLUTION	.17 HMR(1:9); .22 LR(1:16); 22 WMR (1:16)	LAMINATED WOOD	LACQUERED	✓	DM	5	ADJ	–	350	980	525	3,4	HAMMER FORGED
CZ 455 EVOLUTION 16” PH	.17 HMR(1:9) ; .22 LR(1:16)	LAMINATED WOOD	LACQUERED	✓	DM	5	ADJ	–	350	891	436	3,2	HAMMER FORGED
CZ 455 EVOLUTION GG	 .17 HMR(1:9); .22 LR(1:16); 22 WMR (1:16)	LAMINATED WOOD	LACQUERED	✓	DM	5	ADJ	–	350	980	525	3,4	HAMMER FORGED
CZ 455 THUMBHOLE	.17 HMR(1:9) ; .22 LR(1:16); 22 WMR (1:16)	LAMINATED WOOD	LACQUERED	✓	DM	5	ADJ	–	340	975	525	3,4	HAMMER FORGED
CZ 455 THUMBHOLE 16” PH	.17 HMR(1:9) ; .22 LR(1:16); 22 WMR (1:16)	LAMINATED WOOD	LACQUERED	✓	DM	5	ADJ	–	340	886	436	3,2	HAMMER FORGED
CZ 455 THUMBHOLE GREY	.22 LR(1:16)	LAMINATED WOOD	LACQUERED	✓	DM	5	ADJ	–	340	975	525	3,4	HAMMER FORGED
CZ 455 MINISET LUX	.17 HMR(1:9) ; .22 LR(1:16); 22 WMR (1:16)				DM	5	–	ADJ	–	–	525	–	HAMMER FORGED
CZ 455 MINISET LUX II.	.17 HMR(1:9) ; .22 LR(1:16); 22 WMR (1:16)				DM	5	–	ADJ	–	–	630	–	HAMMER FORGED
CZ 455 MINISET AMERICAN	.17 HMR(1:9) ; .22 LR(1:16); 22 WMR (1:16)				DM	5	–	–	–	–	525	–	HAMMER FORGED
CZ 455 MINISET VARMINT	.17 HMR(1:9) ; .22 LR(1:16); 22 WMR (1:16)				DM	5	–	–	–	–	525	–	HAMMER FORGED
CZ 455 MINISET VARMINT 16” PH	.17 HMR(1:9) ; .22 LR(1:16)				DM	5	–	–	–	–	436	–	HAMMER FORGED
CZ 455 MINISET VARMINT FLUTED	.17 HMR(1:9) ; .22 LR(1:16); 22 WMR (1:16)				DM	5	–	–	–	–	525	–	HAMMER FORGED
CZ 512	.22 LR(1:16); 22 WMR (1:16)	BEECH	LACQUERED	–	DM	5	NON ADJ	ADJ	350	1000	525	2,7	HAMMER FORGED
CZ 512 TACTICAL	 .22 LR(1:16); 22 WMR (1:16)	POLYMER	–	✓	DM	25/10	NON ADJ	–	305-390 [6x]	835-920	415	2,8	HAMMER FORGED
CZ 512 CARBINE	 .22 LR(1:16); 22 WMR (1:16)	BEECH	LACQUERED	–	DM	10	NON ADJ	ADJ	350	890	415	2,7	HAMMER FORGED
CZ 512 AMERICAN	 .22 LR(1:16); 22 WMR (1:16)	WALNUT	OIL	–	DM	5	NON ADJ	–	350	1000	525	2,7	HAMMER FORGED

DM - magazine, FM - box, ADJ - adjustable, NON ADJ - non adjustable, F - fixed

Specified dimensions may vary according to design and configuration

C E N T E R F I R E R I F L E S

**TRADITION AND ORIGINALITY. EXCELLENT QUALITY AND AFFORDABILITY.
WIDE AND CONSTANTLY EXPANDED LINE OF PRODUCTS. THESE ARE JUST SOME
ADVANTAGES OF THE LONG GUNS MADE BY ČESKÁ ZBROJOVKA A.S.**

A WIDE RANGE OF PRODUCTS MADE BY ČESKÁ ZBROJOVKA A.S. CERTAINLY OFFERS A CHOICE WHETHER YOU ARE LOOKING FOR LONG GUNS DESIGNED FOR HUNTING, SPORT, TRAINING OR LEISURE TIME ACTIVITIES. FOR ALMOST HALF A CENTURY, THESE PRODUCTS HAVE CONSTITUTED ONE OF THE PILLARS OF THE COMPANY'S SUCCESS. ČESKÁ ZBROJOVKA A.S. TAKES MAXIMUM CARE IN THE LONG GUN MANUFACTURE AND CONSTANTLY COMES UP WITH BRAND NEW INNOVATIONS AS WELL AS NEW MODELS. THANKS TO THIS APPROACH, THE CURRENT PORTFOLIO OF ČESKÁ ZBROJOVKA A.S. INCLUDES THE EXTREMELY POPULAR, RELIABLE AND HIGHLY ACCURATE REPEATING RIFLES OF THE LITE, MEDIUM AND MAGNUM CATEGORIES, WHICH ARE BASED IN THEIR DESIGN ON THE TIMELESS MAUSER 98, MODERN SINGLE-SHOT BREAK-OPEN RIFLES AS WELL AS THE LEGENDARY SUPERPOSED RIFLES FROM THE ZBROJOVKA BRNO BRAND, AND LAST BUT NOT LEAST, A BROAD RANGE OF SHOTGUNS AND SHOTGUN/RIFLE COMBINATION GUNS OF ZBROJOVKA BRNO AND CZ-USA. A NEW FLAGSHIP OF THE REPEATING RIFLES SEGMENT IS THE CZ 557 LINE, FULLY UTILIZING THE OPPORTUNITIES PROVIDED BY THE STATE-OF-THE-ART MACHINERY AND EQUIPMENT, THUS OFFERING UNRIVALLED USER PARAMETERS. ČESKÁ ZBROJOVKA A.S. SIMPLY TAKES INTO ACCOUNT THE NEEDS OF ALL ITS CUSTOMERS, BE IT HUNTERS OR TARGET SHOOTERS.



CZ 527 YOUTH CARBINE

WITH A 324 MM LOP, SMALLER PISTOL GRIP AND TIGHTER RADIUS AS WELL AS THINNER FOREND, THE YOUTH CARBINE MAKES AN IDEAL FIRST DEER RIFLE.

.223 REM. (1:9) | 5 7,62X39 (1:9,4) | 5



PISTOL GRIP MOVED CLOSER TO THE TRIGGER.

TURKISH WALNUT STOCK WITH OIL FINISH.

CZ 527 LUX

THIS ELEGANT MODEL IN A TRADITIONAL EUROPEAN STYLE HAS A TRADITIONALLY SHAPED STOCK WITH A CHEEKPIECE MADE OF HIGH-QUALITY TURKISH WALNUT AND OPEN MECHANICAL SIGHTS.

.22 HORNET (1:16) | 5 .222 REM (1:14) | 5 .223 REM (1:9) | 5



CZ 527 CARBINE

THIS IS A COMPACT AND LIGHTWEIGHT RIFLE, YET ALSO A VERY POWERFUL HUNTING FIREARM, PERFECT FOR QUICK DISCHARGE AT SHORT AND MEDIUM DISTANCES.

.223 REM (1:9) | 5 7,62X39 (1:9,4) | 5



CZ 527 FS

THE CZ 527 FS MODEL HAS A WALNUT FULL LENGTH STOCK WITH A CHEEKPIECE.

.223 REM (1:9) | 5



TECHNICAL DATA

	STOCK	STOCK FINISH	CHEEKPIECE	MAGAZINE TYPE	TRIGGER	SIGHTS	LOP	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	WEIGHT (KG)	BARREL
CZ 527 YOUTH CARBINE	WALNUT	OIL	–	DM	SST	FIXED	322	922	470	2,65	HAMMER FORGED

	STOCK	STOCK FINISH	CHEEKPIECE	MAGAZINE TYPE	TRIGGER	SIGHTS	LOP	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	WEIGHT (KG)	BARREL
CZ 527 LUX	WALNUT	LACQUERED	✓	DM	SST	F	360	1077	600	2,8	HAMMER FORGED
CZ 527 CARBINE	WALNUT	LACQUERED	–	DM	SST	F	355	950	470	2,7	HAMMER FORGED
CZ 527 FS	WALNUT	LACQUERED	✓	DM	SST	F	355	977	520	2,7	HAMMER FORGED

CZ 527 VARMINT LAMINATED

A MORE COMPACT VERSION OF THE CZ 527 LITE RIFLE, FEATURING A THICK-WALLED 610 MM /24 IN. LONG BARREL WITH AN ELEGANT MODERN SHAPED STOCK MADE FROM GREY/WHITE LAMINATED WOOD.

.223 REM. (1:9) | 5

ALL CZ 527S HAVE A LOWERED HANDLE FOR USE WITH VARIABLE MAGNIFICATION RIFLESCOPES.

TRIGGER MECHANISM WITH DOUBLE SET TRIGGER.

TARGET STYLE LAMINATE STOCK.

1:9 RIFLING.



CZ 527 VARMINT

THIS RIFLE SECURED THE FIRST PLACE FOR THE CZECH SHOOTING TEAM IN FITASC EUROPEAN CHAMPIONSHIP 2012 IN ESTONIA AND EUROPEAN CHAMPIONSHIP 2013 IN HUNGARY.

.17 REM (1:9) | 5 .17 HORNET (1:9) | 5 .204 RUGER (1:12) | 5 .222 REM (1:14) | 5 .223 REM (1:9) | 5



CZ 527 AMERICAN

THE CZ 527 AMERICAN MODEL FEATURES A CLASSIC AMERICAN PATTERN STOCK, HEAVIER HAMMER FORGED BARREL AND A SINGLE SET TRIGGER. THE MUZZLE CROWN IS MADE WITH A SPECIAL RECESS USED FOR TARGET SHOOTING FIREARMS. THE CZ 527 AMERICAN IS SUPPLIED WITH 1" STEEL SCOPE RINGS.

.17 HORNET (1:9) | 5 .22 HORNET (1:16) | 5 .204 RUGER (1:12) | 5 .222 REM (1:14) | 5 .223 REM (1:9) | 5 .221 FIREBALL (1:12) | 5



CZ 527 EXCLUSIVE – EBONY EDITION

ERGONOMIC WALNUT STOCK WITH EBONY DETAILS, FEATURING A GLOSSY BLUE HELICAL BARREL, JEWELLED BOLT...

.223 REM (1:9) | 5




THREE TIMES WINNER
OF FITASC EUROPEAN CHAMPIONSHIP
COMBINED GAME SHOOTING



TECHNICAL DATA

	STOCK	STOCK FINISH	CHEEKPIECE	MAGAZINE TYPE	TRIGGER	SIGHTS	LOP	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	WEIGHT (KG)	BARREL
CZ 527 VARMINT LAMINATED	LAMINATED WOOD	LACQUERED	✓	DM	SST	–	355	1062	610	3,6	HAMMER FORGED

	STOCK	STOCK FINISH	CHEEKPIECE	MAGAZINE TYPE	TRIGGER	SIGHTS	LOP	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	WEIGHT (KG)	BARREL
CZ 527 VARMINT	WALNUT	LACQUERED	–	DM	SST	–	355	1085	650	3,3	HAMMER FORGED
CZ 527 AMERICAN	WALNUT	LACQUERED	–	DM	SST	–	355	1025	555	2,7	HAMMER FORGED
CZ 527 EXCLUSIVE – EBONY EDITION	WALNUT	LACQUERED	✓	DM	SST	–	355	1025	555	2,7	HAMMER FORGED



CZ 557 RANGE RIFLE

A UNIVERSAL RIFLE FROM UHERSKÝ BROD

IN THE EARLY 1980S, THE LEGENDARY GUN GURU JEFF COOPER FORMULATED A CONCEPT FOR THE SCOUT RIFLE. HIS IDEAL WAS A COMPACT AND POWERFUL REPEATER SUITABLE FOR HUNTING AND COMBAT. IT WAS SUPPOSED TO BE A .308 WIN. CAL. RIFLE WITH A TOTAL LENGTH OF UP TO ONE METER AND WEIGHING LESS THAN 3 KG, CAPABLE OF REPEATEDLY HITTING A TARGET THE SIZE OF A HUMAN FIGURE UP TO 450 METERS USING MECHANICAL SIGHTS. MENTIONING THIS HISTORICAL FACT IS NOT A COINCIDENCE - I THINK JEFF WOULD HAVE LIKED THE NEW UHERSKÝ BROD RIFLE.

COOPER'S VISION OF A UNIVERSAL RIFLE IS AN INTERESTING PHENOMENON. MANY EXPERTS AND CUSTOMERS WERE EXCITED ABOUT SUCH AN IDEA, BUT WHEN ONE LOOKS AT IT, THERE AREN'T MANY MASS PRODUCED WEAPONS MEETING OR AT LEAST APPROACHING THE CRITERIA OF A SCOUT RIFLE ON THE MARKET AT ALL. THE REASON IS SIMPLE - TO MEET ALL THESE VISUARY REQUIREMENTS IS NOT EASY. THE FIRST REAL FACTORY-MADE SCOUT RIFLE WAS NOT CREATED UNTIL THE SECOND HALF OF THE 1990S, AND IT CAME WITH THE EMERGENCE OF A NEW GENERATION OF MODERN MATERIALS AND TECHNOLOGIES. EVEN THEN IT ONLY JUST MET THE REQUIREMENT FOR WEIGHT, BECAUSE THE 3 KG HE ASPIRED FOR IS STILL A PRETTY BIG HURDLE FOR A .308 CAPABLE OF THE REQUIRED ACCURACY.

THE TOPIC OF RIFLES BELONGING TO THE SCOUT RIFLE CATEGORY HAS RECENTLY COME TO THE FORE BECAUSE OF A TENDER FOR THE REARMAMENT OF THE CANADIAN RANGERS. THIS DISTINCTIVE PATROL UNIT OPERATING IN HARD TO REACH AREAS OF THE CANADIAN WILDERNESS HAS REQUIRED, AS A REPLACEMENT FOR ITS OUTDATED MILITARY REPEATERS, A MODERN

UNIVERSAL RIFLE IN THE SPIRIT OF JEFF COOPER'S CONCEPT. ONLY A BIT MORE EMBELLISHED WITH SOME TRIED AND TESTED ELEMENTS OF THE DISCARDED LEE-ENFIELDS. SUPPORTERS OF THE SCOUT RIFLE CONCEPT NO DOUBT SING THEIR THANKS TO THIS TENDER, SINCE BECAUSE OF IT, SEVERAL NEW MODELS HAVE BEEN CREATED AND TESTED, WHICH JEFF COOPER WOULD HAVE DEFINITELY APPROVED OF. AMONG THEM IS A BRAND NEW RIFLE FROM UHERSKÝ BROD. NOW THIS WOULD HAVE PROBABLY IMPRESSED JEFF EVEN MORE, SINCE IT IS NO SECRET THAT HE HAD A SOFT SPOT FOR ČESKÁ ZBROJOVKA WEAPONS.

THE BREAKTHROUGH CZ 557

IN UHERSKÝ BROD, THE NEW MODEL CZ 557, CREATED BY EXTENSIVELY MODERNIZING THE POPULAR CZ 550 SERIES, WAS CHOSEN AS THE STARTING POINT. IN FACT, THE CHANGES WERE SO SIGNIFICANT THAT A COMPLETELY NEW MODEL HAS BEEN CREATED. THE 550S AND THE 557S SHARE JUST SOME STRUCTURAL AND FUNCTIONAL PRINCIPLES AND SEVERAL MINOR PARTS. TO SIMPLIFY, CZ 557 IS A MODERN REPEATING RIFLE WITH A CYLINDRICAL 'PUSH FEED' BOLT. IT

IS LOCKED INTO THE RECEIVER BY TWO SYMMETRICAL LOCKING LUGS. THE FIRING MECHANISM IS COCKED WHILE THE BOLT IS BEING OPENED. THE 557 IS EQUIPPED WITH A FULLY ADJUSTABLE TRIGGER MECHANISM AND USES A TECHNOLOGICALLY SIMPLE METHOD OF ATTACHING THE BARREL INTO THE RECEIVER, WHICH HAS A POSITIVE EFFECT ON HIGH ACCURACY.

UHERSKÝ BROD WEAPONS ARE KNOWN TO BE ACCURATE, RELIABLE AND EXTREMELY DURABLE, BUT UNTIL RECENTLY, IT WAS REGARDED THAT CONCERNING TECHNOLOGY, THE COMPANY REMAINED AS IF WAS STILL AT THE END OF THE 20TH CENTURY. A REGULAR CUSTOMER WOULD PROBABLY NOT HAVE NOTICED, BUT IN MANY WAYS, BECAUSE OF THE TECHNOLOGIES, THE COMPANY WAS HAMPERED. IN CONTRAST, THE NEW 557 WAS FROM THE BEGINNING DESIGNED TO USE THE LATEST MANUFACTURING PROCESSES, LED BY THE USE OF MODERN MILL-TURN MACHINING CENTRES. THANKS TO ITS SOPHISTICATED DESIGN AND TECHNOLOGY, THE CZ 557 IS NOT ONLY EASIER AND FASTER TO PRODUCE, BUT CAN ALSO BE EASILY AND QUICKLY ADAPTED TO MARKET NEEDS. A GOOD EXAMPLE IS THE RANGE RIFLE MODEL, WHICH BEGAN TO BE CREATED ACCORDING TO THE REQUIREMENTS BY THE CANADIAN RANGERS.

THE CURRENT VERSION OF THE 557, OF WHICH THERE ARE QUITE A FEW ON THE MARKET NOW, IS BETWEEN 1,042 MM AND 1,083 MM IN LENGTH OVERALL, WITH THE BARREL BEING 520 MM. THE WEIGHT IS ABOUT 3.3 KG (AN APPROXIMATE VALUE AS IT IS STRONGLY INFLUENCED BY PROPERTIES OF A PARTICULAR BLANK). SOME VERSIONS ARE EQUIPPED WITH MECHANICAL SIGHTS AND ALL ALLOW THE ATTACHMENT OF A SCOPE ONTO A 19 MM DOVETAIL GROOVE ON THE RECEIVER BRIDGES. ALL VERSIONS ALSO HAVE A FULLY ADJUSTABLE TRIGGER MECHANISM (WITH

THE RESISTANCE ADJUSTABLE IN THE RANGE OF 10 TO 22 N). IT HAS ALREADY BEEN MENTIONED HERE. IT IS A WONDERFUL THING, FOR WHICH YOU DO NOT NEED A DOUBLE SET TRIGGER. UP UNTIL NOW, THE BASIS WAS A TWO-POSITION SAFETY WITHOUT A BOLT BLOCK. ANOTHER SAFETY FEATURE IS THE INDICATOR IN THE FORM OF THE REAR END OF THE FIRING PIN, WHICH PROTRU-

DES FROM THE BOLT HEAD WHEN THE BOLT IS COCKED. THERE IS NO NEED TO DISCUSS THE COLD FORGED BARRELS IN LENGTH; THEY HAVE LONG BEEN SIGNIFICANTLY CONTRIBUTING TO THE RESPECTED ACCURACY OF CZ RIFLES. THE CZ 557 ENTERED THE MARKET WITH A CARTRIDGE BOX, WHICH WAS ALSO TYPICAL OF ALL PREVIOUS VERSIONS. ALTHOUGH THERE WERE RUMOURS THAT ČESKÁ ZBROJOVKA HAD ALSO DESIGNED A MAGAZINE VERSION, IT HAD NOT FEATURED IN THE OFFER. THE SITUATION CHANGED ONLY WITH THE ARRIVAL OF THE RANGE RIFLE OF .308 WIN. CAL., WHICH WAS LAUNCHED AFTER THE COMPLETION OF THE CANADIAN TENDER. REPORTEDLY, THE UHERSKÝ BROD MODEL DID EXTREMELY WELL IN THIS TENDER.

A RIFLE FOR ALL SEASONS

DURING THE DEVELOPMENT OF THIS RIFLE ACCORDING TO THE SPECIFICATIONS OF THE CANADIAN RANGERS, IT WAS ESSENTIAL FOR ČESKÁ ZBROJOVKA TO MAINTAIN THE MAXIMUM SPECIFICATIONS OF THE CURRENT CZ 557 VERSION. THIS PARTICULARLY APPLIED TO THE BARREL, WHOSE LENGTH OF 520 MM IS A WELL CALCULATED OPTIMUM. IT IS SHORT ENOUGH FOR THE WEAPON NOT TO BE TOO LONG AND LONG ENOUGH FOR THE PROPER BURNING OF THE POWDER CHARGE IN CARTRIDGES OF THE CALIBRE USED AND TO MAINTAIN HIGH ACCURACY. TAKING THIS INTO ACCOUNT, IT WAS CLEAR THAT THE CRITERIA REQUIRED BY COOPER - INCIDENTALLY, ONCE THE STANDARD FOR INFANTRY WEAPONS INTENDED FOR COMBAT IN TRENCHES - WAS AN UNACHIEVABLE GOAL. HOWEVER, ONLY BY THE PROVERBIAL CLOSE SHAVE. BECAUSE

BY SHORTENING THE RECEIVER, THE OVERALL LENGTH OF THE NEW RIFLE REACHED ONLY 1,028 MM, INCLUDING THE THICK RUBBER BUTTPLATE. WITHOUT IT WE WOULD HAVE DONE IT. IT IS SIMILAR WITH THE WEIGHT. A LITTLE WAS SAVED BY SHORTENING THE SYSTEM, BUT SINCE IT IS A RIFLE WITH A WOODEN STOCK, IT IS EXTREMELY DIFFICULT TO KEEP IT BELOW 3 KG, NOT INCLUDING AMMUNITION, WITHOUT A FATAL IMPACT TO THE ERGONOMICS. (AS ALREADY POINTED OUT, MUCH DEPENDS ON THE PROPERTIES OF THE PARTICULAR BLANK.) NEVERTHELESS, SHOOTERS WITH A WEAKER CONSTITUTION WILL NOT REGRET IT, BECAUSE A SHOT FIRED FROM A .308 IS NOT EASY.

THE COMPACTNESS OF THE RANGE RIFLE IS, IF A LITTLE SURPRISINGLY, AMPLIFIED BY A NEW ELEMENT IN THE FORM OF A LONG WEAVER MOUNTING RAIL (PICATINNY RAIL), MOUNTED ON THE TOP OF THE RECEIVER. THEREFORE, IT IS NICE TO SEE THAT THE MIDDLE PART OF THE RIFLE GAINED A BIT OF BULK. THEREFORE THE USER DOES NOT HAVE TO RELY ON CZ ASSEMBLIES ONLY AND CAN CHOOSE FROM A SUBSTANTIALLY WIDER SELECTION OF THE OPTICAL OR ELECTRONIC SIGHTS. ADDITIONALLY, THE RAIL ALSO HAS VIEWING APERTURES. IN OTHER WORDS - THE WELL-DESIGNED MECHANICAL SIGHTS (WITH THE OPTION OF ADJUSTING THE REAR SIGHT INCLINATION AND WITH THE FRONT SIGHT ACCENTUATED BY FIBRE OPTIC) CAN BE USED WITHOUT HAVING TO REMOVE THE RAIL. THIS FEATURE HAS BEEN TRIED AND TESTED AND IT REALLY IS NO PROBLEM. AND FOR SOME, THE LONGITUDINAL GROOVE IN THE MIDDLE OF THE MOUNTING RAILS MAY EVEN IMPROVE RESULTS. THE MAGAZINE - MENTIONED SO FAR JUST BRIEFLY. IN UHERSKÝ BROD, THEY ACTUALLY DID WORK ON IT BEFORE, HOWEVER, THE CANADIANS STRICTLY ASKED FOR A CAPACITY OF 10 ROUNDS (À LA LEE-ENFIELD). IT HAS A STEEL BODY AND AS EXPECTED, IT IS DOUBLE STACKED WITH A DOUBLE STACK MOUTH AND THEREFORE IT IS EASY TO FILL AND OF A REASONABLE SIZE. THE CATCH IS ON THE FRONT WALL OF THE TRIGGER GUARD, WELL PROTECTED YET EASILY ACCESSIBLE. THE LACQUERED BEECH STOCK OF AMERICAN TYPE HAS TWO PINS ON THE BOTTOM PART OF THE FOREND, ONE IS USED FOR ATTACHING A BIPOD AND THE OTHER FOR A LOOP TO ATTACH THE SLING.

THE CZ 557 RANGE RIFLE WAS ORIGINALLY INTENDED AS A DE FACTO MILITARY WEAPON, ALTHOUGH THE CANADIAN RANGERS WOULD USE IT ON BEARS RATHER THAN PEOPLE. IN ANY CASE, IT RECEIVED A DOUBLE ACTION TRIGGER IN A TRADITIONAL MILITARY STYLE AS THE BASIS, WITH THE FIRST RESISTANCE BETWEEN ABOUT 12 TO 18 N, WHICH RISES UP TO 30 N BEFORE FIRING. HOWEVER, THE TRIGGER MECHANISM IS DESIGNED IN SUCH A WAY THAT AFTER APPROPRIATE ADJUSTMENTS, IT BEHAVES AS A SINGLE ACTION MECHANISM. DO CONSIDER USING THE SERVICES OF A SPECIALIST WORKSHOP, BECAUSE THE CZ 557 TRIGGER CAN BE SET REALLY „SHARPLY“. THERE IS ONE MORE SIGNIFICANT DIFFERENCE FROM THE CURRENT CZ 557: WHEN SECURED, THE MANUAL SAFETY BLOCKS THE BOLT. THIS RIFLE IS INTENDED FOR USE IN BAD WEATHER AND IMPENETRABLE TERRAIN, AND IN THIS CON-

FIGURATION THERE IS NO RISK OF THE BOLT BEING INADVERTENTLY OPENED WHEN YOU PUSH YOUR WAY THROUGH DENSE UNDERGROWTH. ČESKÁ ZBROJOVKA CALLS THE CZ 557 RANGE RIFLE MODEL „A RIFLE FOR A REAL MAN“ AND COMBINES IT WITH A PHOTO OF A TOUGH GUY. THIS "COOPER" FROM UHERKÝ BROD IS REALLY NOT FOR EVERYONE. IT IS A WEAPON BELONGING TO THE WORKING TOOL CATEGORY. IT IS SHORT, RELATIVELY LIGHTWEIGHT AND DURABLE, OF HIGH PERFORMANCE AND WITH GREAT FIRE CAPACITY. IT IS IDEAL TO BE CONSTANTLY AT HAND IN REAL WILDERNESS WHERE YOU CAN SUDDENLY COME ACROSS PREDATORS AND NOT NECESSARILY JUST THE FOUR LEGGED VARIETY ONLY. I WOULD NOT RECOMMEND THIS RIFLE FOR SUNDAY SHOOTERS; NONETHELESS, IN ADDITION TO THE POSITIVES MENTIONED BEFORE, EXPERIENCED USERS WILL CERTAINLY APPRECIATE ITS READINESS AND HIGH ACCURACY. TO SUM IT UP, I AM BACK AT MY INITIAL THOUGHT. I REALLY THINK THAT JEFF COOPER WOULD REALLY LIKE THE CZ 557 RANGE RIFLE AND I AM SURE HE CERTAINLY WOULD HAVE FORGIVEN THOSE FEW EXTRA MILLIMETRES AND GRAMS, WHICH SEPARATE IT FROM HIS IDEAL - THE SCOUT RIFLE. BECAUSE OVERALL, IT IS UNDOUBTEDLY A FULLY-FLEDGED UNIVERSAL RIFLE THAT ONE NEED NOT BE AFRAID TO ENTRUST HIS LIFE TO.

CZ 557 RANGE RIFLE

NEW

IS A UNIVERSAL RIFLE DESIGNED MAINLY FOR EVERYDAY USE BY PROFESSIONALS. ITS VERSATILITY LIES PARTICULARLY IN THE SYSTEM OF SIGHTS. THERE IS A SET OF ADJUSTABLE OPEN SIGHTS ON THE BARREL AND A WEAVER RAIL ON THE TOP OF THE RECEIVER. A GROOVE RUNS THROUGH THE CENTRE OF THE RAIL TO ALLOW EASY AIMING.

.308 WIN. (1:10) | 10 .243 WIN. (1:10) | 10



CZ 557 FS

THE BASIC SHAPE OF THE STOCK IS BASED ON THE TIMELESS DESIGN OF THE CZ 557 LUX. THE STOCK EXTENDS TO THE MUZZLE AND HAS A METAL CAP AT THE END. THE STOCK ALSO CONTAINS A CHEEKPIECE.

6,5X55 SE (1:8,6) | 5 7X64 (1:8,6) | 5 8X57 IS (1:9,4) | 5 .270 WIN. (1:10) | 5 .308 WIN. (1:10) | 5 30-06 SPR. (1:10) | 5



NEW

CZ 557 LUX

THIS MORE LUXURIOUS CZ 550 MODEL HAS A STOCK MADE FROM HIGH QUALITY WALNUT WOOD WITH A BAVARIAN TYPE CHEEKPIECE AND MORE DISTINCTIVE GRIP.

6,5X55 SE (1:8,6) | 5 7X64 (1:8,6) | 5 8X57 IS (1:9,4) | 5 .243 WIN. (1:10) | 5 .270 WIN. (1:10) | 5 .308 WIN. (1:10) | 5 30-06 SPR. (1:10) | 5



CZ 557 CARBINE

THIS VERSION OFFERS USERS A REPEATING RIFLE FEATURING A WALNUT WOOD STOCK MADE IN A CLASSIC AMERICAN STYLE, THIS TIME WITH A CHEEKPIECE. THE BARREL HAS MODERN ADJUSTABLE SIGHTS.

6,5X55 SE (1:8,6) | 5 7X64 (1:8,6) | 5 8X57 IS (1:9,4) | 5 .243 WIN. (1:10) | 5 .270 WIN. (1:10) | 5 .308 WIN. (1:10) | 5 30-06 SPR. (1:10) | 5



WHEN THE WEAVER RAIL IS REMOVED THERE IS A STANDARD 19MM DOVETAIL INTERFACE. THE DOUBLE ACTION TRIGGER MECHANISM IS FACTORY SET, HOWEVER, IT IS FULLY ADJUSTABLE, SO IT CAN BE SET TO THE USER'S PREFERENCES, EVEN AS A SINGLE ACTION.

TECHNICAL DATA

	STOCK	STOCK FINISH	CHEEKPIECE	MAGAZINE TYPE	TRIGGER	SIGHTS	LOP	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	WEIGHT (KG)	BARREL
CZ 557 RANGE RIFLE	BEECH	LACQUERED	-	DM	ADJ	ADJ	360	1030	520	3,3	HAMMER FORGED

	STOCK	STOCK FINISH	CHEEKPIECE	MAGAZINE TYPE	TRIGGER	SIGHTS	LOP	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	WEIGHT (KG)	BARREL
CZ 557 FS	WALNUT	OIL	✓	FM	ADJ	ADJ	370	1063	520	3,3	HAMMER FORGED
CZ 557 LUX	WALNUT	OIL	✓	FM	ADJ	ADJ	370	1063	520	3,3	HAMMER FORGED
CZ 557 CARBINE	WALNUT	OIL	✓	FM	ADJ	ADJ	355	1083	520	3,3	HAMMER FORGED

CZ 557 VARMINT

VARMINT RIFLE IS A TERM USED IN AMERICAN ENGLISH FOR A SMALL-CALIBRE RIFLE OR A HIGH-POWER AIR GUN PRIMARILY USED FOR VARMINT HUNTING, WHICH IS ELIMINATING NON-NATIVE OR NON-GAME ANIMALS, HUNTED FOR NUMBERS RATHER THAN TROPHIES.

ORIGINALLY, THE TERM VARMINT WAS USED FOR RODENTS (RATS, MARMOTS, PRAIRIE DOGS, ETC.) AND SMALL PREDATORS (INCLUDING WOLVES AND JACKALS). HOWEVER, OTHER ANIMALS, SUCH AS WILD BOAR AND OTHER MEDIUM SIZE GAME ARE TODAY CONSIDERED LARGE VARMINT. AS A RESULT, FULL POWER CALIBRES, SUCH AS THE .308 WIN, 6.5 X 55 SE AND SIMILAR HAVE BEEN ADDED TO THE ARRAY OF ORIGINAL VARMINT CALIBRES, THE 22 LR, 22 WMR OR 223 REM. VARMINT IS COMMONLY HUNTED FROM A RELATIVELY STATIC POSITION AND FROM A LARGE DISTANCE, WHICH MEANT THAT SUCH HUNTING IS EXTREMELY DEMANDING ON THE WEAPON.

IN 2012, ČESKÁ ZBRŮJOVKA INTRODUCED A NEW LINE OF THE CZ 557 RIFLES. THEY RADICALLY DIFFERED FROM THEIR PREDECESSORS BY HAVING THE REMINGTON STYLE BOLT. PURISTS MAY COMPLAIN THAT THE TRUE REMINGTON HAD A COILED EXTRACTOR SPRING, WHILE THE CZ 557 HAS A PLAIN SAKO STYLE WIRE OR THE GOOD OLD SMLE, BUT IN PRINCIPLE, IT IS A REMINGTON BOLT. IN TERMS OF ACCURACY, IT IS EQUAL TO THE PREVIOUSLY USED MAUSER BOLT. THE QUALITY OF THE TRIGGER MECHANISM IS CRITICAL FOR ACCURACY. THE CZ 557 ALSO HAD A NEW, FULLY ADJUSTABLE TRIGGER MECHANISM AND EVEN DURING THE FIRST TESTING IN

2012 I NOTICED WITH PLEASURE ITS SMOOTH, CRISP FUNCTION. THE FIRST MEMBER OF THE CZ 557 FAMILY WAS A CLASSIC HUNTING RIFLE AND THE FAMILY KEEPS GROWING. THE CZ 557 SYSTEM HAS NOW RECEIVED A NEW HEAVY BARREL AND A NEW STOCK, THUS CREATING THE CZ 557 VARMINT. IN ADDITION, IT NOW HAS A CLOSED RECEIVER WITH AN EJECTION PORT ONLY, A SOLID MIL STD 1913 (PICATINNY) INSTALLATION RAIL, AND THE RIFLE IS EQUIPPED WITH A REMOVABLE BOX MAGAZINE. THE MAGAZINE CATCH IS A SIMPLE LEVER INSIDE THE TRIGGER GUARD. THE BOLT HAS BEEN SHORTENED TO FIT THE 308 WIN CARTRIDGE, IMPROVING THE RELIABILITY AND SPEED OF RELOADING.

I HAD THE OPPORTUNITY TO EXTENSIVELY TEST THE RIFLE IN THE .308 WIN CALIBRE AND FITTED WITH THE ZEISS DIAVARI 6-24 X 56 VICTORY FL RIFLESCOPE. THE FIRST IMPRESSION WAS POSITIVE AND A QUICK MEASURING OF THE TRIGGER CONFIRMED THE QUALITIES OF THE TRIGGER MECHANISM, IN PERFECT CORRESPONDENCE WITH THE 2012 EXPERIENCE. THE OPTIMUM TRIGGER PULL WEIGHT IS NOT CRITICAL SINCE IT CAN BE SET BY THE USER TO HIS INDIVIDUAL PREFERENCE, TOGETHER WITH THE LENGTH OF PULL. THE CRUCIAL FACTOR IS THE EVENNESS OF RESISTANCE FROM SHOT TO SHOT, DEFINED BY A STANDARD DEVIATION. TO MY SURPRISE,

I FOUND THE STANDARD DEVIATION OF THE TRIGGER PULL WEIGHT TO BE AROUND 0.4 NEWTON, ALMOST PERFECTLY IDENTICAL TO MY EARLIER TESTS OF THE CZ 557 RIFLES (I CONSIDER DIFFERENCES IN HUNDREDTHS OF NEWTON INSIGNIFICANT), WHICH SAYS A LOT ABOUT THE QUALITY AND STABILITY OF THE PRODUCTION PROCESS.

FOR THE TESTING ITSELF I CHOSE 3 KINDS OF AMMUNITION – THE GECO TARGET SPORTING CARTRIDGE WITH A 11.0 GRAM (170 GR) SP BULLET, THE SELLIER & BELLOT MATCH SPORTING CARTRIDGE WITH A 10.9 GRAM (168 GR) HPBT BULLET AND THE SELLIER & BELLOT HUNTING CARTRIDGE WITH A 11.7 GRAM (180 GR) SPCE BULLET. I STARTED THE TESTING BY MEASURING MUZZLE VELOCITIES, SEE TABLE AND CHARTS BELOW FOR THE RESULTS.

I DO NOT THINK WE NEED TO FOCUS ON THE ABSOLUTE VALUES OF AVERAGE VELOCITY, AS STANDARD DEVIATIONS ARE MUCH MORE IMPORTANT FOR ACCURACY. HERE IT WAS OBVIOUS THAT SELLIER & BELLOT HAD THE UPPER HAND. HOWEVER, THE GROUPINGS ON THE PAPER TARGETS WERE NOT SO STRAIGHTFORWARD. TO ELIMINATE THE MAXIMUM POSSIBLE INFLUENCE OF THE SHOOTER, WE SHOT FROM A BENCH, WITH THE RIFLE RESTING ON GOOD QUALITY FRONT AND REAR BAGS. AT 100 METERS, 5 SHOT GROUPS OF GECO TARGET CARTRIDGES WERE AROUND 15 MM, I.E. ABOUT ½ OF MOA WHERE USUALLY 4 SHOTS TEND TO “RUN THROUGH ONE HOLE”. THE S&B MATCH HPBT GROUPS AVERAGED AROUND 20 MM (2/3

OF MOA), WITH 4 ROUNDS AGAIN ONE OVER ANOTHER BUT THE FIFTH ONE, THE “RUNAWAY” WAS SLIGHTLY FURTHER AWAY FROM THE MAIN GROUP. AS MIGHT HAVE BEEN EXPECTED, THE S&B SPCE HUNTING CARTRIDGES SHOWED THE LARGEST GROUPS, ON AVERAGE ABOUT 30-35 MM (SLIGHTLY MORE THAN 1 MOA), ONCE AGAIN THE TREND WAS 3 SHOTS IN A HOLE AND 2 RUNAWAYS, WHICH INCREASED THE FINAL DIMENSION FOR THE GROUP. THE 300 METRE GROUPS CONFIRMED THE 100 METER INDICATION, GECO GROUPS WERE ABOUT 50 MM, S&B MATCH AROUND 65 MM AND S&B HUNTING WADCUTTERS AROUND 110 MM.

SO WHAT HAS THE TEST TOLD US? FIRST OF ALL, THE TEST PROVED AGAIN THAT THE DEVIATION OF VELOCITIES IS NOT A SUFFICIENT INDICATOR OF ACCURACY. IT IS GOOD TO HAVE ONE, BUT LOW VELOCITY DEVIATION ALONE IS NOT ENOUGH. THE GECO, WITH REGARD TO STANDARD DEVIATIONS A CLEAR LOSER IN THE VELOCITY MEASUREMENT, PROVIDED THE BEST ACCURACY ON THE PAPER TARGETS. ACCURACY OF THE S&B MATCH WAS ONLY marginally WORSE. IN BOTH CASES, THE RIFLE SHOWED ACCURACY BELOW 1 MOA AND IS THEREFORE ACCURATE ENOUGH EVEN FOR DISTANCES IN EXCESS OF 500 METERS. IT IS DEFINITELY ACCURATE ENOUGH TO BE USED FOR LARGE CALIBRE SPORT SHOOTING AT LONG RANGE. THE HUNTING CARTRIDGES HAD THE LARGEST GROUPINGS, NEVERTHELESS, ACCURACY IS NOT THE ONLY CHARACTERISTIC OF THE HUNTING BULLET, THE TERMINAL EFFECT IS EQUALLY IMPOR-

TANT. AND THIS CARTRIDGE IS EVEN ACCURATE ENOUGH FOR SHOOTING GAME FROM A DISTANCE OF AROUND 300 METERS. EVERY RIFLE HAS ITS SPECIFIC CARTRIDGE PREFERENCE, BUT ONLY A GOOD QUALITY RIFLE ENABLES A CLEAR IDENTIFICATION OF THIS PREFERENCE WHEN USING TARGET AMMUNITION. AND HERE THE VARMINT FULLY MET MY EXPECTATIONS.

LET ME TALK A BIT ABOUT MY OWN PERSONAL EXPERIENCE NOW. THE STOCK FITTED ME REASONABLY WELL AND I WAS ESPECIALLY PLEASED WITH THE STEEP ANGLE OF THE PISTOL GRIP AND THE CONVENIENT LINE AT THE BOTTOM OF THE REAR PART OF THE STOCK. IT ALLOWS COMFORTABLE AND PRECISE SUPPORT OF THE STOCK WITH THE FIST OF A WEAK HAND. THE PARALLEL LINE ON THE REAR PART OF THE STOCK ENABLES YOU TO MODIFY THE LENGTH OF THE STOCK WITHOUT AFFECTING THE AESTHETICS OF THE GUN. THE FLAT BOTTOM OF THE FORE STOCK IS ANOTHER PLUS, PROVIDING GOOD STABILITY. ONE THING I WOULD PREFER IS AN ADJUSTABLE CHEEK PIECE. WHEN SHOOTING WITH LARGE MAGNIFICATION RIFlescOPES (20X AND MORE), AN ADJUSTABLE CHEEK PIECE IS A GREAT HELP. THERE IS NOTHING TO SAY AGAINST THE TRIGGER MECHANISM. THE GUN FUNCTIONED FLAWLESSLY DURING THE WHOLE TEST.

IN MY OPINION, THE CZ 557 VARMINT IS A WEAPON CAPABLE OF MEETING THE MOST DEMANDING OF REQUIREMENTS. DESPITE THIS,

OR MAYBE BECAUSE OF IT, I HAVE TO ADD THAT FOR EFFICIENT LONG RANGE SHOOTING, THE WEAPON ALONE IS NOT SUFFICIENT, DESPITE THE FACT IT MIGHT BE A PERFECT WEAPON WITH A PERFECT SCOPE AND TARGET GRADE AMMUNITION. WITHOUT AN EXPERIENCED AND SKILLED RIFLEMAN, EVEN THE BEST WEAPON IS NOTHING MORE THAN AN EXPENSIVE PIECE OF STEEL AND WOOD. PLEASE, BEFORE YOU FIRE AT A LIVING ANIMAL STANDING FAR AWAY FOR THE FIRST TIME, DO AT FIRST FIRE TENS OR BETTER STILL HUNDREDS OF ROUNDS ON A SHOOTING RANGE. LEARN ABOUT YOUR GUN, YOUR AMMUNITION AND ITS BALLISTICS, ABOUT THE INFLUENCES OF THE WEATHER AND ABOVE ALL, LEARN AND UNDERSTAND ABOUT YOURSELF. HUNTING IS NOT A FUN SESSION AT THE SHOOTING RANGE, SPRAYING LEAD IN THE GENERAL DIRECTION OF THE TARGET. WHILE A BAD HIT IN THE TARGET IS NOT A TRAGEDY, A POOR HIT OF AN ANIMAL CAN TURN A CLEAN, STRAIGHT KILL INTO AN UGLY, SLOW AND PAINFUL DEATH OF A LIVING BEING. UNDERSTANDING THE LIMITS OF A WEAPON AND OF ONESELF IS A DUTY AND RESPONSIBILITY OF EVERY HUNTER AND RIFLEMAN. FIND YOUR LIMITS AND RESPECT THEM, THE CZ 557 VARMINT CAN BECOME YOUR PERFECT TOOL AND A RELIABLE PARTNER IN THIS QUEST.

CZ 557 VARMINT

NEW

THE CZ 557 VARMINT IS A RIFLE INTENDED FOR TARGET SHOOTING AS WELL AS HUNTING. THE DISTINCTIVE STOCK MADE FROM HIGH QUALITY WALNUT IS DESIGNED TO MEET THE REQUIREMENTS OF BOTH TYPES OF SHOOTING.

.308 WIN. (1:10) | 10 .243 WIN. (1:10) | 10



650MM COLD FORGED BARREL WITH 1:10 RIFLING.

CZ 557 PREDATOR

THE DESIGN OF THE STOCK IS BASED ON THE ERGONOMIC STOCK OF THE CZ 557 SYNTHETIC, IN REAL TREE COLOUR SCHEME. THE STOCK HAS A SOFT TOUCH FINISH. THE MUZZLE HAS A M14X1 THREAD AND A CAP THAT IS ALIGNED WITH THE BARREL.

6,5X55 SE (1:8,6) | 5 .308 WIN. (1:10) | 5 30-06 SPR. (1:10) | 5



NEW

CZ 557 SYNTHETIC

CZ 557 SYNTHETIC MODELS ARE AVAILABLE WITH OR WITHOUT SIGHTS AND REGARDING ERGONOMY, THEY ARE DISTINGUISHED BY A UNIVERSAL POLYMER STOCK WITH SOFT TOUCH FINISH. THIS UNIQUE STOCK DESIGNED SPECIFICALLY FOR THIS MODEL FEATURES ORIGINAL CHECKERING DESIGN, HIGHER COMB, ROBUST BUTTPLATE AND ENLARGED FOREND. THE CZ 557 SYNTHETIC IS AN IDEAL MODEL FOR MODERN SHOOTERS WHO REQUIRE A POWERFUL, INEXPENSIVE RIFLE THAT IS PERFECT FOR ALL WEATHER CONDITIONS.

6,5X55 SE (1:8,6) | 5 .308 WIN. (1:10) | 5 30-06 SPR. (1:10) | 5



CZ 557 SPORTER

THIS MODEL IS DISTINGUISHED FROM THE BASIC CZ 557 RIFLE BY ITS TRADITIONAL SHAPE OF STOCK, NOW IN OIL FINISH WALNUT, AND BY THE ABSENCE OF MECHANICAL SIGHTS.

6,5X55 SE (1:8,6) | 5 7X64 (1:8,6) | 5 .243 WIN. (1:10) | 5 .270 WIN. (1:10) | 5 .308 WIN. (1:10) | 5 30-06 SPR. (1:10) | 5



TECHNICAL DATA

	STOCK	STOCK FINISH	CHEEKPIECE	MAGAZINE TYPE	TRIGGER	SIGHTS	LOP	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	WEIGHT (KG)	BARREL
CZ 557 VARMINT	WALNUT	OIL	–	DM	ADJ	–	370	1170	650	5	HAMMER FORGED

	STOCK	STOCK FINISH	CHEEKPIECE	MAGAZINE TYPE	TRIGGER	SIGHTS	LOP	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	WEIGHT (KG)	BARREL
CZ 557 PREDATOR	POLYMER	SOFT-TOUCH	–	FM	ADJ	–	360	1042	520	3,2	HAMMER FORGED
CZ 557 SYNTHETIC	POLYMER	SOFT-TOUCH	–	FM	ADJ	–	360	1042	520	3,2	HAMMER FORGED
CZ 557 SPORTER	WALNUT	OIL	–	FM	ADJ	–	360	1043	520	3,3	HAMMER FORGED

CZ 550 HUNTER

A RIFLE BASED ON THE CZ 550. IT IS DESIGNED FOR LONG DISTANCE SHOOTING. THE HIGH ACCURACY IS ACHIEVED BY GIVING THE MUZZLE END A SPHERICAL SURFACE AND BY A CHANGE IN THE DESIGN OF THE FITTING OF THE BARREL INTO THE RECEIVER. THE STOCK IS IN OIL FINISH, RIFLING 1:10, SUITABLE FOR BULLETS UP TO 220 GRAIN.

.300 WIN.MAG. (1:10) | 10



CZ 550 MAGNUM LUX

THIS RIFLE WITH OPEN SIGHTS AND A STOCK WITH A CHEEKPIECE MADE OF HIGH QUALITY WALNUT WOOD IS CHAMBERED FOR MORE POWERFUL CALIBRES FOR HUNTING OF HEAVY AND DANGEROUS GAME.

.375 H&H MAG. (1:12) | 5 .416 RIGBY (1:16,5) | 3 .458 WIN. MAG. (1:14) | 4



CZ 550 SAFARI LUX

THE CZ 550 SAFARI MODEL IS A TRUE RIFLE OF MAGNUM LEAGUE FITTED WITH EXPRESS SIGHTS (1 FIXED, 2 FOLDING). THE STOCK IS MADE FROM SELECTED WALNUT WOOD IN A CLASSIC SAFARI STYLE. THIS MODEL IS SPECIFICALLY DESIGNED FOR HEAVY AND DANGEROUS GAME HUNTING.

.375 H&H MAG. (1:12) | 5 .416 RIGBY (1:16,5) | 3 .458 WIN. MAG. (1:14) | 4 .458 LOTT (1:14) | 3



CZ 550 EXCLUSIVE — EBONY EDITION

EXCLUSIVE - EBONY EDITION, EBONY IS AN EXTREMELY HARD TYPE OF WOOD FAMOUS FOR ITS HIGH GLOSS THAT HAS BEEN USED FOR MILLENIA TO DECORATE VARIOUS ARTICLES OF LUXURY. MODELS FROM THIS LINE FEATURE EBONY ON THE FOREND TIP AND THE PISTOL GRIP, WHERE IT EMPHASISES THE ELEGANT DESIGN OF THE HIGH QUALITY WALNUT STOCK. ANOTHER DISTINCTIVE FEATURE IS THE FORGED HELICAL BARREL AND THE BOLT WITH CIRCLE FINISH. THE RESULT IS A STUNNING WEAPON THAT STILL RETAINS THE SUPERB SHOOTING AND USER QUALITIES OF THE CZ 550 RIFLES.

7X64 (1:8,6) | 5 .308 WIN. (1:12) | 5 30-06 SPR. (1:10) | 5



TECHNICAL DATA

	STOCK	STOCK FINISH	CHEEKPIECE	MAGAZINE TYPE	TRIGGER	SIGHTS	LOP	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	WEIGHT (KG)	BARREL
CZ 550 HUNTER	WALNUT PREMIUM	OIL	–	FM	SST	–	370	1135	600	3,9	HAMMER FORGED

	STOCK	STOCK FINISH	CHEEKPIECE	MAGAZINE TYPE	TRIGGER	SIGHTS	LOP	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	WEIGHT (KG)	BARREL
CZ 550 MAGNUM LUX	WALNUT	LACQUERED	✓	FM	SST	F	370	1180	635	4,2	HAMMER FORGED
CZ 550 SAFARI LUX	WALNUT PREMIUM	LACQUERED	✓	FM	SST	F	370	1180	635	4,2	HAMMER FORGED
CZ 550 EXCLUSIVE — EBONY EDITION	WALNUT PREMIUM	LACQUERED	✓	FM	SST	–	360	1135	600	3,3	HAMMER FORGED


BRNO COMBO

NEW ELEGANT AND USER FRIENDLY RIFLE-SHOTGUN.

12/.308 WIN. (1:12) | 1 .12/30-06 SPR. (1:10) | 1 12/8X57 JRS (1:9,4) | 1 12/9,3X74 R (1:14,2) | 1



ZBROJOVKA BRNO, A BRAND THAT IS WELL FAMOUS ALL OVER THE WORLD FOR ITS QUALITY/ACCURACY/PRICE RATIO, IS INTRODUCING THE NEW BRNO COMBO.



THE NEW RIFLE-SHOTGUN OFFERS SEVERAL EXTRAS, SO CALLED IDEAL COMBINATIONS. THE FIRST IS THE FEEL OF THE WEIGHT AND DIMENSIONS OF THE WEAPON WITH A 20 GAUGE SHOTGUN BARREL AND LOADED WITH 12 GAUGE. REGARDING THE DIMENSIONS AND WEIGHT, THE BRNO COMBO RESEMBLES A SLENDER RIFLE WITH A SHOTGUN BUNDLE THAT HAS A 20 GAUGE BARREL. IT IS WELL KNOWN THAT 20 GAUGE HAS AN ADVANTAGE OF LOWER WEIGHT AND LOWER RECEIVER HEIGHT. ON THE OTHER HAND, THE AMMUNITION IS MORE EXPENSIVE AND HAS LOWER SHOT COVERAGE. BRNO COMBO WEIGHS ABOUT 3 KG IN AN ALL-STEEL DESIGN AND HAS A SMALL RECEIVER. ALL THIS WITH A 12 GAUGE SHOTGUN BARREL. THE SECOND IDEAL COMBINATION IS A THERMOSTABLE NON-SOLDERED BARREL BUNDLE WITH AN OPTION OF ADJUSTING THE RIFLE BARREL WITH TWO ADJUSTING SCREWS. THE THIRD COMBINATION IS THE RECEIVER BASED ON THE B0 502 AND 802 WEAPONS, WITH INNOVATIVE ELEMENTS, SUCH AS LOWERED CENTRE OF GRAVITY. THE GUN HAS TWO TRIGGERS – THE RIFLE BARREL (FRONT TRIGGER) HAS A SINGLE SET TRIGGER, THE REAR TRIGGER IS FOR THE SHOTGUN. THE BRNO COMBO IS AN ELEGANT USER-FRIENDLY GUN WITH AN INNOVATIVE DESIGN.

RAIL ADAPTER 1070-9020

- LOW WEIGHT IN ALL STEEL – 141 G
- STABLE FIT ON WEAPON
- ENSURING CONSTANT ACCURACY
- LENGTHENED RAIL – OPTION TO POSITION COLLIMATOR ACCORDING TO INDIVIDUAL NEEDS OF THE SHOOTER
- RAIL IS MADE FROM ONE PIECE BY CHIP MACHINING
- APERTURE GROOVE – ALLOWS EASY SIGHTING EVEN WHEN FITTED
- NUMBERS ON GROOVES PROVIDE CORRECT POSITIONING FOR ACCESSORIES
- PRODUCED BY THE WEAPON MANUFACTURER



TECHNICAL DATA

	STOCK	STOCK FINISH	CHEEKPIECE	CHAMBER	TRIGGER	CHOKE	LOP	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	HEIGHT (MM)	WIDTH (MM)	WEIGHT (KG)	BARREL
BRNO COMBO	WALNUT	OIL	✓	76	SST/D	IM	385	1040	600	180	52	2,95	HAMMER FORGED

ZBROJOVKA BRNO

CZ 200 S GREEN NEW

ONE PIECE FULLY ADJUSTABLE STOCK MADE FROM BEECH IN AN ATTRACTIVE GREEN STAIN WITH “DIABOLO” STYLE CHECKERING ON THE PISTOL GRIP. THE FOREND HAS A T BAR FOR THE ATTACHMENT OF ACCESSORIES SUCH AS BIPOD, SLING, ETC. HIGH ACCURACY IS ACHIEVED BY BARRELS COMING FROM OUR OWN PRODUCTION THAT HAVE CHOKES.

.177 | 1



CZ 200 T

THE TARGET MODEL OF THIS AIR GUN CZ 200 T IS MADE IN 4.5 MM CAL. AND IS INTENDED FOR TRAINING AND BASIC COMPETITION SHOOTING.

.177 | 1



CZ 200 S HUNTER

THE STANDARD VERSION OF THIS PRE-CHARGED PNEUMATIC CZ 200 HUNTER IS MADE IN .177”/4.5 MM OR .22”/5.5 MM CAL. AND BESIDES SPORTING EVENTS IT CAN ALSO BE USED FOR PEST CONTROL (IF ALLOWED BY LAW) AS ITS MUZZLE ENERGY CAN BE SET UP TO 16 J. THE MODEL IS FITTED WITH A SINGLE-PIECE STOCK WITH A CHEEKPIECE AND A COMPRESSED AIR RESERVOIR WITH CAPACITY INCREASED BY 30%.

.177 | 1 .22 | 1



CZ 200 S COLOUR

THIS MODEL IN 4.5 MM / .177 CAL. IS CHARACTERIZED BY A ONE -PIECE STOCK MADE FROM LAMINATED WOOD IN ATTRACTIVE COLOURS. A 4X32 SCOPE WITH MOUNT IS INCLUDED AS A STANDARD ACCESSORY.

.177 | 1



TECHNICAL DATA

	STOCK	STOCK FINISH	VELOCITY	TRIGGER	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	WEIGHT (KG)	BARREL
CZ 200 S GREEN	LAMINATED WOOD	LACQUERED	240	ADJ	907	485	2,9	HAMMER FORGED

	STOCK	STOCK FINISH	VELOCITY	TRIGGER	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	WEIGHT (KG)	BARREL
CZ 200 T	BEECH	LACQUERED	240	ADJ	872-928	458	3	HAMMER FORGED
CZ 200 S HUNTER	BEECH	LACQUERED	240/175	ADJ	907	485	2,8	HAMMER FORGED
CZ 200 S COLOUR	LAMINATED WOOD	LACQUERED	240	ADJ	907	485	2,9	HAMMER FORGED

CZ-USA MALLARD G2

NEW

MALLARD G2 FEATURES EXTRACTOR OPERATION, SINGLE SELECTABLE TRIGGER, MID-RIB DELETE AND LASER-CUT CHECKERING. AVAILABLE IN 12 OR 20 GAUGE WITH 28" BARRELS. MALLARD IS SUPPLIED WITH A SET OF 5 FLUSH INTERCHANGEABLE CHOKES.

12/12 | 2 20/20 | 2



- GENERAL CHANGES**
- BOX LOCK FRAME DESIGN — ONE-PIECE MILLED, LIGHTER-WEIGHT RECEIVER
 - LIGHTER TRIGGER PULL
 - LASER-CUT CHECKERING
 - CHROME-LINED BORES
 - TURKISH WALNUT STOCK
 - 5 INTERCHANGEABLE FLUSH-MOUNT CHOKES

READHEAD PREMIER

THE REDHEAD PREMIER IS A TRUE ALL-PURPOSE SHOTGUN. IT IS JUST AS COMFORTABLE TO SHOOT AT A SPORTING CLAYS EVENT AS WHEN CHASING CHUKAR IN THE MOUNTAINS. IT COMES WITH A SILVER RECEIVER AND EJECTORS THAT FLICK OUT THE SPENT SHELLS AUTOMATICALLY.

12/12 | 2 20/20 | 2



NEW

SPORTING G2

THIS MODEL FEATURES THE SAME SINGLE SELECTABLE TRIGGER SYSTEM FOUND IN THE REDHEAD PREMIER. FITTED WITH A GRADE 2 MONTE CARLO SPORTING STOCK WITH ADJUSTABLE COMB AND A RIGHT-HAND PALM SWELL, IT OFFERS THE SPORTING CLAYS COMPETITOR EVERYTHING THEY NEED IN A COMPETITION GUN. IT IS AVAILABLE WITH 30-INCH BARREL CONFIGURATIONS AND IS SUPPLIED WITH A SET OF 5 CHOKE TUBES. OTHER FEATURES ARE A FULL FOREND, LASER-CUT CHECKERING AND 1-PIECE MILLED RECEIVER.

12/12 | 2



NEW

SHARP TAIL

WITH A SINGLE SELECTABLE MECHANICAL TRIGGER AND PISTOL GRIP, THE SHARP-TAIL IS ONE THE SHARPEST-LOOKING SIDE-BY-SIDES ON THE MARKET AND HAS SOME IMPORTANT NEW FEATURES. THE SHARP TAIL IS UPDATED WITH NEW TECHNOLOGY, THE ONE-PIECE MILLED RECEIVER NOW HAS INDEPENDENT FLOATING FIRING PINS, COIL SPRING OPERATED HAMMERS AND NEWLY DESIGNED SEARS.

12/12 | 2 20/20 | 2



NEW

TECHNICAL DATA

	STOCK	STOCK FINISH	CHEEKPIECE	CHAMBER (MM)	TRIGGER	CYLINDER	LENGTH OF PULL	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	WEIGHT (KG)	BARREL
MALLARD G2	WALNUT	LACQUERED	-	76	D	MULTI	368	1162	710	3,3	MILLED

	STOCK	STOCK FINISH	CHEEKPIECE	CHAMBER (MM)	TRIGGER	CYLINDER	LENGTH OF PULL	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	WEIGHT (KG)	BARREL
READHEAD PREMIER	WALNUT	LACQUERED	-	76	S	MULTI	368	1162	710	3,1	MILLED
SPORTING G2	WALNUT	LACQUERED	-	76	S	MULTI	368	1270	760	3,9	MILLED
SHARP TAIL	WALNUT	LACQUERED	-	76	S	MULTI	368	1162	710	3,3	MILLED

TECHNICAL DATA

MODEL	CALIBER	STOCK	STOCK FINISH	CHEEKPIECE	MAGAZINE TYPE	MAGAZINE CAPACITY	TRIGGER	SIGHTS	LENGTH OF PULL	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	WEIGHT (KG)	BARREL
CZ 527 LUX	.22 Hornet [1:16]; .222 Rem. [1:14]; .223 Rem.[1:9]	WALNUT	LACQUERED	✓	DM	5	SST	F	360	1077	600	2,8	HAMMER FORGED
CZ 527 CARBINE	.223 Rem.[1:9]; 7,62x39 [1:9,4]	WALNUT	LACQUERED	–	DM	5	SST	F	355	950	470	2,7	HAMMER FORGED
CZ 527 YOUTH CARBINE	.223 Rem.[1:9]; 7,62x39 [1:9,4]	WALNUT	OIL	–	DM	5	SST	F	322	922	470	2,65	HAMMER FORGED
CZ 527 FS	.223 Rem.[1:9]	WALNUT	LACQUERED	✓	DM	5	SST	F	355	977	520	2,7	HAMMER FORGED
CZ 527 VARMINT	.17 Hornet [1:9]; .204 Ruger [1:12]; .222 Rem. [1:14]; .223 Rem.[1:9]; .17 Rem [1:9] NEW	WALNUT	LACQUERED	–	DM	5	SST	–	355	1085	650	3,3	HAMMER FORGED
CZ 527 VARMINT LAMINATED	.223 Rem.[1:9]	LAMINATED WOOD	LACQUERED	✓	DM	5	SST	–	355	1062	610	3,6	HAMMER FORGED
CZ 527 AMERICAN	.17 Hornet [1:9]; .22 Hornet [1:16]; .204 Ruger [1:12]; .222 Rem. [1:14]; .223 Rem.[1:9]; .221 Fireball [1:12] NEW	WALNUT	LACQUERED	–	DM	5	SST	–	355	1025	555	2,7	HAMMER FORGED
CZ 527 SYNTHETIC	.223 Rem.[1:9]	POLYMER	SOFT-TOUCH	–	DM	5	SST	–	355	1025	555	2,6	HAMMER FORGED
CZ 527 EXCLUSIVE - EBONY EDITION	.223 Rem.[1:9]	WALNUT	LACQUERED	✓	DM	3	SST	–	355	1025	555	2,7	HAMMER FORGED
CZ 527 LUX LH	.223 Rem.[1:9]	WALNUT	LACQUERED	✓	DM	5	SST	F	360	1077	600	2,8	HAMMER FORGED
CZ 527 AMERICAN LH	.204 Ruger [1:12]; .223 Rem.[1:9]	WALNUT	LACQUERED	–	DM	5	SST	–	355	1025	555	2,7	HAMMER FORGED
CZ 557 LUX	6,5x55 SE [1:8,6]; 7x64 [1:8,6]; 8x57 IS [1:9,4]; .243 Win. [1:10]; .270 Win. [1:10]; .308 Win. [1:10]; 30-06 Spr. [1:10]	WALNUT	OIL	✓	FM	5	ADJ	ADJ	370	1063	520	3,3	HAMMER FORGED
CZ 557 SPORTER	6,5x55 SE [1:8,6]; 7x64 [1:8,6]; .243 Win. [1:10]; .270 Win. [1:10]; .308 Win. [1:10]; 30-06 Spr. [1:10]	WALNUT	OIL	–	FM	5	ADJ	–	360	1043	520	3,3	HAMMER FORGED
CZ 557 CARBINE	6,5x55 SE [1:8,6]; 7x64 [1:8,6]; 8x57 IS [1:9,4]; .243 Win. [1:10]; .270 Win. [1:10]; .308 Win. [1:10]; 30-06 Spr. [1:10]	WALNUT	OIL	✓	FM	5	ADJ	ADJ	355	1083	520	3,3	HAMMER FORGED
CZ 557 SYNTHETIC	6,5x55 SE [1:8,6]; .308 Win. [1:10]; 30-06 Spr. [1:10]	POLYMER	SOFT-TOUCH	–	FM	5	ADJ	–	360	1042	520	3,2	HAMMER FORGED
CZ 557 SYNTHETIC S	6,5x55 SE [1:8,6]; .308 Win. [1:10]; 30-06 Spr. [1:10]	POLYMER	SOFT-TOUCH	–	FM	5	ADJ	ADJ	360	1042	520	3,2	HAMMER FORGED
CZ 557 PREDATOR NEW	6,5x55 SE [1:8,6]; .308 Win. [1:10]; 30-06 Spr. [1:10]	POLYMER	SOFT-TOUCH	–	FM	5	ADJ	–	360	1042	520	3,2	HAMMER FORGED
CZ 557 RANGE RIFLE NEW	.308 Win. [1:10]; .243 Win. [1:10]	BEECH	LACQUERED	–	DM	10	ADJ	ADJ	360	1030	520	3,3	HAMMER FORGED
CZ 557 VARMINT NEW	.308 Win. [1:10]; .243 Win. [1:10]	WALNUT	OIL	–	DM	10	ADJ	–	370	1170	650	5	HAMMER FORGED
CZ 557 FS NEW	6,5x55 SE [1:8,6]; 7x64 [1:8,6]; 8x57 IS [1:9,4]; .270 Win. [1:10]; .308 Win. [1:10]; 30-06 Spr. [1:10]	WALNUT	OIL	✓	FM	5	ADJ	ADJ	370	1063	520	3,3	HAMMER FORGED
CZ 550 MEDIUM LUX	.300 Win.Mag. [1:10]; 7mm Rem.Mag. [1:9,4]; 9,3x62 [1:14,2]	WALNUT	LACQUERED	✓	FM	3,3,5	SST	ADJ	370	1135	600	3,3	HAMMER FORGED
CZ 550 MAGNUM LUX	.375 H&H Mag. [1:12]; .416 Rigby [1:16,5]; .458 Win. Mag. [1:14]	WALNUT	LACQUERED	✓	FM	5,3,4	SST	F	370	1180	635	4,2	HAMMER FORGED
CZ 550 MAGNUM STANDARD	.375 H&H Mag. [1:12]; .416 Rigby [1:16,5]; .458 Win. Mag. [1:14]	WALNUT	LACQUERED	✓	FM	5,3,4	SST	F	370	1180	635	4,2	HAMMER FORGED
CZ 550 SAFARI LUX	.375 H&H Mag. [1:12]; .416 Rigby [1:16,5]; .458 Win. Mag. [1:14] ; .458 Lott [1:14]	WALNUT PREMIUM	LACQUERED	✓	FM	5,3,4,3	SST	F	370	1180	635	4,2	HAMMER FORGED
CZ 550 EXCLUSIVE - EBONY EDITION	7x64 [1:8,6]; .308 Win. [1:12]; 30-06 Spr. [1:10]	WALNUT PREMIUM	LACQUERED	✓	FM	5	SST	–	360	1135	600	3,3	HAMMER FORGED
CZ 550 HUNTER	.300 Win.Mag. [1:10]	WALNUT PREMIUM	OIL	✓	FM	3	SST	–	370	1135	600	3,9	HAMMER FORGED

MODEL	CALIBER	STOCK	STOCK FINISH	CHEEKPIECE	CHAMBER (MM)	SIGHTS	TRIGGER	LENGTH OF PULL	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	WEIGHT (KG)	BARREL	CYLINDER
BRNO COMBO	12/.308 Win. [1:12]; 12/30-06 Spr. [1:10] 12/8x57 JRS [1:9,4]; 12/9,3x74 R[1:14,2]	WALNUT	OIL	✓	76	ADJ	SST/D	385	1040	600	2,95	HAMMER FORGED	IM

MODEL	CALIBER	STOCK	STOCK FINISH	CHAMBER (MM)	TRIGGER	LENGTH OF PULL	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	WEIGHT (KG)	BARREL	CYLINDER
MALLARD G2 NEW	12/12; 20/20	WALNUT	LACQUERED	76	D	368	1162	710	3,3	MA	MULTI
REDHEAD PREMIER NEW	12/12; 20/20	WALNUT	LACQUERED	76	S	368	1162	710	3,1	MA	MULTI
SPORTER NEW	12/12	WALNUT	LACQUERED	76	S	375	1270	760	3,9	MA	MULTI
SHARP-TAIL NEW	12/12; 20/20	WALNUT	LACQUERED	76	S	368	1162	710	3,3	MA	MULTI

MODEL	CALIBER	STOCK	STOCK FINISH	VELOCITY	TRIGGER	LENGTH OF PULL	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	WEIGHT (KG)	BARREL
CZ 200 GREEN NEW	.177	LAMINATED WOOD	LACQUERED	240	ADJ	359-389	907	485	2,9	HAMMER FORGED
CZ 200 T	.177	BEECH	LACQUERED	240	ADJ	359-389	872-928	458	3	HAMMER FORGED
CZ 200 S HUNTER	.177; .22	BEECH	LACQUERED	240/175	ADJ	360	907	485	2,8	HAMMER FORGED
CZ 200 S COLOUR	.177	LAMINATED WOOD	LACQUERED	240	ADJ	338	907	485	2,9	HAMMER FORGED

DM - magazine, FM - box, ADJ - adjustable, SST - single set trigger, S - single trigger, D - double trigger, NON ADJ - non adjustable, F - fixed, MA - milled

Specified dimensions may vary according to design and configuration



PISTOLS

CZ SHADOW 2 AND CZ P-07 KADET – THE KEY NEW PRODUCTS IN THE PISTOL CATEGORY FOR THE ANNIVERSARY YEAR OF 2016. THESE NEW PRODUCTS ONCE AGAIN CONFIRM THAT FOR 80 YEARS, THE CZ BRAND HAS OFFERED CUSTOMERS ORIGINALITY, TOP QUALITY, ABSOLUTE RELIABILITY AND EXCEPTIONAL USER FRIENDLINESS.

ČESKÁ BROJOVKA, A.S., AS WE KNOW IT TODAY, WAS ESTABLISHED IN 1936 WITH THE AIM TO MANUFACTURE THE BEST AIRCRAFT MACHINE GUNS OF ITS TIME. THE COMPANY HAS USED THE VAST EXPERIENCE IN THIS CHALLENGING FIELD IN MANY OTHER SUBSEQUENT PRODUCTS FOR THE SERVICE AS WELL AS CIVILIAN MARKETS. SINCE 1957, THE PRODUCTS HAVE ALSO INCLUDED DEFENCE, SERVICE AND SPORT PISTOLS. THE PISTOL THAT HAS ENJOYED UNRIVALLED FAME AND SUCCESS IS THE LEGENDARY CZ 75. REGARDING DESIGN, A REVOLUTIONARY WEAPON THAT HAS BECOME A PHENOMENON IN ITS CATEGORY AND IN ITS IMPROVED FORM STILL REPRESENTS THE FLAGSHIP OF THE CZ PISTOL PORTFOLIO. WITH ITS EXCELLENT ERGONOMICS AND SUPERB TRIGGER MECHANISM, THE TIMELESS 75 HAS SERVED AS THE BASIS FOR MANY OTHER MODELS, FROM SUBCOMPACTS AND COMPACTS TO TACTICAL AND SPORT PISTOLS AND IPSC SPECIALS. AND GLOBALLY, EVERY ONE OF THOSE RANKS AMONG THE TOP PRODUCTS IN THEIR CATEGORY. IN 2006, A NEW GENERATION OF CZ PISTOLS WITH A SIMPLIFIED OMEGA TRIGGER MECHANISM WAS DEVELOPED. BESIDES BEING USED FOR THE CZ 75 LINE, THE NEW TRIGGER MECHANISM HAS GRADUALLY BECOME THE HEART OF THE NEW POLYMER MODELS, WITH THE CZ P-07 AND CZ P-09 IN THE LEAD.



CZ SHADOW



CZ SHADOW 2

THE CZ 75 SP-01 SHADOW PISTOL HAS BEEN A TREMENDOUS SUCCESS FOR ČESKÁ ZBROJOVKA. IT HAS RAISED THE BAR TO SOARING HEIGHTS AND FOR SOME TIME THERE HAVE RUMOURS THAT THE PRODUCT MANAGERS FROM UHERSKÝ BROD HAVE SET THEIR HEARTS ON A NEW SPORT PISTOL. THEIR AMBITION WAS TO RAISE THE BAR EVEN HIGHER. HOWEVER, AS TO HOW THE UHERSKÝ BROD COMPANY WANTED TO ACHIEVE IT REMAINED A CLOSELY GUARDED SECRET FOR A LONG TIME. THAT IS UNTIL THE SPRING OF 2016, WHEN THE NEW MODEL THE CZ SHADOW 2, WAS INTRODUCED.

TO BEAT THE SHADOW? WELL, GOOD LUCK TO YOU, I THOUGHT TO MYSELF WHEN I FIRST HEARD ABOUT IT. THE CZ 75 SP-01 SHADOW WAS CREATED TEN YEARS AGO BY TUNING THE EXCELLENT CZ 75 SP-01 WITH MUCH CARE AND ATTENTION TO DETAIL TO FULFIL THE NEEDS OF SPORTS SHOOTERS AS BEST AS POSSIBLE. TO NAME JUST A FEW INNOVATIONS: ENHANCED ERGONOMICS, IMPROVED TRIGGER AND STRIKER MECHANISM WITH EXCEPTIONALLY SMOOTH OPERATION, ABSENT AUTOMATIC FIRING PIN BLOCK SAFETY, EXTENDED MAGAZINE RELEASE, WIDE CONTROL SURFACE FOR THE AMBIDEXTROUS MANUAL SAFETY, A SECOND MAINSPRING WITH DIFFERENT CHARACTERISTICS AS A STANDARD, FORESIGHT WITH OPTICAL FIBRE, EXTENDED REAR SIGHT, MAGAZINE WELL WITH A CHAMFERED EDGE, ETC. THE CZ 75 SP-01 SHADOW IS SIMPLY AN EXCELLENT SA/DA ALL-STEEL 9X19 (9X21) CALIBRE

PISTOL. IT HAS BECOME A FAVOURITE FOR MANY ELITE SHOOTERS FROM THE IPSC PRODUCTION DIVISION, THE CZ SHOOTING TEAM INCLUDED. WITH THIS GUN ITS MEMBERS SHOT INTO THE TOP POSITIONS OF THE MOST IMPORTANT NATIONAL AND INTERNATIONAL COMPETITIONS. AND WHAT IS MORE, THE SHADOW HAS BEEN GATHERING BROWNIE POINTS ON THE SERVICE MARKET TOO.

HOW TO IMPROVE PERFECTION

WHY IMPROVE THE SHADOW? WELL, THAT IS QUITE CLEAR. THIS MODEL HAS BEEN THE BEST ON THE MARKET IN ITS CATEGORY FOR A LONG TIME, BUT COMPETITION DOES NOT SLEEP. THOUGH, TO IMPROVE SOMETHING ALREADY PERFECT IS ANOTHER THING.

WHEN I BECAME INTERESTED IN THE ORIGINS OF THE CZ SHADOW 2, I LEARNED THAT THE DEVELOPMENT TEAM FIRST SPENT AGES COLLECTING

AND EVALUATING FINDINGS OBTAINED FROM THE USE OF THE CZ 75 SP-01 SHADOW. THE CZ SHOOTING TEAM PROVED TO BE AN INVALUABLE SOURCE OF INFORMATION AND ADVICE. ITS MEMBERS HAVE HUNDREDS OF THOUSANDS OF SPENT CARTRIDGES FROM THE SHADOW 1 BEHIND THEM, THEY REPRESENT THE ELITE TARGET AUDIENCE AND THEY HAVE EXPRESSED GREAT ENTHUSIASM TOWARDS THIS TASK. AFTER ALL, IT'S NO WONDER, THE NEW CZ SHADOW 2 WILL BE THEIR ALLY (AND POSSIBLY A WINNING ONE) IN MANY COMPETITIONS TO COME.

THEREFORE THE MAIN GOAL WAS FINDING THE WEAKNESSES IN THE SHADOW 1. TO BE HONEST, IN THIS CASE IT WAS MORE ABOUT IDENTIFYING DESIGN POINTS AND PROPERTIES THAT WOULD BRING THE PISTOL TO ANOTHER LEVEL. AT THE SAME TIME, IT WAS NECESSARY TO BEAR IN MIND THAT THE NEW SHADOW 2 SHOULD REMAIN AFFORDABLE EVEN TO A FLEDGLING SHOOTER DESPITE ALL THE CHANGES AND IMPROVEMENTS. AND IT HAS.

EVERYTHING MATTERS

DURING THE DEVELOPMENT OF THE CZ SHADOW 2, ČESKÁ ZBROJOVKA DEFINED FOUR AREAS CRI-

CZ SHADOW 2

- REGISTERED FOR USE IN THE PRODUCTION DIVISION SHOOTING UNDER IPSC RULES
- MEETS THE LEGAL STANDARDS OF CANADA AND AUSTRALIA WITH BARREL LENGTH AND MAGAZINE CAPACITY
- ON THE OCCASION OF THE 40TH ANNIVERSARY OF THE IPSC A SPECIAL EDITION OF THE WEAPON WILL BE INTRODUCED TO THE MARKET

TICAL FOR SPORT SHOOTERS. THESE ARE SPEED, ACCURACY, DURABILITY AND CUSTOMIZATION. THE COMPANY THEN TRIED TO SIGNIFICANTLY IMPROVE THE CZ 75 SP-01 SHADOW IN EACH OF THESE AREAS.

BY SPEED THEY MEAN THE RATE OF FIRE AND EVERYTHING THAT GOES WITH IT. FOR THE NEW CZ SHADOW 2, THE MAJOR STEP FORWARD WAS THE NEW SHAPE OF THE FRAME. IT IS A VARIATION ON THE TRIED AND TESTED CZ 75 SP-01 SHADOW, ADAPTED AT CRUCIAL POINTS TO ALLOW THE SHOOTER'S HAND TO GET AS CLOSE AS POSSIBLE TO THE BARREL AXIS. IT IS MOSTLY DUE TO CHANGES IN THE FRAME THAT THE WEIGHT OF AN EMPTY PISTOL INCREASED TO ABOUT 1.3 KG. ANOTHER PART THAT DESERVES MENTIONING IS THE NEW SHAPE OF THE ROOMY TRIGGER GUARD WITH NO SHARP EDGES AND A LONG TEXTURED FRONT WALL AND JUST A ONE LATERAL GROOVE ON THE STANDARDIZED MOUNTING RAIL ON THE FRONT OF THE FRAME. WITHOUT A DOUBT, THE SHADOW 2 THUS JOINS THE RANKS OF SPORT PISTOLS.

ČESKÁ ZBROJOVKA CLAIMS THAT COMPARED TO THE ORIGINAL SHADOW, THE NEW FRAME PARTIALLY REDUCES THE RECOIL, OR IN OTHER WORDS, THE SHOOTER PERCEIVES IT AS EASIER TO MANAGE. IT ALSO REDUCES THE MUZZLE CLIMB, ESPECIALLY AFTER FIRING. HAVING TRIED OUT THE NEW PISTOL BRIEFLY MYSELF, I CAN SAFELY SAY THAT THE CZ SHADOW 2 WAS A VERY PLEASANT SHOT. I AM VERY CURIOUS TO HEAR THE COMMENTS OF MORE ACTIVE IPSC SHOOTERS AFTER TRYING IT OUT FOR LONGER.

THE PART THAT REALLY DISTINGUISHES THE SHADOW 2 FROM THE ORIGINAL SHADOW IS THE SLIDE. ČESKÁ ZBROJOVKA SPENT A LONG TIME TRYING TO TUNE IT SO THAT IT WOULD MAKE DRAWING, COCKING AND AIMING THE WEAPON AS FAST AS POSSIBLE. THE RESULT IS EXACTLY THAT. ITS FINAL DESIGN WITH THE COCKING GROOVES IN A DIFFERENT SHAPE AT THE FRONT AND REAR LOOKS PRETTY GOOD. I HAVE SEEN MYSELF HOW RAPIDLY A TOP IPSC SHOOTER CAN HANDLE THE CZ SHADOW 2. WHAT IS MORE, THE DESIGN ALSO GOES VERY WELL WITH THE TRIANGULAR HAMMER WHICH HAS A LARGE WEIGHT REDUCING HOLE.

A COMPLETELY NEW INNOVATION FOR THIS CATEGORY OF CZ PISTOLS IS THE SPORTY LOOKING PYRAMID CHECKERING ON THE FRONT AND BACK OF THE GRIP, ČESKÁ ZBROJOVKA HAS ALREADY USED THIS TYPE OF DESIGN IN ITS TACTICAL SPORTS LINE. ON THE SHADOW 2, THEY HAVE OPTED FOR A FINER PATTERN WHICH IS JUST ABOUT ACCEPTABLE DURING AN EXTENDED SHOOTING SESSION WITHOUT USING GLOVES. MORE DELICATE HANDS MIGHT FIND THE SURFACE QUITE SHARP BUT ON THE OTHER HAND, IT OFFERS A RELIABLE GRIP EVEN WHEN SWEATING. THE FEELING OF A GOOD GRIP IS FURTHER ENHANCED

BY THE MODERN FLAT ALUMINIUM GRIP PANELS, ANODIZED BLUE AND WITH AN INSCRIPTION SPORTING A CHARACTERISTIC „HANDWRITTEN” NUMBER TWO AT THE BOTTOM. HOWEVER, RUBBER GRIP PANELS ARE OFFERED FOR SHOOTERS WHO PREFER A WIDER GRIP FOR A FULLER HAND. THE FINISHING TOUCH IS A LASER ETCHED INSCRIPTION ON LEFT SIDE OF THE SLIDE – CZ SHADOW 2.

THE BASIC ACCESSORIES INCLUDE THREE 19 CARTRIDGE MAGAZINES. STILL, IT IS GOOD TO REMEMBER THAT SHADOW 2 WORKS PERFECTLY WELL WITH THE SP-01 MAGAZINES OR EVEN THE CZ 75/85 ONES WITH LOWER CAPACITY AS WELL. ONE CANNOT MISS THE LARGE MAGAZINE RELEASE. THE TORX SCREW INDICATES THAT THE RELEASE CAN BE ADJUSTED TO THE SHOOTER'S PREFERENCES, WHICH IS CRUCIAL FOR RAPID RELOADING.

THE CZ SHADOW 2 ALSO BOASTS A TRIED AND TESTED CZ 75 TRIGGER MECHANISM, BUT DEFINITELY WITH ADJUSTMENTS. THE RESULT IS A SMOOTHER OPERATION, LOWER RESISTANCE (8-15 N IN SA MODE) AND SHORTER TRIGGER RESET. I CAN CONFIRM THAT ALL THIS HAS A POSITIVE EFFECT ON THE SPEED AND ACCURACY TOO. IN FACT, THIS SOLUTION IS SO ORIGINAL THAT ČESKÁ ZBROJOVKA ARE CONSIDERING TAKING OUT A PATENT FOR IT.

LIKE THE CZ 75 SP-01, THE SHADOW 2 CAN USE THE RECOIL SPRINGS AND MAINSPRINGS OF DIFFERENT RESISTANCE. IF YOU HAPPEN TO HAVE SPRINGS SET TO THE ORIGINAL SHADOW, YOU CAN EVEN USE THESE ON THE SHADOW 2 WITH SIMILAR RESULTS. HOWEVER, THE AIM OF THE MANUFACTURER IS TO DELIVER A PISTOL THAT WILL OFFER THE BEST POSSIBLE PERFORMANCE WHEN IT IS TAKEN BRAND NEW OUT OF THE BOX AND USED WITHOUT FURTHER MODIFICATIONS.

ROBOTS, ARCOR AND THE CONFIGURATOR

WHEN REFERRING TO ACCURACY, ČESKÁ ZBROJOVKA MEANT TWO CLOSELY LINKED THINGS: THE ACCURACY OF THE PISTOL AND THE PRECISION OF THE MANUFACTURING PROCESS. REGARDING THE ACCURACY OF THE PISTOL, THE POTENTIAL OF THE NEW SHADOW HAS RISEN SLIGHTLY, WITH THE 125 MM BARREL AND 180 MM SIGHT LINE. IN ADDITION, THERE ARE NEW SIGHTS – THE ADJUSTABLE REAR SIGHT WITH AN ANGLED AND TEXTURED VIEWING SURFACE AND THE FORESIGHT WITH FIBRE OPTIC. NEVERTHELESS, THE MANUFACTURE PROCESS FOR THE CZ SHADOW 2 IS COMPLETELY DIFFERENT TO THE ORIGINAL SHADOW. THIS TIME, THE UHERSKÝ BROD HAS USED ULTRAMODERN ROBOTIC MACHINING CENTRES, REACHING A COMPLETELY DIFFERENT LEVEL OF SERIAL PRODUCTION WITHOUT THE USUAL MARKS.

I AM SURE THERE IS NO NEED TO EMPHASIZE THAT MORE PRECISE MANUFACTURING POSITIVELY REFLECTS ON THE ACCURACY OF THE WEAPON. CONSEQUENTLY, IT SIGNIFICANTLY INCREASES THE DURABILITY OF THE MAIN PARTS, AIDED BY THE ARCOR SURFACE FINISH THAT ČESKÁ ZBROJOVKA STARTED USING ON ITS POLYMER PISTOLS, THE CZ P-07 AND CZ P-09. THIS SURFACE TREATMENT IS BASICALLY A FERRITIC SALT BATH NITRIDING PROCESS AND THE COMPOUND LAYER PROVIDES OUTSTANDING RESISTANCE TO WEAR AND CORROSION. ARCOR'S PROPERTIES ALSO REDUCE FRICTION AND STRESS AND CONTRIBUTE TO BETTER OPERATION AND FUNCTION OF THE WHOLE WEAPON.

THE CZ SHADOW 2 MAY BE CUSTOMIZED WITH A CONFIGURATOR, AN INTERNET APPLICATION THAT ALLOWS CUSTOMERS TO CUSTOMIZE THEIR WEAPON TO THEIR HEARTS CONTENT. THERE IS A WIDE SELECTION OF VARIOUS SAFETY MECHANISMS, GRIP PANELS, HAMMERS, TRIGGERS, RECOIL SPRINGS OR MAINSPRINGS. FOR THE ORIGINAL SHADOW YOU WERE EVEN ABLE TO OPT FOR THE SA. WE SHALL HAVE TO WAIT AND SEE WHAT WILL APPEAR IN THE MENU FOR ITS SUCCESSOR.

COMPETITION READY

THE CZ SHADOW 2 ENTERS THE MARKET WITH THE SLOGAN 'COMPETITION READY'. THIS SLOGAN CONVEYS THE FACT THAT DUE TO THE FACTORY SETTINGS, YOU CAN TAKE YOUR BRAND NEW PISTOL OUT OF THE BOX, ENTER A COMPETITION AND WIN. IT IS ALSO A PLAY ON WORDS, IN THE SENSE THAT WITH THIS PISTOL, ČESKÁ ZBROJOVKA IS READY TO TAKE A STAND AND DEAL WITH ITS RIVALS. THOSE HAVE SO FAR FOCUSED ON THE CZ 75 SP-01 SHADOW AND I HAVE GOT A FUNNY FEELING THAT THE NEW CZ SHADOW 2 WILL TURN OUT TO BE A VERY UNPLEASANT SURPRISE FOR THEM.

THE UHERSKÝ BROD FACTORY HAVE NOT JUST IMPROVED THE CRUCIAL DETAILS BUT SIGNIFICANTLY REDESIGNED THE MAIN PARTS TOO, TAKING FULL ADVANTAGE OF THE POSSIBILITIES OPENED UP BY THE RECENT MODERNIZATION OF TECHNOLOGY. THE WAY I SEE IT IS THAT THE MISSION WAS ACCOMPLISHED AND THE PHENOMENAL CZ 75 SP-01 SHADOW HAS BEEN OUTDONE. AND I MEAN, QUITE DRAMATICALLY. YOU SEE, THE CZ SHADOW 2 HAS ALREADY BEEN THROUGH EXTENSIVE TESTING BY TOP IPSC SHOOTERS. THEY DISCOVERED THAT WITH THE NEW PISTOL THEIR TIME WAS BETTER BY THREE SECONDS IN THE SAME SITUATION COMPARED TO THE ORIGINAL SHADOW!

NOW, I DO NOT WANT TO FORCE YOU TO BELIEVE ANYTHING. TRY IT FOR YOURSELF AND YOU WILL SEE, BUT I AM WILLING TO BET THAT YOU WILL AGREE WITH ME. AND IF YOU STILL FIND SOMETHING YOU DO NOT LIKE, LET ČESKÁ ZBROJOVKA KNOW. THEY EVIDENTLY LISTEN TO THEIR CUSTOMERS VERY CAREFULLY AND THE NEW CZ MODELS ARE THE PROOF.

CZ SHADOW 2

COMPETITION READY

THE CZ SHADOW 2 REPRESENTS ANOTHER GENERATION OF THE LEGENDARY CZ 75 SP-01 SHADOW. THIS WEAPON HAS BEEN DEVELOPED IN COLLABORATION WITH THE ELITE CZUB IPSC SHOOTERS SO THAT IT WOULD SIGNIFICANTLY CONTRIBUTE TO THE SPEED AND ACCURACY DURING COMPETITIONS. THUS USING CUTTING-EDGE TECHNOLOGY, A WEAPON THAT FURTHER PUSHES THE BOUNDARIES OF IPSC SHOOTING WAS BORN.

9X19 | 18 (19)



NEW

SPEED

THE MODERNISATION OF ALL THE PRINCIPAL PARTS OF THE WEAPON, I.E. THE SLIDE AND THE FRAME, TOGETHER WITH THE EXTENDED BARREL, ENABLES REPEATING SINGLE SHOTS MORE RAPIDLY AND MORE DYNAMICALLY. THE SHAPE OF THE FRAME FACILITATES A MORE COMFORTABLE HIGHER GRIP TOWARDS THE AXIS OF THE BARREL, WHILE THE NEW CHECKERING ENSURES AN ABSOLUTELY RELIABLE CONTACT WITH THE WEAPON IN ANY CIRCUMSTANCES. THE INCREASED WEIGHT OF THE FRONT PART OF THE FRAME AND THE SLIDE RESULTS IN A HIGHER LEVEL OF COMPENSATION AND A GENTLER RECOIL. THE INNOVATIVE TRIGGER MECHANISM HAS A SMOOTH ACTION, A LOW RESISTANCE AND A SHORTENED TRIGGER RESET. THE MAGAZINE CATCH IS MORE EASILY ACCESSIBLE AND IS ADJUSTABLE TO THREE POSITIONS, WHICH MAKES RELOADING SAFER AND QUICKER EVEN IF THE SHOOTER IS MOVING.

ACCURACY

THE EXTENDING OF THE BARREL TO 125 MM TOGETHER WITH THE NEW AND LONGER HEIGHT-ADJUSTABLE SIGHTS ALSO INCREASES THE OVERALL ACCURACY OF THIS WEAPON. THE EXTREMELY PRECISE AND THE FULLY AUTOMATED TECHNOLOGY FOR THE PRODUCTION OF THE OTHER MAJOR PARTS BY UTILISING ROBOTIC MACHINING CENTRES WITHOUT INVOLVING ANY MANUAL LABOUR ADDITIONALLY CONTRIBUTES TO THE HIGH QUALITY OF THE WEAPON'S CRAFTING. THE ARCOR FINISH PROVIDES HIGH RESISTANCE AGAINST CORROSION, WEAR OR MECHANICAL DAMAGE.

1 MM FIBRE OPTIC FRONT SIGHT.

NEW DURABLE SURFACE FINISH.

CUSTOMISATION

EVERY SHOOTER IS UNIQUE. THIS IS WHY A WIDE VARIETY OF SPORTS AND CUSTOM ACCESSORIES ARE AVAILABLE, WHILE THERE IS ALSO AN INTERNET CONFIGURATOR THAT ENABLES THE COMBINING OF INDIVIDUAL ELEMENTS AND THEREBY CONSTRUCTING THE CZ SHADOW 2 IN ACCORDANCE WITH THE CUSTOMER'S INDIVIDUAL PREFERENCES AND IDEAS.

HEIGHT ADJUSTABLE REAR SIGHT.

NEW SHAPE OF SAFETY CATCH.

HIGHER GRIP TOWARDS THE AXIS OF THE BARREL.

CHECKERING

CHECKERING

ADJUSTABLE MAGAZINE CATCH.

SMOOTH TRIGGER ACTION AND SHORT RESET.



TECHNICAL DATA

	FRAME	GRIPS	TRIGGER	SIGHTS	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	HEIGHT (MM)	WIDTH (MM)	WEIGHT (G)	SAFETY FEATURES
CZ SHADOW 2	STEEL	ALUMINIUM	SA/DA	ADJUSTABLE	217	120	157	34	1330	MANUAL SAFETY, SAFETY LUG

DURING TESTING, HUNDREDS OF THOUSANDS OF ROUNDS WERE FIRED UNDER REAL COMPETITION CONDITIONS. IN THE SAME MANNER, COMPARED TO USING THE ORIGINAL SHADOW MODEL, THE MEMBERS OF THE CZ SHOOTING TEAM ACHIEVED A DEGREE OF ACCELERATION IN UNITS OF SECONDS IN INDIVIDUAL IPSC SITUATIONS.

AT THE BEGINNING, SUGGESTIONS AND IDEAS WERE PROVIDED BY THE BEST IPSC SHOOTERS ON THE PLANET. AT THE CONCLUSION OF MORE THAN TWO YEARS OF THE RESEARCH AND DEVELOPMENT PROCESS, THERE IS NOW A UNIQUE NEW WEAPON, WHICH WILL INEVITABLY BECOME THE RIGHTFUL SUCCESSOR TO THE ORIGINAL MODEL. THE CZ SHADOW 2 IS NOW REALLY COMPETITION READY!

CZ P-07 KADET

RIMFIRE CONVERSION KITS FOR LARGE CALIBRE SEMI-AUTOMATIC PISTOLS ARE A GREAT INVENTION. NEEDLESS TO SAY, LIFE WITH WEAPONS IS ALL ABOUT MONEY. IF YOU WANT TO SHOOT WELL, YOU NEED TO PRACTICE A LOT. AND IF YOU HAPPEN TO BE AN AVERAGE MORTAL EARNING AN ORDINARY INCOME, YOU WILL CERTAINLY WELCOME THE OPPORTUNITY TO ENJOY YOUR HOBBY OR EVEN PROFESSION AS MUCH AS POSSIBLE WITHOUT SIGNIFICANT DAMAGE TO THE FAMILY BUDGET.

NOWADAYS, ONE CAN PRACTICE REALISTIC SHOOTING WITH VARIOUS DEVICES AND OFTEN YOU DON'T EVEN HAVE TO GO TO A SHOOTING RANGE. BUT EVEN THE VARIOUS DEVICES WHERE YOU „SHOOT“ WITH A LASER BEAM, AIRSOFT GUNS AND RAM GUNS CANNOT SATISFACTORILY SIMULATE THE REAL MAGIC MOMENT OF FIRING A REAL CARTRIDGE. NOT TO MENTION THAT SOME OF THESE GADGETS ARE QUITE EXPENSIVE TOYS. SO WHEN YOU WANT TO SAVE, AS WELL AS DO SOME REAL SHOOTING, YOU USUALLY GO FOR THE TIMELESS .22 LR CARTRIDGE.

THE FIRST KADET

IN GENERAL, WE CAN SAY THAT A MORE OR LESS SUCCESSFUL RIMFIRE CONVERSION KIT IS TODAY AVAILABLE FOR MOST PISTOLS OF RENOWNED BRANDS. IN THE CASE OF THE GLOBALLY POPULAR CZ 75 SERIES, IT HAS BEEN TRUE SINCE THE MID 1990S, WHEN THE CONVERSION KIT WITH THE APT NAME KADET APPEARED ON THE MARKET AND WHICH IS STILL USED BY ČESKÁ ZBROJOVKA UHERSKÝ BROD TODAY. IT WASN'T THE ONLY ATTEMPT TO REBUILD THE 75 TO .22, BUT AS FAR AS KNOWN, IT WAS AND CONTINUES TO BE BY FAR THE MOST SUCCESSFUL. THE 75 KADET BELONGS IN THE CONVERSION

CATEGORY WHERE LIFETIME IS MORE IMPORTANT THAN MAXIMUM RESEMBLANCE TO THE MODEL. ITS BASE IS A STATIONARY ADAPTER CREATED FROM THE SLIDE OF AN ORDINARY CZ 75/85. INSIDE, THERE IS A LIGHTER, YET STILL MADE OF STEEL, DYNAMIC SLIDE WITH ITS OWN, SUITABLY WEAKENED RECOIL SPRING. INTERESTINGLY, A 75 MAGAZINE IS USED, INTO WHICH A RIMFIRE INSERT IS FITTED WITH ITS OWN FOLLOWER AND SPRING. IT CAN HOLD 10 CARTRIDGES IN TOTAL. THE ACCURACY OF THE KADET IS SUCH THAT IT PAYS TO FIT IT WITH A REAR SIGHT WITH MICROMETRICAL ADJUSTMENT. REGARDING FUNCTION, THERE ARE NO COMPLAINTS ABOUT THE KADET FOR CZ 75 PISTOLS. HOWEVER, CORRECT ALIGNMENT IS IMPORTANT. WHEN SOMEONE GETS AN ASSEMBLED RIMFIRE 75 DIRECTLY FROM THE FACTORY, HE DOESN'T HAVE TO WORRY; BUT MOST CUSTOMERS BUY THE CONVERSION KIT FOR THEIR GUNS LATER. IN THIS CASE, IT IS WORTH ENTRUSTING THE FITTING OF THE CONVERSION KIT TO A SPECIALIZED WORKSHOP OR GUNSMITH.

KADET 2

ČESKÁ ZBROJOVKA UHERSKÝ BROD HAD THE FIRST KADET DESIGNED BY THE WELL-KNOWN

MORAVIAN GUNSMITH ANTONÍN ZENDL. HOWEVER, BEFORE IT ENTERED PRODUCTION, ČESKÁ ZBROJOVKA FINE-TUNED THE CONVERSION KIT AND USED THE EXPERIENCE FROM SERIAL PRODUCTION FOR THE DEVELOPMENT OF ADDITIONAL MODELS. FOR EXAMPLE, DID YOU KNOW THAT A RIMFIRE KIT WAS CREATED FOR THE SPORT SPECIAL, THE CZ 75 TACTICAL SPORTS? UNFORTUNATELY, ONLY THE PROTOTYPE REMAINS, AS IS THE CASE FOR A REDUCED .22 CONVERSION FOR THE CZ 75 D COMPACT. NEVERTHELESS, FIVE YEARS AGO A 75 KADET 2 CAME INTO PRODUCTION WITH WHICH THE UHERSKÝ BROD COMPANY EXPANDED ITS PORTFOLIO. THE NEW GENERATION OF THE UHERSKÝ BROD RIMFIRE CONVERSION KIT IS THUS SUITABLE FOR ALL CURRENT VERSIONS OF THE CZ 75 PISTOL (INCLUDING THE CZ 75 0), CZ 85 AND CZ 75 SP-01. YOU CAN ALSO USE IT ON COMPACT MODELS, THAT IS, IF YOU CAN GET OVER A CERTAIN DISPROPORTION AND THE FACT THAT THE KIT LINE DOES NOT FOLLOW THE SHAPE OF THE FRAME. UNFORTUNATELY, OWNERS OF THE CZ 75 TACTICAL SPORTS PISTOL AND THE POLYMER CZ 75 SP-01 PHANTOM ARE STILL UNLUCKY.

07 KADET

UNTIL NOW, THE SAME WAS ALSO TRUE FOR THE OTHERWISE HAPPY OWNERS OF THE CZ P-07. BUT NOW A RIMFIRE CONVERSION KIT IS ENTERING THE MARKET JUST FOR THIS ULTRAMODERN POLYMER COMPACT. I CAN VIVIDLY IMAGINE THE OWNERS' EYES OF THIS COMPACT LIGHTING UP. IN ADDITION, OWNERS OF THE PREVIOUS VERSION OF THE CZ 75 P-07 DUTY CAN JOIN THEM TOO, SINCE THIS CONVERSION FITS THEM WITHOUT ANY PROBLEMS.

AT THE VERY FIRST GLANCE IT IS OBVIOUS THAT THIS TIME A DIFFERENT ROUTE WAS TAKEN COMPARED TO BOTH THE 75 KADETS. AFTER ALL, THE KIT FOR THE CZ P-07 IS THE WORK OF THE MASTERMINDS OF THIS SUCCESSFUL WEAPON. REGARDING THEIR DEVELOPMENT LINE, WHICH ALSO INCLUDES THE ALREADY MENTIONED DUTY AND STANDARD SIZE CZ P-07, THEY DO A LOT OF THINGS DIFFERENTLY THAN WE ARE USED TO WITH THE TRADITIONAL CZ 75 FAMILY – THEIR APPROACH IS MORE MODERN, MORE EFFICIENT AND MORE ECONOMICAL WITHOUT SACRIFICING QUALITY AND RELIABILITY. THE CRUCIAL DECISION WAS TO APPROACH THE ADAPTER AS A WHOLE. THE 75 KADET IS GREAT IN THAT IT IS AN ALL-STEEL MODEL. WHEN ONE THINKS ABOUT IT MORE SERIOUSLY, IT IS A LUXURY. AFTER ALL, HIGH QUALITY ALLOY WOULD SERVE WELL FOR A RIMFIRE, WHICH WOULD MEAN SIMPLER PRODUCTION AND LOWER WEIGHT AS WELL AS MEETING THE REQUIRED SERVICE LIFE WITHOUT PROBLEMS.

THANKS TO THE CHOICE OF A SUITABLE MATERIAL, THE RIMFIRE CZ P-07 HAS A SLIDE WHICH AT FIRST GLANCE RESEMBLES THE 9MM LUGER MODEL. IDENTICAL OUTER DIMENSIONS, EQUAL-

LY SPACED COCKING GROOVES. A CHANGE COMES WITH THE SIGHTS: THE STEEL REAR SIGHT IS TAKEN FROM THE SHADOW MODEL (AND RUMOUR SAYS THAT SOON THERE WILL ALSO BE A BRAND NEW FULLY ADJUSTABLE ONE). AS A RESULT OF THE RECOIL MECHANISM BEING SHIFTED A BIT MORE TO THE REAR, THE KIT FOR .22 LR CAL. HAS A LONGER RECOIL SPRING COVER ON THE BOTTOM PART OF THE SLIDE. THE PLASTIC GUIDE ALSO COMES FROM THE P-07; HOWEVER, THE RECOIL SPRING IS WOUND FROM AN ORDINARY ROUND WIRE INSTEAD OF A WIRE WITH A RECTANGULAR CROSS SECTION, AND ITS CHARACTERISTIC ALLOWS IT TO FUNCTION RELIABLY WITH RIMFIRE CARTRIDGES.

IN THE ADAPTER, THERE IS A 95 MM, COLD FORGED RIMFIRE BARREL WITH A RIGHT HAND 16 INCH LEAD AND WITH THE OUTER DIAMETER ONLY A LITTLE OVER 2 MM LESS THAN THE 9 MM LUGER. SO IF THE MOST BASIC RULES OF MAINTENANCE ARE ADHERED TO, IT WILL MOST DEFINITELY OUTLIVE YOU. AT THE REAR, WHERE THE CARTRIDGE CHAMBER IS, THE BARREL HAS A ROBUST PRISMATIC BLOCK WITH THE SAME DIMENSIONS AS THE 9MM BARREL, AND IN THE BOTTOM PART THERE IS A PROJECTION WITH A HOLE FOR THE AXIS OF THE SLIDE STOP WHICH CONNECTS THE SLIDE AND THE BARREL UNIT WITH THE FRAME. ALL THIS MEANS THAT THE SLIDE NATURALLY REMAINS UNLOCKED (DYNAMIC) AND THE BARREL FIXED, OR TO BE MORE PRECISE, STATIONARY. THIS IN TURN IMPLIES THAT COMPARED WITH A LARGE CALIBRE PISTOL, THE .22 CARTRIDGE CHAMBER IS SHIFTED BY ABOUT 7 MM REARWARD, BECAUSE IN ITS BASIC FORM, THE SLIDE OF THE CZ P-07 IS LOCKED BY THE TILTING BARREL (MODIFIED BROWNING).

A FUNDAMENTAL CHANGE FOR USERS IN COMPARISON WITH THE 75 KADET IS EASY FITTING. THE ADAPTER FOR THE CZ P-07 IS DESIGNED AND MANUFACTURED IN SUCH A WAY THAT YOU CAN REMOVE THE SLIDE AND THE BARREL UNIT WITH THE RECOIL SPRING FROM YOUR LARGE CALIBRE MODEL IN THE USUAL MANNER, THEN ATTACH THE RIMFIRE ADAPTER WITH ITS

BARREL AND RECOIL SPRING – AND THE JOB IS DONE. PLUS, OF COURSE, YOU MUST REPLACE THE MAGAZINE. IT'S COMPLETELY BRAND NEW, HOLDS TEN CARTRIDGES AND IT'S EXTREMELY RELIABLE.

THE KIT AND THE PISTOL

THE RIMFIRE CZ P-07 IS OVERALL PROVING TO BE EXTREMELY RELIABLE. AS PART OF THE DEVELOPMENT AND THE SUBSEQUENT EXTENSIVE TESTING PRIOR TO ITS LAUNCH ONTO THE MARKET, IT HAS HAD GREAT RESULTS NOT ONLY WITH THE MOST POPULAR .22 LR CARTRIDGES, BUT IT CAN ALSO HANDLE MANY OF THE LESS STANDARD VARIANTS. AND IT DOES NOT MATTER ONE BIT IF AN ALREADY ASSEMBLED GUN IS TESTED OR IF IT IS A KIT MOUNTED ON THE ORIGINALLY LARGER CALIBRE WEAPON. HOWEVER, TO BE SURE THAT EVERYTHING WORKS AS IT SHOULD, IT IS BETTER TO STICK TO CONVENTIONAL CARTRIDGE LOADS.

ALSO DESERVING A MENTION IS THE BUSINESS STRATEGY THAT ČESKÁ ZBROJOVKA ADOPTED WHEN INTRODUCING THE CZ P-07 KADET. ONLY THE CONVERSION KIT IS INTENDED FOR THE US MARKET. FOR THE REST OF THE WORLD, A RIMFIRE PISTOL WILL BE AVAILABLE WITH THE FRAME IN A STARTER COLOUR OF URBAN GREY RAL 7030. IT IS A POPULAR SHADE WHICH CLEARLY DISTINGUISHES THIS MODEL FROM ITS HIGH CALIBRE VERSION. THE QUESTION IS HOW LONG WILL IT STAY LIKE THIS, BECAUSE YOU CAN OF

COURSE ATTACH ONTO THIS FRAME A 9 OR .40 SLIDE – AND THIS GREY IS JUST PLAIN SEXY. WHAT IS MORE, IF THIS MODEL IS SUCCESSFUL ON THE MARKET, FRAMES IN DIFFERENT COLOURS WILL CERTAINLY FOLLOW.

LET US ALSO ADD THAT THE BASIC CZ P-07 KADET MODEL COMES IN THE SAFETY VERSION WITH THE USUAL AMBIDEXTROUS CONTROLS. ANOTHER SAFETY FEATURE IS THE HAMMER SAFETY LUG. WITH THE 07 KADET, OR TO BE MORE PRECISE, THE COMPLETE RIMFIRE CZ P-07 KADET, THE POPULAR FAMILY OF THE OMEGA CZ POLYMER PISTOLS GAINS A SUCCESSFUL AND ABOVE ALL A USEFUL MEMBER. IT WILL UNDOUBTEDLY BE RECEIVED WITH GREAT ENTHUSIASM. IT RETAINS ALL THE ADVANTAGES OF A HIGH CALIBRE P 07, THE CONTROLS ARE EXACTLY THE SAME WHICH IS ESSENTIAL FOR TRAINING AND PRACTICE, IT IS RELIABLE, ACCURATE AND LOOKS GOOD. AND IN ADDITION – IT SELLS FOR A VERY REASONABLE PRICE. THE PRICE DIFFERS SLIGHTLY IN VARIOUS REGIONS, BUT IN GENERAL, THE CONVERSION KIT ITSELF COSTS ABOUT HALF OF THE HIGH CALIBRE CZ P-07. DOESN'T THAT SOUND GREAT? AND THAT'S NOT ALL: FOR THE COMPLETE RIMFIRE PISTOL YOU PAY ONLY A FEW THOUSAND MORE THAN FOR THE CONVERSION KIT. SIMPLY GREAT NEWS ALL AROUND.



CZ P-07

CZ P-07 IS A COMPACT POLYMER PISTOL, PRIMARILY DESIGNED FOR ARMED FORCES AND FOR CONCEALED CARRY.

9X19 | 15 (17) 9X21 | 15 (17) .40 S&W | 12 (15)



STEEL SIGHTS WITH THREE LUMINESCENT DOTS.

INTERCHANGEABLE SAFETY FEATURES - MANUAL SAFETY AND DECOCKING.

THREE INTERCHANGEABLE BACKSTRAPS, AVAILABLE IN S, M, L SIZE

IMPROVED ERGONOMY OF TRIGGER.

NEW, EXTREMELY DURABLE FINISH ON SLIDE, BARREL AND OTHER MAJOR PARTS.

FRONT SERRATIONS FOR EASY HANDLING.

DURABLE AND THERMOSTABLE POLYMER FRAME REINFORCED WITH GLASS FIBRE.

EXCEPTIONAL MAGAZINE CAPACITY, 15 (17) ROUNDS FOR 9X19 CAL.



CZ P-07 KADET

NEW .22 LR S CAL. PISTOL WITH HAMMER FORGED BARREL IN URBAN GREY.

.22 LR | 10

NEW



ADAPTER CZ P-07 KADET

THE KADET ADAPTER MAY BE USED ON ALL CZ P-07 PISTOL FRAMES WITHOUT ANY ADDITIONAL ADJUSTMENTS.

.22 LR | 10

NEW

THE CZ P-07 IS A COMPACT MODEL OF THE STANDARD CZ P-09. IT OFFERS ALL THE BENEFITS OF THIS SERVICE PISTOL AND THANKS TO ITS SIZE, IT IS SUITABLE FOR CONCEALED CARRY. THE WHOLE PISTOL IS ROUNDED WITHOUT ANY SHARP EDGES. ADDITIONAL BASEPLATE EXTENSIONS TO INCREASE THE MAGAZINE CAPACITY FROM 15 TO 17 ROUNDS IN 9X19 CAL., SAFETY FEATURE CONTROLS AND THREE INTERCHANGEABLE BACKSTRAPS ARE INCLUDED IN THE PACKAGE. THE PISTOL CAN THUS BE FULLY CUSTOMIZED.



CZ P-07 FDE

CZ P-07 WITH TRITIUM SIGHTS IN FLAT DARK EARTH COLOUR.

9X19 | 15 (17) 9X21 | 15 (17) .40 S&W | 12 (15)

TECHNICAL DATA

	FRAME	GRIPS	TRIGGER	SIGHTS	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	HEIGHT (MM)	WIDTH (MM)	WEIGHT (G)	SAFETY FEATURES
CZ P-07	POLYMER	-	SA/DA	LUMINESCENT	185	96,5	137	37,5	780	DECOCKING/MANUAL SAFETY, SAFETY LUG, FIRING PIN BLOCK

	FRAME	GRIPS	TRIGGER	SIGHTS	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	HEIGHT (MM)	WIDTH (MM)	WEIGHT (G)	SAFETY FEATURES
CZ P-07 KADET	POLYMER	-	SA/DA	LUMINESCENT	191	103	137	37,5	561	DECOCKING/MANUAL SAFETY, SAFETY LUG
CZ P-07 FDE	POLYMER	-	SA/DA	TRITIUM	185	96,5	137	37,5	780	DECOCKING/MANUAL SAFETY, SAFETY LUG, FIRING PIN BLOCK

CZ P-09

THE CZ P-09 IS THE LATEST HIGH-CAPACITY SERVICE PISTOL. ITS DESIGN IS BASED ON THE SUCCESSFUL AND COMPACT CZ P-07 DUTY AND FEATURES A DECOCKING LEVER.

9X19 | 19 (21) 9X21 | 19 (21) .40 S&W | 15 (17)



CZ P-09

CZ P-09 WITH MANUAL SAFETY.

9X19 | 19 (21) 9X21 | 19 (21) .40 S&W | 15 (17)

THE CZ P-09 IS THE LATEST HIGH CAPACITY SERVICE PISTOL WHICH HAS BEEN CREATED IN COLLABORATION WITH MEMBERS OF ARMED FORCES AROUND THE WORLD. THE WEAPON HAS BEEN DEVELOPED FOR SERVICE PURPOSES, SELF-DEFENCE AND PRACTICAL SHOOTING. IT IS HIGHLY RESISTANT TO ADVERSE CONDITIONS, CORROSION AND MECHANICAL DAMAGE. EMPHASIS IS ALSO PUT ON EASE OF HANDLING, SHOOTING COMFORT AND ERGONOMICS. THE OMEGA TRIGGER MECHANISM ALLOWS INTERCHANGEABILITY OF SAFETY FEATURES (MANUAL SAFETY AND DECOCKING LEVER), WHICH ARE INCLUDED IN THE PACKAGE.



CZ P-09 FDE

A VARIANT WITH TRITIUM SIGHTS IN FLAT DARK EARTH COLOUR.

9X19 | 19 (21) 9X21 | 19 (21) .40 S&W | 15 (17)

TECHNICAL DATA

	FRAME	GRIPS	TRIGGER	SIGHTS	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	HEIGHT (MM)	WIDTH (MM)	WEIGHT (G)	SAFETY FEATURES
CZ P-09	POLYMER	-	SA/DA	LUMINESCENT	208	116,5	148	37,5	855	DECOCKING/MANUAL SAFETY, SAFETY LUG, FIRING PIN BLOCK

	FRAME	GRIPS	TRIGGER	SIGHTS	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	HEIGHT (MM)	WIDTH (MM)	WEIGHT (G)	SAFETY FEATURES
CZ P-09	POLYMER	-	SA/DA	LUMINESCENT	208	116,5	148	37,5	855	DECOCKING/MANUAL SAFETY, SAFETY LUG, FIRING PIN BLOCK
CZ P-09 FDE	POLYMER	-	SA/DA	TRITIUM	208	116,5	148	37,5	855	DECOCKING/MANUAL SAFETY, SAFETY LUG, FIRING PIN BLOCK

CZ 75 B Ω

THIS STANDARD CZ 75 B Ω MODEL WITH A STEEL FRAME IS THE FIRST OF THE UHERSKY BROD FAMILY OF PISTOLS THAT HAVE BEEN MODIFIED FOR THE REVOLUTIONARY OMEGA TRIGGER MECHANISM.

9X19 | 16



9X19 | 16 9X21 | 16 .40 S&W | 10



9X19 | 16

TECHNICAL DATA

	FRAME	GRIPS	TRIGGER	SIGHTS	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	HEIGHT (MM)	WIDTH (MM)	WEIGHT (G)	SAFETY FEATURES
CZ 75 B Ω	STEEL	RUBBER	SA/DA	LUMINESCENT	206	114	138	35	1000	DECOCKING/MANUAL SAFETY, SAFETY LUG, FIRING PIN BLOCK

	FRAME	GRIPS	TRIGGER	SIGHTS	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	HEIGHT (MM)	WIDTH (MM)	WEIGHT (G)	SAFETY FEATURES
CZ 75 B	STEEL	POLYMER	SA/DA	LUMINESCENT	206	114	138	35	1000	DECOCKING/MANUAL SAFETY, SAFETY LUG, FIRING PIN BLOCK
CZ 75 B NEW EDITION	STAINLESS STEEL	WOOD	SA/DA	TRITIUM	206	114	138	35	1150	DECOCKING/MANUAL SAFETY, SAFETY LUG, FIRING PIN BLOCK

CZ 75 P-01 Ω

WITH AMBIDEXTROUS SAFETY OR AMBIDEXTROUS DECOCKING LEVER. THANKS TO THE OMEGA TRIGGER MECHANISM, THE CONTROLS ARE INTERCHANGEABLE LIKE THE P-07, THE PISTOL ALSO HAS A NEW TRIGGER AND HAMMER DESIGN AND NEW SIGHTS WITH THREE LUMINESCENT DOTS.

9X19 | 14 9X21 | 14



TECHNICAL DATA

	FRAME	GRIPS	TRIGGER	SIGHTS	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	HEIGHT (MM)	WIDTH (MM)	WEIGHT (G)	SAFETY FEATURES
CZ 75 SP-01 Ω	ALUMINIUM	RUBBER	SA/DA	LUMINESCENT	184	98,5	128	38	800	DECOCKING/MANUAL SAFETY, SAFETY LUG, FIRING PIN BLOCK

CZ 75 COMPACT



CZ 75 COMPACT

THE CZ 75 COMPACT IS A MORE COMPACT MODEL OF THE CZ 75 B. WITH ITS STEEL FRAME IT IS AN IDEAL CHOICE FOR FANS OF CLASSIC DESIGN AND TRADITIONAL PRODUCTION MATERIALS.

9X19 | 14 (16)



CZ 75 D COMPACT

WITH ITS REFINED ALUMINIUM ALLOY FRAME, THE CZ 75 D COMPACT BELONGS AMONG THE MOST POPULAR CZ PISTOLS WORLDWIDE AND IS REGARDED AS THE ABSOLUTE TOP OF ITS CATEGORY.

9X19 | 14 (16) .40 S&W | 10 (12)

	FRAME	GRIPS	TRIGGER	SIGHTS	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	HEIGHT (MM)	WIDTH (MM)	WEIGHT (G)	SAFETY FEATURES
CZ 75 COMPACT	STEEL	RUBBER	SA/DA	LUMINESCENT	184	92,5	128	35	920	DECOCKING/MANUAL SAFETY, SAFETY LUG, FIRING PIN BLOCK
CZ 75 D COMPACT	ALUMINIUM	RUBBER	SA/DA	LUMINESCENT	184	92,5	128	35	800	DECOCKING/MANUAL SAFETY, SAFETY LUG, FIRING PIN BLOCK

CZ 75 SP-01

SERVICE PISTOL BASED ON THE CZ 75, WITH A STEEL FRAME AND MANUAL SAFETY.

9X19 | 18



CZ 75 SP-01 TACTICAL URBAN GREY

A MODEL IN URBAN GREY COLOUR AND WITH A MUZZLE THREAD.

9X19 | 17

NEW



CZ 75 SP-01 TACTICAL

AMONG HANDGUNS OFFERED BY ČESKÁ ZBRJOJVKA A.S. WE CAN FIND MANY MODELS WHICH CONSTITUTE ABSOLUTE PERFECTION IN THEIR CATEGORY. THE SAME APPLIES TO THE SERVICE AND DEFENCE MODEL CZ 75 SP-01 TACTICAL WITH DECOCK.

9X19 | 18 9X21 | 15 (17) .40 S&W | 15

TECHNICAL DATA

	FRAME	GRIPS	TRIGGER	SIGHTS	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	HEIGHT (MM)	WIDTH (MM)	WEIGHT (G)	SAFETY FEATURES
CZ 75 SP-01	STEEL	RUBBER	SA/DA	TRITIUM	207	114	147	37	1180	MANUAL SAFETY, SAFETY LUG, FIRING PIN BLOCK

	FRAME	GRIPS	TRIGGER	SIGHTS	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	HEIGHT (MM)	WIDTH (MM)	WEIGHT (G)	SAFETY FEATURES
CZ 75 SP-01 TACTICAL URBAN GREY	STEEL	RUBBER	SA/DA	TRITIUM	223	132	155	37	1190	DECOCKING, SAFETY LUG, FIRING PIN BLOCK
CZ 75 SP-01 TACTICAL	STEEL	RUBBER	SA/DA	TRITIUM	207	114	147	37	1180	DECOCKING, SAFETY LUG, FIRING PIN BLOCK

CZ 75 SP-01 SHADOW

EXCELLENT DESIGNERS JOINED FORCES WITH THE BEST SHOOTERS OF THE PLANET TO CREATE A FIRST-RATE PISTOL NOT ONLY FOR IPSC. IN A NUTSHELL, THIS IS THE STORY OF THE CZ 75 SP-01 MODEL.

9X19 | 18 (19) 9X21 | 18 (19)



A LEGENDARY PISTOL THAT DOMINATES IN THE PRODUCTION DIVISION OF IPSC COMPETITIONS, BUT ALSO AN EXTREMELY RELIABLE WEAPON USED BY SECURITY FORCES AND THE USPSA.



CZ 75 SP-01 SHADOW ORANGE

OFFERS A UNIQUE COMBINATION OF ACCURACY, RELIABILITY AND COMFORT. IT FEATURES A HAND FITTED POLISHED BARREL, LATERAL CLEARANCE FOR EASIER MOVEMENT OF THE SLIDE AND A SOPHISTICATED TRIGGER MECHANISM.

9X19 | 18 (19) 9X21 | 18 (19)



CZ 75 SP-01 SHADOW DUALTONE

ELITE DESIGNERS HAVE JOINED FORCES WITH THE BEST SHOOTERS ON THE PLANET TO CREATE A MASTERPIECE NOT ONLY FOR THE IPSC. IN A NUTSHELL, THIS IS A STORY OF THE CZ 75 SP-01 SHADOW MODEL IN DUALTONE.

9X19 | 18 (19) 9X21 | 18 (19)

TECHNICAL DATA

	FRAME	GRIPS	TRIGGER	SIGHTS	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	HEIGHT (MM)	WIDTH (MM)	WEIGHT (G)	SAFETY FEATURES
CZ 75 SP-01 SHADOW	STEEL	RUBBER	SA/DA	FIXED	207	114	147	37	1180	MANUAL SAFETY, SAFETY LUG

	FRAME	GRIPS	TRIGGER	SIGHTS	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	HEIGHT (MM)	WIDTH (MM)	WEIGHT (G)	SAFETY FEATURES
CZ 75 SP-01 SHADOW ORANGE	STEEL	ALUMINIUM	SA/DA	FIXED	207	114	147	37	1180	MANUAL SAFETY, SAFETY LUG
CZ 75 SP-01 SHADOW DUALTONE	STEEL	RUBBER	SA/DA	FIXED	207	114	147	37	1080	MANUAL SAFETY, SAFETY LUG

CZ 75 SP-01 SHADOW LINE

THE SHADOW LINE PISTOLS ARE BASED ON THE WELL-ESTABLISHED CONCEPTS OF THE CZ 75 PISTOLS. THEIR DESIGN MEETS CUSTOMER REQUIREMENTS FOR A MORE MODERN LOOK AND BETTER SUITABILITY FOR SPORT SHOOTING. IT IS A MODERN TAKE ON THE TRADITIONAL DESIGN, USING FEATURES OF THE WORLD FAMOUS CZ 75 SP-01 SHADOW PISTOL.

9X19 | 19



CZ 75 SHADOW LINE

A TIMELESS CLASSIC. THANKS TO THE INNOVATIONS, THE SHADOW LINE HAS BEEN TRANSFORMED INTO ONE OF THE MOST MODERN HANDGUNS OF ITS CATEGORY WITH AN IMPRESSIVE MAGAZINE CAPACITY OF 17 CARTRIDGES.

9X19 | 17



CZ 75 COMPACT SHADOW LINE

PROVIDES A UNIQUE COMBINATION OF ACCURACY, RELIABILITY AND COMFORT OF THE SHADOW MODEL WITH IDEAL DIMENSIONS AND WEIGHT FOR ALL DAY CARRY.

9X19 | 14

TECHNICAL DATA

	FRAME	GRIPS	TRIGGER	SIGHTS	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	HEIGHT (MM)	WIDTH (MM)	WEIGHT (G)	SAFETY FEATURES
CZ 75 SP-01 SHADOW LINE	STEEL	ALUMINIUM	SA/DA	FIXED	207	114	147	37	1180	MANUAL SAFETY, SAFETY LUG

	FRAME	GRIPS	TRIGGER	SIGHTS	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	HEIGHT (MM)	WIDTH (MM)	WEIGHT (G)	SAFETY FEATURES
CZ 75 SHADOW LINE	STEEL	ALUMINIUM	SA/DA	FIXED	206	114	138	35	1000	MANUAL SAFETY, SAFETY LUG
CZ 75 COMPACT SHADOW LINE	STEEL	ALUMINIUM	SA/DA	FIXED	184	92.5	128	35	800	MANUAL SAFETY, SAFETY LUG

CZ 75 TS ORANGE

THE CZ 75 TS ORANGE HAS A HAND FITTED BARREL, WHICH PROLONGS THE PISTOLS LIFE THANKS TO ITS NEW MATERIAL AND SHAPE. THE FRAME HAS ALSO BEEN CHANGED FOR THE BETTER REGARDING ERGONOMICS AND HANDLING, ESPECIALLY THE CHECKERING, PARTS OF THE TRIGGER GUARD, FRAME AND BEAVERTAIL GRIP.

9X19 | 20 .40 S&W | 17



TECHNICAL DATA

	FRAME	GRIPS	TRIGGER	SIGHTS	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	HEIGHT (MM)	WIDTH (MM)	WEIGHT (G)	SAFETY FEATURES
CZ 75 TS ORANGE	STEEL	ALUMINIUM	SA	ADJUSTABLE	225	130	150	45	1270	MANUAL SAFETY, SAFETY LUG



CZ 75 TS

A BASIC MODEL DESIGNED FOR IPSC SHOOTING IN THE STANDARD DIVISION.

9X19 | 20 .40 S&W | 17



CZ 75 TS CZECHMATE

NOW YOU CAN ALSO OWN THE WEAPON OF CHAMPIONS – THE CZ 75 TS CZECHMATE, THE MOST SOPHISTICATED MODEL OF THE TACTICAL SPORTS FAMILY.

9X19 | 20 9MM MAJOR | 20



CZ 75 TS CZECHMATE PARROT

AT FIRST SIGHT, THIS MODEL IS DISTINGUISHED FROM THE CURRENT ONE BY ITS COLOURFUL DESIGN AND NEWLY SHAPED HAMMER. SOME OF THE COLOUR PARTS ARE, FOR EXAMPLE, THREE DURALUMIN BASEPLATES (RED), SHORT THIN GRIPS (YELLOW/ORANGE), COCKING LEVER (VIOLET), TRIGGER (RED), C-MORE MOUNT (BLUE) AND MAGAZINE FUNNEL (GREEN).

9X19 | 20 9MM MAJOR | 20

	FRAME	GRIPS	TRIGGER	SIGHTS	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	HEIGHT (MM)	WIDTH (MM)	WEIGHT (G)	SAFETY FEATURES
CZ 75 TS	STEEL	WOOD	SA	FIXED	225	130	150	45	1270	MANUAL SAFETY, SAFETY LUG
CZ 75 TS CZECHMATE	STEEL	ALUMINIUM	SA	RDS	266	130	140	62	1360	MANUAL SAFETY, SAFETY LUG
CZ 75 TS CZECHMATE PARROT	STEEL	ALUMINIUM	SA	RDS	266	130	140	62	1360	MANUAL SAFETY, SAFETY LUG

CZ 2075 RAMI

THE CZ 2075 RAMI SUBCOMPACT OFFERS ALL THE MAIN BENEFITS OF THE CZ 75 PISTOLS — HIGH POWER, OUTSTANDING ACCURACY AND SUPERIOR ERGONOMICS IN COMBINATION WITH EXCEPTIONALLY SMALL DIMENSIONS.

9X19 | 10 (14) .40 S&W | 8 (10)



THE CZ 2075 RAMI BELONGS TO THE “SUBCOMPACT” CATEGORY AND IS BASED ON THE TRIED AND TESTED DESIGN OF THE CZ 75 PISTOL. ITS TRIGGER MECHANISM OPERATES IN SA/DA REGIME. THERE IS AN ARRAY OF SAFETY FEATURES, INCLUDING FIRING PIN BLOCK AND MANUAL SAFETY. DESPITE THE PISTOL’S SMALL SIZE, THE DOUBLE STACK MAGAZINE CAN HOLD 10X 9MM LUGER CARTRIDGES OR 8X .40 S&W CARTRIDGES + ONE CARTRIDGE IN THE CHAMBER. WITH THE THREE INCH BARREL AND EMPTY MAGAZINE, THE PISTOL WEIGHS LESS THAN 700G.



CZ 2075 D RAMI

THE CZ 2075 BD RAMI IS A DECOCKING VERSION OF THE CLASSIC RAMI MANUAL SAFETY CONFIGURATION. THE DECOCKING LEVER IS LOCATED ON THE LEFT SIDE, WHICH MAKES THIS MODEL SUITABLE FOR SECURITY FORCES AND AGENCIES.

9X19 | 14 (16)

TECHNICAL DATA

	FRAME	GRIPS	TRIGGER	SIGHTS	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	HEIGHT (MM)	WIDTH (MM)	WEIGHT (G)	SAFETY FEATURES
CZ 2075 RAMI	ALUMINIUM	RUBBER	SA/DA	LUMINESCENT	168	74.6	120	32	695	MANUAL SAFETY, SAFETY LUG, FIRING PIN BLOCK

	FRAME	GRIPS	TRIGGER	SIGHTS	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	HEIGHT (MM)	WIDTH (MM)	WEIGHT (G)	SAFETY FEATURES
CZ 2075 D RAMI	ALUMINIUM	RUBBER	SA/DA	TRITIUM	168	74.6	120	32	695	DECOCKING, SAFETY LUG, FIRING PIN BLOCK

CZ 1911 A1

A CZ-USA VARIATION ON THE TRADITIONAL 1911 CONCEPT.

.45 ACP | 7



THE US-CZ 1911 HAS AN ALUMINIUM TRIGGER WITH TRIGGER PULL WEIGHT AROUND 5 LB. (APPROX. 22 N). THE BODY AND THE SLIDE ARE MACHINED FROM CARBON STEEL FORGINGS AND ARE FINISHED BY BLUING. THE PISTOL IS EQUIPPED WITH THE TRADITIONAL COMBINATION OF A GRIP AND MANUAL SAFETY WITH THE THUMBREST ON THE LEFT, WHICH ALLOWS FOR “COCKED AND LOCKED” CARRY, READY FOR IMMEDIATE USE. TWO MAGAZINES ARE INCLUDED IN THE BASIC ACCESSORIES, EACH WITH A CAPACITY OF SEVEN .45 ACP CARTRIDGES.

CZ 97



CZ 97 B

IN 1999, THE SOLDIER OF FORTUNE MAGAZINE PUBLISHED IN THE USA AWARDED THIS PISTOL WITH A TITLE OF THE MOST ACCURATE SERIALY PRODUCED „COMBAT“PISTOL IN 45 ACP CAL.

.45 ACP | 10



CZ 97 BD

THE CZ 97 BD IS BASED ON THE BASIC CZ 97 B MODEL WITH THE DECOCKING SYSTEM AND LEVER ADDED. RUBBER GRIPS ENABLING BETTER HANDLING OF THE PISTOL UNDER ADVERSE CONDITIONS ARE ALSO NEW. THE PISTOL HAS BEEN DESIGNED PRIMARILY FOR ARMED FORCES IN COUNTRIES PREFERRING .45 AUTO CALIBRE.

.45 ACP | 10

TECHNICAL DATA

	FRAME	GRIPS	TRIGGER	SIGHTS	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	HEIGHT (MM)	WIDTH (MM)	WEIGHT (G)	SAFETY FEATURES
CZ 1911 A1	STEEL	WOOD	SA	LUMINISCENT	222	127	140	37	1100	MANUAL SAFETY, GRIP SAFETY

	FRAME	GRIPS	TRIGGER	SIGHTS	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	HEIGHT (MM)	WIDTH (MM)	WEIGHT (G)	SAFETY FEATURES
CZ 97 B	STEEL	WOOD	SA/DA	LUMINISCENT	212	114.8	150	35	1150	MANUAL SAFETY, FIRING PIN BLOCK, INDICATOR
CZ 97 BD	STEEL	RUBBER	SA/DA	TRITIUM	212	114.8	150	35	1150	DECOCKING, SAFETY LUG, FIRING PIN BLOCK, INDICATOR

DAN WESSON VALOR

DAN WESSON VALOR IS A PREMIUM PISTOL MADE IN THE USA, BASED ON THE CLASSIC CONCEPT OF THE 1911. PREMIUM MATERIALS HAVE BEEN USED FOR THE MANUFACTURE AND EACH PIECE IS HAND FITTED. IN OUR OPINION, IT IS THE BEST 1911 ON THE MARKET.

.45 ACP | 8



DAN WESSON ECO

THE SMALLEST PISTOL IN THE DAN WESSON PRODUCTION IN 9X19 CAL. IT HAS AN ALUMINIUM FRAME, TRITIUM SIGHTS AND OFFERS THE TRADITIONAL DAN WESSON QUALITY. AVAILABLE ONLY OUTSIDE C.I.P. COUNTRIES.

9X19 | 7



DAN WESSON GUARDIAN

A COMPACT VERSION WITH AN ALUMINIUM FRAME, IN .45 ACP CAL.

.45 ACP | 8

TECHNICAL DATA

	FRAME	GRIPS	TRIGGER	SIGHTS	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	HEIGHT (MM)	WIDTH (MM)	WEIGHT (G)	SAFETY FEATURES
DAN WESSON VALOR	STEEL	G10	SA	TRITIUM	222	127	140	37	1080	MANUAL SAFETY, GRIP SAFETY

	FRAME	GRIPS	TRIGGER	SIGHTS	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	HEIGHT (MM)	WIDTH (MM)	WEIGHT (G)	SAFETY FEATURES
DAN WESSON ECO	ALUMINIUM	G10	SA	TRITIUM	184	89	127	37	707	MANUAL SAFETY, GRIP SAFETY
DAN WESSON GUARDIAN	ALUMINIUM	COCOBOLO	SA	TRITIUM	203	108	140	37	816	MANUAL SAFETY, GRIP SAFETY

TECHNICAL DATA

MODEL	CALIBER	MAGAZINE CAPACITY	FRAME	GRIPS	TRIGGER	SIGHTS	OVERALL LENGTH (MM)	BARREL LENGTH (MM)	HEIGHT (MM)	WIDTH (MM)	WEIGHT (G)	SAFETY FEATURES
CZ SHADOW 2	NEW 9x19	18 (19)	STEEL	ALUMINIUM	SA/DA	ADJUSTABLE	217	120	157	34	1330	MANUAL SAFETY, SAFETY LUG
CZ P-07	9x19, 9x21, .40 S&W	15 (17), 15 (17), 12 (15)	POLYMER	–	SA/DA	LUMINISCENT	185	96,5	137	37,5	780	DECOCKING/MANUAL SAFETY, SAFETY LUG, FIRING PIN BLOCK
CZ P-07 KADET	NEW .22 LR	10	POLYMER	–	SA/DA	LUMINISCENT	191	103	137	37,5	561	DECOCKING/MANUAL SAFETY, SAFETY LUG
ADAPTER CZ P-07 KADET	NEW .22 LR	10					167,5	103				
CZ P-07 FDE	9x19, 9x21, .40 S&W	15 (17), 15 (17), 12 (15)	POLYMER	–	SA/DA	TRITIUM	185	96,5	137	37,5	780	DECOCKING/MANUAL SAFETY, SAFETY LUG, FIRING PIN BLOCK
CZ P-09	9x19, 9x21, .40 S&W	19 (21), 19 (21), 15 (17)	POLYMER	–	SA/DA	LUMINISCENT	208	116,5	148	37,5	855	DECOCKING/MANUAL SAFETY, SAFETY LUG, FIRING PIN BLOCK
CZ P-09 FDE	9x19, 9x21, .40 S&W	19 (21), 19 (21), 15 (17)	POLYMER	–	SA/DA	TRITIUM	208	116,5	148	37,5	855	DECOCKING/MANUAL SAFETY, SAFETY LUG, FIRING PIN BLOCK
CZ 75 B 0	9x19	16	STEEL	RUBBER	SA/DA	LUMINISCENT	206	114	138	35	1000	DECOCKING/MANUAL SAFETY, SAFETY LUG, FIRING PIN BLOCK
CZ 75 B	9x19, 9x21, .40 S&W	16, 16, 10	STEEL	POLYMER	SA/DA	LUMINISCENT	206	114	138	35	1000	MANUAL SAFETY, SAFETY LUG, FIRING PIN BLOCK
CZ 75 B NEW EDITION	9x19	16	STAINLESS STEEL	WOOD	SA/DA	TRITIUM	206	114	138	35	1150	MANUAL SAFETY, SAFETY LUG, FIRING PIN BLOCK
CZ 75 P-01 0	9x19, 9x21	14, 14	ALUMINIUM	RUBBER	SA/DA	LUMINISCENT	184	98,5	128	38	800	DECOCKING/MANUAL SAFETY, SAFETY LUG, FIRING PIN BLOCK
CZ 75 COMPACT	9x19	14 (16)	STEEL	RUBBER	SA/DA	LUMINISCENT	184	92,5	128	35	920	MANUAL SAFETY, SAFETY LUG, FIRING PIN BLOCK
CZ 75 D COMPACT	9x19, .40 S&W	14 (16), 10 (12)	ALUMINIUM	RUBBER	SA/DA	LUMINISCENT	184	92,5	128	35	800	DECOCKING, SAFETY LUG, FIRING PIN BLOCK
CZ 75 SP-01	9x19	18	STEEL	RUBBER	SA/DA	TRITIUM	207	114	147	37	1180	MANUAL SAFETY, SAFETY LUG, FIRING PIN BLOCK
CZ 75 SP-01 TACTICAL URBAN GREY	NEW 9x19	17	STEEL	RUBBER	SA/DA	TRITIUM	223	132	155	37	1190	DECOCKING, SAFETY LUG, FIRING PIN BLOCK
CZ 75 SP-01 TACTICAL	9x19, 9x21, .40 S&W	18, 15 (17), 15	STEEL	RUBBER	SA/DA	TRITIUM	207	114	147	37	1180	DECOCKING, SAFETY LUG, FIRING PIN BLOCK
CZ 75 SP-01 SHADOW	9x19, 9x21	18 (19), 18 (19)	STEEL	RUBBER	SA/DA	FIXED	207	114	147	37	1180	MANUAL SAFETY, SAFETY LUG
CZ 75 SP-01 SHADOW ORANGE	9x19, 9x21	18 (19), 18 (19)	STEEL	ALUMINIUM	SA/DA	FIXED	207	114	147	37	1180	MANUAL SAFETY, SAFETY LUG
CZ 75 SP-01 SHADOW DUALTONE	9x19, 9x21	18 (19), 18 (19)	STEEL	RUBBER	SA/DA	FIXED	207	114	147	37	1080	MANUAL SAFETY, SAFETY LUG
CZ 75 SP-01 SHADOW LINE	9x19	19	STEEL	ALUMINIUM	SA/DA	FIXED	207	114	147	37	1180	MANUAL SAFETY, SAFETY LUG
CZ 75 SHADOW LINE	9x19	17	STEEL	ALUMINIUM	SA/DA	FIXED	206	114	138	35	1000	MANUAL SAFETY, SAFETY LUG
CZ 75 COMPACT SHADOW LINE	9x19	14	STEEL	ALUMINIUM	SA/DA	FIXED	184	92,5	128	35	800	MANUAL SAFETY, SAFETY LUG
CZ 75 TS ORANGE	9x19, .40 S&W	20,17	STEEL	ALUMINIUM	SA	ADJUSTABLE	225	130	150	45	1270	MANUAL SAFETY, SAFETY LUG
CZ 75 TS	9x19, .40 S&W	20,17	STEEL	WOOD	SA	FIXED	225	130	150	45	1270	MANUAL SAFETY, SAFETY LUG
CZ 75 TS CZECHMATE	9x19, 9mm MAJOR	20,20	STEEL	ALUMINIUM	SA	RDS	266	130	140	62	1360	MANUAL SAFETY, SAFETY LUG
CZ 75 TS CZECHMATE PARROT	9x19, 9mm MAJOR	20, 20	STEEL	ALUMINIUM	SA	RDS	266	130	140	62	1360	MANUAL SAFETY, SAFETY LUG
CZ 2075 RAMI	9x19, .40 S&W	10 (14), 8 (10)	ALUMINIUM	RUBBER	SA/DA	LUMINISCENT	168	74,6	120	32	695	MANUAL SAFETY, SAFETY LUG, FIRING PIN BLOCK
CZ 2075 D RAMI	9x19	14 (16)	ALUMINIUM	RUBBER	SA/DA	TRITIUM	168	74,6	120	32	695	DECOCKING, SAFETY LUG, FIRING PIN BLOCK
CZ 1911 A1	.45 ACP	7	STEEL	WOOD	SA	LUMINISCENT	222	127	140	37	1100	MANUAL SAFETY, GRIP SAFETY
CZ 97 B	.45 ACP	10	STEEL	WOOD	SA/DA	LUMINISCENT	212	114,8	150	35	1150	MANUAL SAFETY, FIRING PIN BLOCK, INDICATOR
CZ 97 BD	.45 ACP	10	STEEL	RUBBER	SA/DA	TRITIUM	212	114,8	150	35	1150	DECOCKING, SAFETZ LUG, FIRING PIN BLOCK, INDICATOR
DAN WESSON VALOR	.45 ACP	8	STEEL	G10	SA	TRITIUM	222	127	140	37	1080	MANUAL SAFETY, GRIP SAFETY
DAN WESSON ECO	9x19	7	ALUMINIUM	G10	SA	TRITIUM	184	89	127	37	707	MANUAL SAFETY, GRIP SAFETY
DAN WESSON GUARDIAN	.45 ACP	8	ALUMINIUM	COCOBOLO	SA	TRITIUM	203	108	140	37	816	MANUAL SAFETY, GRIP SAFETY

SA - single action, DA - double action, RDS - collimator

Specified dimensions may vary according to design and configuration

Safety lug – a notch on the hammer, which prevents unintentional discharge in situations when the hammer slips during manual cocking

Firing pin block – stops the firing pin from moving when trigger is not pulled, minimizes the risk of unintentional discharge when handling the weapon improperly, especially when a loaded weapon is dropped

Decocking – moves the hammer from its cocked position onto a safety lug without the need to pull trigger, after hammer is released, the weapon is safe for ordinary handling while being ready for immediate use

Manual safety – for applying safety by the user

Magazine safety – blocks the trigger mechanism when magazine is not attached

SEMI-AUTO

**DYNAMIC SPORT SHOOTING, SECURITY SERVICE OR PRACTICE
AND HOBBY SHOOTING – MOST COMMON EXAMPLES OF THE USE OF SELF-LOADING
VARIANTS OF CZ SERVICE WEAPONS.**

AUTOMATIC WEAPONS FROM ČESKÁ ZBROJOVKA A.S. RANK AMONG THE VERY BEST IN THE WORLD IN ITS CATEGORY, THE SAME GOES TO THEIR EXCLUSIVELY SEMI-AUTOMATIC VERSIONS, THE CZ 805 BREN S1 .223 REM. CAL., CZ SCORPION EVO 3 S1 9MM LUGER AND 9X21 MM. THESE MODELS ARE DISTINGUISHED FROM THEIR ORIGINAL SERVICE MDOELS BY THE ABSENCE OF A FULLY AUTOMATIC MODE. THEY ARE CHARACTERIZED BY EXCEPTIONAL DURABILITY, HIGH ACCURACY EVEN DURING RAPID FIRE, EASY HANDLING AND DISASSEMBLY FOR MAINTENANCE, RELIABLE FUNCTION EVEN WHEN USING SPECIAL OR RELOADED AMMUNITION, EXTENSIVE RANGE OF BASIC ACCESSORIES AND A VERY FAVOURABLE PRICE AND QUALITY RATIO. THANKS TO THESE QUALITIES, THESE WEAPONS ARE SUITABLE FOR MODERN SHOOTING DISCIPLINES AND FOR TRAINING PURPOSES. SOME MODELS HAVE BEEN MODIFIED FOR HUNTING. THE CZ SCORPION EVO S1 MODEL IS ALSO SUITABLE FOR SECURITY FORCES IN COUNTRIES WHERE THE USE OF FULLY AUTOMATIC WEAPONS IS NOT ALLOWED BY LAW. THIS PRODUCT LINE MAKES THE DREAMS COME TRUE FOR ALL PEOPLE, WHO NOSTALGICALLY REMINISCENCE ABOUT THEIR COMPULSORY ARMY TRAINING OR THOSE, WHO ARE ENTICED BY THE LATEST SERVICE PRODUCTS FROM ČESKÁ ZBROJOVKA UHERSKÝ BROD.



CZ SCORPION EVO 3 S1

THE LEGEND CALLED SCORPION IS BACK — AND THANKS TO THE CZ SCORPION EVO 3 S1, IT IS ALSO AVAILABLE ON THE CIVILIAN MARKET.

9X19 | 20 (30) 9X21 | 20 (30)



FOLDING AND
REMOVABLE POLYMER STOCK
ADJUSTABLE IN LENGTH

AMBIDEXTROUS CONTROL
OF THE FIRE MODE SELECTOR

HORIZONTALLY ADJUSTABLE
PISTOL GRIP

EASY MOUNTING OF
ACCESSORIES USING
MIL-STD-1913 RAILS

FLASH HIDER — THE MUZZLE
THREAD ALSO ENABLES THE USE
OF A SOUND SUPPRESSOR OR BLANK
FIRING ADAPTER

EASY MOUNTING
OF ACCESSORIES
USING MIL-STD-1913
RAILS

COMPARED TO THE A1 MODEL, THE S1 VERSION DOES NOT HAVE THE OPTION OF SHORT BURST FIRE AND THE FIRE MODE SELECTOR/MANUAL SAFETY HAS ONLY TWO POSITIONS: LOCKED AND SINGLE ROUND DISCHARGE. IN ALL OTHER RESPECTS, THE S1 MODEL MAINTAINS EXCELLENT ERGONOMIC AND SHOOTING PROPERTIES OF ITS SERVICE PREDECESSOR AND IS THUS THE IDEAL SPORTING WEAPON FOR MODERN DYNAMIC SHOOTING DISCIPLINES.



EASY MOUNTING OF
ACCESSORIES USING
MIL-STD-1913 RAILS

OPTION TO REVERSE
THE COCKING HANDLE

EXTERNAL BOLT
RELEASE



THE NEW GENERATION OF SUBMACHINE GUNS MADE IN UHERSKY BROD, THE CZ SCORPION EVO 3 A1 IN 9 MM LUGER AND NEWLY ALSO IN 9X21 BELONGS AMONG THE MOST ADVANCED AND ACCOMPLISHED OF ITS CATEGORY. THE SUPERB ERGONOMIC AND SHOOTING PROPERTIES ARE ALSO RETAINED IN THE CZ SCORPION EVO 3 S1, WHICH DIFFERS FROM THE A1 VERSION BY NOT HAVING THE FULL-AUTO AND SHORT BURST MODES OF FIRE. THROUGH EXTENSIVE USE OF DURABLE POLYMERS AND ITS SOPHISTICATED DESIGN, IT IS A LIGHT, EASILY CONTROLLED AND HIGHLY ACCURATE WEAPON PERFECTLY SUITABLE FOR SECURITY FORCES AS WELL AS MODERN SPORT SHOOTING DISCIPLINES. STANDARD 20 CARTRIDGE MAGAZINES CAN BE SUPPLEMENTED WITH 30-ROUND MAGAZINES.

TECHNICAL DATA

	FRAME	LENGTH (MM)	BARREL LENGTH (MM)	HEIGHT WITHOUT MAGAZINE (MM)	WIDTH (MM)	WEIGHT WITHOUT MAGAZINE (G)
CZ SCORPION EVO 3 S1	POLYMER	420/610-660	196	218	60/85	2 450

Specified dimensions may vary according to design and configuration

CZ 805 BREN S1

THE CZ 805 BREN S1 IS A SEMI-AUTOMATIC SPORTING RIFLE OF MODULAR DESIGN CHAMBERED IN .223 REM. CAL. THIS RIFLE IS INTENDED NOT ONLY FOR MODERN SPORT SHOOTING EVENTS, TRAINING PURPOSES, HUNTING USE OR HOBBY SHOOTING, BUT ALSO FOR ALL BRANCHES OF ARMED FORCES, WHICH DO NOT REQUIRE A FULLY-AUTOMATIC MODE OF FIRE.

.223 REM | 30



CZ 805 BREN S1 11"



CZ 805 BREN S1 14"



CZ 805 BREN S1 16"



TECHNICAL DATA

	CALIBRE	LENGTH (MM)	BARREL LENGTH (MM)	HEIGHT WITH FOLDED SIGHTS NO MAGAZINE (MM)	WIDTH (MM)	WEIGHT WITHOUT MAGAZINE (G)
CZ 805 BREN S1 11"	ALUMINIUM	585/785	277	205	75/113	3 501
CZ 805 BREN S1 14"	ALUMINIUM	665/868	360	205	75/113	3 567
CZ 805 BREN S1 16"	ALUMINIUM	699/900	392	205	75/113	3 615

Specified dimensions may vary according to design and configuration

THE CZ 805 BREN S1 RETAINS THE SUPERB ERGONOMIC AND SHOOTING PROPERTIES OF THE CZ 805 BREN A1/A2 ASSAULT RIFLE WHICH RANKS AMONG THE MOST ADVANCED AND DURABLE WEAPONS OF ITS CATEGORY. IT DIFFERS FROM THE ORIGINAL MILITARY SERVICE MODEL, THE CZ 805 BREN A1/ A2 BY NOT HAVING THE OPTION FOR FULLY-AUTO AND SHORT BURST MODES OF FIRE. THE WEAPON'S DESIGN IS BASED ON TAPPING THE COMBUSTION GASES FROM THE BARREL WITH AN OPTION OF A TWO-STAGE CONTROL OF THE PISTON MECHANISM. DURING DISCHARGE, THE BREECH MECHANISM IS LOCKED. AS WITH ITS MILITARY VERSION, THIS MODEL IS CHARACTERIZED BY OUTSTANDING ACCURACY AND DURABILITY AND MEETS THE REQUIREMENTS FOR RELIABLE OPERATION UNDER ADVERSE CONDITIONS (DUST, SAND, MUD) AND TO WITHSTAND EXTREME HANDLING. THE SURFACE TREATMENT PROTECTS THIS WEAPON AGAINST ABRASION, CORROSION, SALT AND FRESH WATER, MOISTURE, AGGRESSIVE SUBSTANCES AND GASES GENERATED DURING DISCHARGE. THE MATERIALS USED FOR THIS WEAPON ARE NON-FLAMMABLE, OR HAVE AN INCREASED RESISTANCE AGAINST FIRE, AND ARE EXCEPTIONALLY RESISTANT AGAINST IMPACT AND MECHANICAL DAMAGE. BASIC DISASSEMBLY AND ASSEMBLY FOR ROUTINE MAINTENANCE CAN BE CARRIED OUT WITHOUT THE NEED OF ANY TOOLS. EVERY SHOOTER HAS A GOAL, A MISSION. FOR THIS REASON, THE CZ 805 BREN S1 IS PRODUCED IN THREE LENGTHS OF BARREL, NAMELY 11", 14" AND 16". THE MODULAR DESIGN ALLOWS THE RIFLE TO BE FURTHER CUSTOMIZED TO EVERYONE'S OWN REQUIREMENTS. THE MAIN ADVANTAGES ARE THE INTERCHANGEABILITY OF THE MAGAZINE WELL FOR THE MAGAZINES OF THE M4 TYPE AND AMBIDEXTROUS MAGAZINE CATCH. OTHER OPTIONAL ACCESSORIES ARE, FOR EXAMPLE, A TELESCOPING FOLDING STOCK, SHORT COCKING HANDLE, LONGER SWIVELS (FOR SNAPHOOK USE), COMPENSATOR, LONGER FIRE MODE SELECTOR, SIDE RAILS FOR MIL-STD 1913 AND MANY OTHER ACCESSORIES.

CZ 805 BRENS1

AVAILABLE UPGRADES

SEMI-AUTO



1	3700-0480-01ND	FRONT SWIVEL
2	3700-1850-01ND	COMPENSATOR
3	3700-0530-01PND	MIL-STD 1913 SIDE RAILS
4	3702-3000-1601ND	MAGAZINE HOUSING FOR NATO STANDARD MAGAZINES
5	3700-0730-02NND	COCKING HANDLE

6	3700-0490-01ND	REAR SWIVEL
7	3700-0080-02ND	LONGER FIRE SELECTOR LEFT
8	3700-0090-02ND	LONGER FIRE SELECTOR RIGHT
9	3702-3400-05ND	FOLDING TELESCOPIC STOCK



CZ 455 FLY WEIGHT TRIGGER

FLY WEIGHT 1N-5N

NEW

TRIGGER FOR THE CZ 455 SYSTEM
DESIGNED FOR PRECISION SHOOTING

THE TRIGGER ASSEMBLY CONTAINS:

- TRIGGER
 - 1X ASSEMBLY PIN
 - 2X ALLEN KEY SCREWS
- FACTORY SETTING - 3+/-0.5 N
RANGE OF SETTING - 1-5 N

SETTING OPTIONS:

- INDIVIDUAL SETTING OF TRIGGER PULL WEIGHT OF THE FIRST AND SECOND TRIGGER STAGE
- INDIVIDUAL SETTING OF TRIGGER TRAVEL LENGTH OF THE FIRST AND SECOND TRIGGER STAGE
- OPTION TO REMOVE THE FIRST TRIGGER STAGE - MINIMUM RESET



product may vary

ACCESSORIES

1	5120-0110-01	CZ WEAPON SLING NYLON/RUBBER - GREEN
2	5120-0110-02	CZ WEAPON SLING NYLON/RUBBER - BROWN
3	5120-0110-03	CZ WEAPON SLING NYLON/RUBBER - ORANGE
4	5120-0110-04	CZ WEAPON SLING TWEED/RUBBER - TWEED
5	5120-0110-05	CZ WEAPON SLING TWEED/RUBBER - CAMO

6	5120-0110-11	CZ WEAPON SLING LEATHER/RUBBER - LIGHT
7	5120-0110-12	CZ WEAPON SLING LEATHER/RUBBER - DARK
8	5120-0100	CZ RIFLE CASE, 118CM BLACK
9	5120-0101	CZ RIFLE CASE, 118CM GREEN
	1081-7383	LOOP 2X IN A PACK, NEW LOOP TRIGATTI

10	5073-1800-01ND	CZ 455 FLY WEIGHT TRIGGER
11	5120-0200	CZ RIFLE TOOL
12	5185-0034	BORE CLEANER - DOUBLE HEADED BRUSH 12GA
	5185-0043	BORE CLEANER - DOUBLE HEADED BRUSH 16GA
	5185-0035	BORE CLEANER - DOUBLE HEADED BRUSH 20GA
	5185-0037	BORE CLEANER - DOUBLE HEADED BRUSH 223

	5185-0040	BORE CLEANER - DOUBLE HEADED BRUSH 22LR
	5185-0033	BORE CLEANER - DOUBLE HEADED BRUSH 40SW
	5185-0036	BORE CLEANER - DOUBLE HEADED BRUSH 7,62
	5185-0038	BORE CLEANER - DOUBLE HEADED BRUSH 7MM
	5185-0039	BORE CLEANER - DOUBLE HEADED BRUSH 8MM
	5185-0032	BORE CLEANER - DOUBLE HEADED BRUSH 9X19



ACCESSORIES

1	1002-4100-01	2" ALUMINUM CZ 512 PICATINNY RAIL
2	1002-4100-02	4" ALUMINUM CZ 512 PICATINNY RAIL
3	1002-4100-03	12" ALUMINUM CZ 512 PICATINNY RAIL
4	1002-4100-04	CZ 512 ATI LOOP HOLDER
5	1002-4100-05	ATI SLING LOOP
6	1002-4100-06	TACTLITE SET HEIGHT ADJUSTABLE CHEEKPICE
7	1002-4100-07	BUTT PLATE TACTILITE SCORPION X2 RECOIL PAD UPGRADE KIT
8	1002-4100-08	BUTT PLATE TACTILITE SCORPION RAZORBACK RECOIL PAD UPGRADE KIT
9	6793-1000-01ND	MOUNT 1 PIECE CZ 557 DIA 1"
	6793-5000-01ND	MOUNT 1 PIECE CZ 557 DIA 30MM
10	6593-3000-01ND	MOUNT 2 PIECE CZ 455 DIA 1" BORDSON
	6593-7000-01ND	MOUNT 2 PIECE CZ 455 DIA 30MM BORDSON
	6593-2000-01ND	MOUNT 2 PIECE CZ 527 DIA 1" BORDSON
	6593-6000-01ND	MOUNT 2 PIECE CZ 527 DIA 30MM BORDSON
	6593-1000-01ND	MOUNT 2 PIECE CZ 550 DIA 1" BORDSON
	6593-5000-01ND	MOUNT 2 PIECE CZ 550 DIA 30MM BORDSON

11	6693-3000-01ND	MOUNT 2 PIECE CZ 455 DIA 1"
	6693-7000-01ND	MOUNT 2 PIECE CZ 455 DIA 30MM
	6693-2000-01ND	MOUNT 2 PIECE CZ 527 DIA 1"
	6693-6000-01ND	MOUNT 2 PIECE CZ 527 DIA 30MM
	6693-1000-01ND	MOUNT 2 PIECE CZ 550 DIA 1"
	6693-5000-01ND	MOUNT 2 PIECE CZ 550 DIA 30MM
12	5131-1001-02ND	SINGLE ROUND INSERT
	5133-1200-8822ND	MAGAZINE CZ 452 WMR/HMR (10 ROUND) PLASTIC
	5133-1001-8820ND	MAGAZINE CZ 452 WMR/HMR (5 ROUND) METAL
	5133-1200-01ND	MAGAZINE CZ 455/452 22LR (10 ROUND) METAL
	5133-1000-01ND	MAGAZINE CZ 455/452 22LR (5 ROUND) METAL
13	5133-1200-02ND	MAGAZINE CZ 455/452/512 22LR (10 ROUND) PLASTIC
14	5133-1000-02ND	MAGAZINE CZ 455/452/512 22LR (5 ROUND) PLASTIC
	5073-1200-8802ND	MAGAZINE CZ 455/512 WMR/HMR (10 ROUND) PLASTIC
15	5073-1000-8802ND	MAGAZINE CZ 455/512 WMR/HMR (5 ROUND) PLASTIC
	5273-1051-0209ND	MAGAZINE CZ 527 .17/.22 HORNET (5 ROUND)

	5273-1051-3909ND	MAGAZINE CZ 527 .204 RUG (5 ROUND)
	5273-1051-4009ND	MAGAZINE CZ 527 .222REM (5 ROUND)
16	5273-1051-6409ND	MAGAZINE CZ 527 .223REM (5 ROUND)
17	5273-1054-6415ND	MAGAZINE CZ 527 .223 REM (3 ROUND)
18	5123-1225-02ND	MAGAZINE CZ 455/512 22LR (25 ROUND) PLASTIC
	5273-1052-43ND	MAGAZINE CZ 527 7,62X39 (5 ROUND)
19	5372-0651-5364ND	MAGAZINE CZ 550 243W/308W (4 ROUND)
	5502-0650-6952ND	MAGAZINE CZ 550 300 WM (3 ROUND)
20	5552-2650-3801ND	MAGAZINE CZ 550 30-06/7X64/270W (3 ROUND)
	5502-1700-5326ND	MAGAZINE CZ 750/550 .308W/.243W (10 ROUND)
	5572-2000-5303ND	MAGAZINE CZ 557 243W/308W (4 ROUND)
	5572-2000-5302ND	MAGAZINE CZ 557 243W/308W (10 ROUND)

1



2




3




9



4



5



10



11



7



8



6



12



ACCESSORIES

1	1091-1021	10 SHOT MAGAZINE FOR AIR RIFLE 4,5MM
	1091-1022	10 SHOT MAGAZINE FOR AIR RIFLE 5,5MM
2	1091-1023	SPARE DISK FOR 4,5MM DIABOLO
3	1091-1024	SPARE DISK FOR 5,5MM DIABOLO
4	1022-1000-4403ND	PRESSURE CYLINDER CZ 200 122 CM2

5	1022-1000-4407ND	PRESSURE CYLINDER CZ 200 155 CM2
6	1093-0010	AIR PUMP (AIR GUN ACC.)
	1093-0011	AIR PUMP WITH DRY-PAC SYSTEM
7	3190-0002	DIOPTRE SCOPE (SET)
8	1002-0094	CZ-USA CHOKE SET 12GA - STANDART
	1002-0095	CZ-USA CHOKE SET 20GA - STANDART

9	1070-9020	WEAVER RAIL BRNO COMBO
	1070-9010	MOUNT BRNO COMBO 1 PIECE 25,4MM
10	1070-9011	MOUNT BRNO COMBO 1 PIECE 30MM
11	1070-8025	MOUNT BRNO EFFECT 1 PIECE; 25,4MM HEIGHT 11MM
	1070-8026	MOUNT BRNO EFFECT 1 PIECE; 30MM HEIGHT 11MM
12	1090-0012	SET OF SIGHTS FOR .634 AIR GUN, FIBRE OPTIC


1



3



4



6




THIS WIPE REFRESHES AND REVITALIZES THE SURFACE FINISH OF OUR OILED WOODEN STOCKS. APPLY EVENLY OVER THE ENTIRE SURFACE OF THE STOCK AND LEAVE TO DRY FOR ABOUT 5 HOURS AT ROOM TEMPERATURE. THE PROTECTIVE OIL COATING WILL RESTORE THE ORIGINAL LOOK OF THE WOOD. AVOID CONTACT WITH SKIN AND EYES WHILE USING THIS WIPE.

7



2



5



8



A PROFESSIONAL AGENT MANUFACTURED IN ACCORDANCE WITH MODERN STANDARDS REQUIRED FOR THE USE ON WEAPONS AND WEAPON SYSTEMS IN THE CLP (CLEANER LUBRICANT PRESERVATIVE) CATEGORY. THIS CLEANING AGENT GUARANTEES RELIABILITY AND COMFORT IN ROUTINE MAINTENANCE.

- AFTER APPLICATION IT HAS QUICK DRYING PROPERTIES WHICH PROVIDE COMFORTABLE TOUCH AND EXCELLENT HANDLING.
- THE DRY FILM IS WATER REPELLENT AND DOES NOT ATTRACT DUST.
- A VERY FINE FILM OF THE AGENT IN THE BORE MINIMIZES THE ADVERSE EFFECT ON THE FIRST DISCHARGE, THEREFORE THE WEAPON IS 100% ACCURATE AT ALL TIMES.
- EVERY SUBSEQUENT APPLICATION REDUCES THE AMOUNT OF CLEANING TIME
- THE AGENT DOES NOT HAVE AN ADVERSE EFFECT ON OTHER MATERIALS, SUCH AS PLASTIC, LACQUERED PARTS AND RUBBER
- PRACTICAL PACKAGING WITH APPLICATOR

9



PDW CONVERSION

A CONVERTER ENABLING TO USE THE CZ P-07 AND CZ P-09 AS PDW. IMPROVES THE SPEED AND ACCURACY OF SHOOTING CONSIDERABLY. VERY EASY ASSEMBLY AND DISASSEMBLY WITHOUT THE USE OF ANY TOOLS. THE SYSTEM CAN BE USED WITH A VARIETY OF TACTICAL ACCESSORIES THAT CAN BE FITTED TO 4 MIL-STD-1913 RAILS.

10



11



12



13



14









ACCESSORIES

1091-1174	RECOIL SPRING 11LBS SP-01
1091-1190	RECOIL SPRING 13LBS SP-01, TS
1 1091-1224	AMBIDEXTROUS FLAT SAFETY SP-01
1091-1225	RECOIL SPRING 13LBS P-07 DUTY
1091-1232	MAINSRING 13LBS CZ 75, SP-01, TS, CZ
2 1091-1233	MAINSRING 16LBS CZ 75, SP-01, TS, CZ
3 1091-1236	RECOIL SPRING GUIDE STEEL SP-01

4 1091-1246	BUFFER SET (3x WIDE, 2x NARROW)
1091-1247	BUFFER FOR IRON SPRING GUIDE
8161-0060	ASSEMBLY MAT CZ P-09
5 0423-ND01-01	SPARE PARTS SET
6 5188-0040	CZ FOR GUN OIL FOR WOODEN STOCKS
7 5188-0037	CZ FOR GUN WIPE - GUN CLEANING WIPES
8 5188-0030	CZ FOR GUN AEROSOL 150ML - CLEANING AND MAINTENANCE AGENT

9 3144-0100	PDW CONVERSION (CZ P-07, P-09)
10 3144-0129	SET OF SIGHTS FOR PDW
11 3144-0229	SLING LOOP FOR PDW
12 3194-0037	COLLIMATOR FOR PDW, HIGHER MOUNT
13 3194-7202	TACTICAL LED LIGHT
14 3144-0329	SINGLE POINT SLING FOR PDW



HEIGHT OF FRONT SIGHT	FRONT SIGHT WITH DOT *	FRONT SIGHT WITHOUT DOT *	FIBRE OPTIC SIGHT 1 MM **	FIBRE OPTIC SIGHT 1,5 MM **
5.25 mm	1091-1250-01	1091-1251-01	1091-1252-01	1091-1253-01
5.5 mm	1091-1250-02	1091-1251-02	19 1091-1252-02	20 1091-1253-02
5.75 mm	17 1091-1250-03	1091-1251-03	1091-1252-03	1091-1253-03
6 mm	1091-1250-04	1091-1251-04	1091-1252-04	1091-1253-04
6.25 mm	1091-1250-05	1091-1251-05	1091-1252-05	1091-1253-05
6.5 mm	1091-1250-06	1091-1251-06	1091-1252-06	1091-1253-06
6.75 mm	1091-1250-07	1091-1251-07	1091-1252-07	1091-1253-07
7 mm	1091-1250-08	1091-1251-08	1091-1252-08	1091-1253-08
7.5 mm	1091-1250-09	18 1091-1251-09	1091-1252-09	1091-1253-09
8 mm	1091-1250-10	1091-1251-10	1091-1252-10	1091-1253-10
8.5 mm	1091-1250-11	1091-1251-11	1091-1252-11	1091-1253-11

* CZ P-07, CZ P-09, CZ 75 COMPACT, CZ 75 D COMPACT, CZ 75, CZ 75 B Ω, CZ 85, CZ 97, CZ SP-01, CZ 75 SP-01 TACTICAL, CZ 75 SP-01 SHADOW, CZ 75 SP-01 PHANTOM, CZ 75 TS, CZ 75 TS CZECHMATE

**CZ 75 COMPACT, CZ 75 D COMPACT, CZ 75, CZ 75 B Ω, CZ 85, CZ 97, CZ SP-01, CZ 75 SP-01 TACTICAL, CZ 75 SP-01 SHADOW, CZ 75 SP-01 PHANTOM, CZ 75 TS, CZ 75 TS CZECHMATE

	HEIGHT OF REAR SIGHT	DEFENDER REAR SIGHT WITH DOT	DEFENDER REAR SIGHT WITHOUT DOT	TARGET REAR SIGHT WITH DOT	TARGET REAR SIGHT WITHOUT DOT
CZ P-07 / CZ P-09	7,3 mm	24 1091-1260	21 1091-1263	1091-1266	1091-1269
CZ 75/85/SP-01	8,3 mm	25 1091-1261	22 1091-1264	1091-1267	23 1091-1270
CZ 75 SP-01 SHADOW	10 mm	1091-1262	1091-1265	1091-1268	1091-1271
					27 1091-1274

	HEIGHT OF SIGHTS	FIBRE OPTIC SIGHTS 1 MM	FIBRE OPTIC SIGHTS 1,5 MM	TRITIUM SIGHTS
CZ P-07 / CZ P-09	5,5 mm	1091-1282-02	28 1091-1283-02	0721-0700-02ND
CZ P-07 / CZ P-09	5,75 mm	1091-1282-03	1091-1283-03	31 0721-0700-03ND
CZ P-07 / CZ P-09	6 mm	1091-1282-04	1091-1283-04	0721-0700-04ND

30 1081-0009	ADJUSTABLE REAR SIGHT (CZ 75 B Ω/CZ 85)	32 1081-0101	ADJUSTABLE REAR SIGHT SHADOW 2
1081-0011	ADJUSTABLE REAR SIGHT (CZ 75 SP-01 SHADOW)	1081-0105	ADJUSTABLE REAR SIGHT TS ORANGE
1081-0013	ADJUSTABLE REAR SIGHT (CZ 75 TACTICAL SPORTS)		

ACCESSORIES

1 1091-1310-01	STRAIGHT TRIGGER (CZ 75, SP-01, TS, CZ) BLACK
2 1091-1310-02	STRAIGHT TRIGGER (CZ 75, SP-01, TS, CZ) SILVER
3 1091-1310-03	STRAIGHT TRIGGER (CZ 75, SP-01, TS, CZ) RED
4 1091-1310-04	STRAIGHT TRIGGER (CZ 75, SP-01, TS, CZ) BLUE
1091-1311-01	TARGET TRIGGER (CZ 75, SP-01, TS, CZ) BLACK
1091-1311-02	TARGET TRIGGER (CZ 75, SP-01, TS, CZ) SILVER
1091-1311-03	TARGET TRIGGER (CZ 75, SP-01, TS, CZ) RED
1091-1311-04	TARGET TRIGGER (CZ 75, SP-01, TS, CZ) BLUE
5 1091-1312-01	TACTICAL SPORT TRIGGER BLACK
6 1091-1312-02	TACTICAL SPORT TRIGGER SILVER
7 1091-1312-03	TACTICAL SPORT TRIGGER RED
8 1091-1312-04	TACTICAL SPORT TRIGGER BLUE
9 1091-1320	SA/DA HAMMER

10 1091-1321	SA HAMMER
11 1091-1322	SA HAMMER CONCEALED
12 1091-1323	SA HAMMER RETRO
13 0423-0621-44ND	SET OF STEEL TRITIUM SIGHTS v.4
0423-0621-45ND	SET OF STEEL TRITIUM SIGHTS v.5
0423-0621-46ND	SET OF STEEL TRITIUM SIGHTS v.6
0721-0700-02ND	SET OF STEEL TRITIUM SIGHTS v.2 (5,50 mm)
0721-0700-03ND	SET OF STEEL TRITIUM SIGHTS v.3 (5,75 mm)
0721-0700-04ND	SET OF STEEL TRITIUM SIGHTS v.4 (6,00 mm)
14 1091-1350	THUMBREST ANGLE 1 - TS ORANGE
15 1091-1351	THUMBREST ANGLE 2 - TS ORANGE
16 1091-1352	THUMBREST ANGLE 3 - TS ORANGE



ACCESSORIES

1	1091-1180-01	GRIP PANELS CZ 75 LONG CHECKERED BLACK
2	1091-1180-02	GRIP PANELS CZ 75 LONG CHECKERED SILVER
3	1091-1180-03	GRIP PANELS CZ 75 LONG CHECKERED RED
4	1091-1180-04	GRIP PANELS CZ 75 LONG CHECKERED BLUE
	1091-1180-05	GRIP PANELS CZ 75 LONG CHECKERED ORANGE
5	1091-1182-01	GRIP PANELS CZ 75 SHORT CHECKERED BLACK
6	1091-1182-02	GRIP PANELS CZ 75 SHORT CHECKERED SILVER
7	1091-1182-03	GRIP PANELS CZ 75 SHORT CHECKERED RED
8	1091-1182-04	GRIP PANELS CZ 75 SHORT CHECKERED BLUE
	1091-1185-01	GRIP PANELS CZ 97 LONG CHECKERED BLACK
	1091-1185-02	GRIP PANELS CZ 97 LONG CHECKERED SILVER
	1091-1187	GRIP PANELS CZ 75 COMP. LONG CHECKERED BLACK
9	1091-1241	GRIP PANELS CZ 75 SHORT BRASS
10	1091-1242	GRIP PANELS CZ 75 LONG BRASS
11	1091-1301-01	GRIP PANELS CZ 75 RETRO BLACK
12	1091-1188	GRIP PANELS CZ 75 COMPACT LONG SMOOTH

13	1091-1340-01	MAGAZINE BASEPLATE AL CZ 75 BLACK
14	1091-1340-02	MAGAZINE BASEPLATE AL CZ 75 SILVER
15	1091-1340-03	MAGAZINE BASEPLATE AL CZ 75 RED
16	1091-1340-04	MAGAZINE BASEPLATE AL CZ 75 BLUE
17	1091-1341-01	MAGAZINE BASEPLATE AL SP-01 BLACK
18	1091-1341-03	MAGAZINE BASEPLATE AL SP-01 RED
19	1091-1341-04	MAGAZINE BASEPLATE AL SP-01 BLUE
	1091-1341-05	MAGAZINE BASEPLATE AL SP-01 ORANGE
20	1091-1342-01	MAGAZINE BASEPLATE AL TS BLACK
21	1091-1342-02	MAGAZINE BASEPLATE AL TS SILVER
22	1091-1342-03	MAGAZINE BASEPLATE AL TS RED
23	1091-1342-04	MAGAZINE BASEPLATE AL TS BLUE
24	1091-1343-01	MAGAZINE BASEPLATE AL CZ 75+2 BLACK
25	1091-1343-02	MAGAZINE BASEPLATE AL CZ 75+2 SILVER
26	1091-1343-03	MAGAZINE BASEPLATE AL CZ 75+2 RED
27	1091-1343-04	MAGAZINE BASEPLATE AL CZ 75+2 BLUE

	1091-1344-03	MAGAZINE BASEPLATE AL SP-01 10r RED SET
28	0711-0770-03ND	MAGAZINE BASEPLATE +2
29	1091-1147-01	MAGAZINE FUNNEL NARROW BLACK
30	1091-1147-02	MAGAZINE FUNNEL NARROW SILVER
	1091-1147-03	MAGAZINE FUNNEL NARROW RED
31	1091-1148-03	MAGAZINE FUNNEL WIDE RED
32	1091-1148-04	MAGAZINE FUNNEL WIDE BLUE
	1091-1244	MAGAZINE FUNNEL CZ 75 NARROW BRASS
33	1091-1245	MAGAZINE FUNNEL CZ 75 WIDE BRASS
34	1091-1147-04	MAGAZINE FUNNEL NARROW BLUE
	1091-1148-01	MAGAZINE FUNNEL WIDE BLACK
	1091-1148-02	MAGAZINE FUNNEL WIDE GREY
35	1091-1341-02	MAGAZINE BASEPLATE SP-01 SILVER
36	1091-1189	MAGAZINE BASEPLATE P-07, P-09

1



2



3



4



5



6



THE SERVICE VERSION OF THE PLASTIC HOLSTER COMES WITH LOWERED BELT LOOP AND A CLIP FOR MOLLE SYSTEM ATTACHMENT. THE HOLSTER FEATURES A THUMB-BREAK RETAINER AND A RETAINER AGAINST SNATCHING THE HANDGUN. THESE RETAINERS CAN BE OPERATED SEPARATELY OR IN CASE OF NEED CAN BE DISENGAGED BOTH AT THE SAME TIME. THE HOLSTER IS MADE FROM A HIGHLY-DURABLE POLYMER AND HAS BEEN TESTED FOR SERVICE USE. IT CAN BE ADJUSTED AND THUS ADAPT THE ANGLE OF THE HANDGUN, E.G. WHEN CARRIED IN A VEST.

7



THIS UNIVERSAL PLASTIC HOLSTER FOR CZ PISTOLS IS SUPPLIED COMPLETE WITH A PADDLE ATTACHMENT AND BELT LOOP AND IS MADE FROM HEAVY-DUTY POLYMER. THE HOLSTER CAN ALSO BE ADJUSTED TO ADAPT THE ANGLE OF THE GUN. THE HANDGUN IS SECURED WITH A THUMB BREAK RETAINER, WHICH IS COMFORTABLE TO USE INTUITIVELY WITHOUT HAVING TO RE-ADJUST THE GRIP ON THE GUN.

8



ACCESSORIES

1	5125-2100-01	HOLDALL BLACK
2	5125-2100-02	HOLDALL SAND
3	5125-1040	KYDEX HOLSTER P-09 RIGHT
	5125-1041	KYDEX HOLSTER P-09 LEFT
	5125-1042	KYDEX HOLSTER P-07 RIGHT
	5125-1043	KYDEX HOLSTER P-07 LEFT
	5125-1044	KYDEX HOLSTER CZ 75 D COMPACT RIGHT
	5125-1045	KYDEX HOLSTER CZ 75 D COMPACT LEFT
4	5125-1046	KYDEX MAGAZINE POUCH CZ P-07/09
	5125-1048	KYDEX MAGAZINE POUCH CZ 75
5	5125-1047	KYDEX MAGAZINE POUCH CZ P-07/09 DOUBLE

	5125-1049	KYDEX MAGAZINE POUCH CZ 75 DOUBLE
	5125-0186	INSIDE HOLSTER CZ 75/85, SP-01 (R)
	5125-0187	INSIDE HOLSTER CZ 82/83, CZ 2075 RAMI (R)
	5125-0188	INSIDE HOLSTER CZ 92 (R)
	5125-0196	INSIDE HOLSTER CZ 75 COMP (R)
	5125-0912	INSIDE HOLSTER CZ P-07 (R)
	5125-0913	INSIDE HOLSTER CZ P-07 (L)
	5125-1010	PLASTIC HOLSTER CZ 75/85, SP-01, SP-01 T, SP-01 SW (R)
	5125-1011	PLASTIC HOLSTER CZ 75/85, SP-01, SP-01 T, SP-01 SW (L)
6	5125-1024	SERVICE PLASTIC HOLSTER CZ P-09 (R)
	5125-1025	SERVICE PLASTIC HOLSTER CZ P-09 (L)

7	5125-1012	SERVICE PLASTIC HOLSTER CZ P-07 (R)
	5125-1013	SERVICE PLASTIC HOLSTER CZ P-07 (L)
	5125-1014	SERVICE PLASTIC HOLSTER CZ P-09 (R)
	5125-1015	SERVICE PLASTIC HOLSTER CZ P-09 (L)
	5125-1020	SERVICE PLASTIC HOLSTER CZ 75/85, SP-01, SP-01 T, SP-01 SW
	5125-1021	SERVICE PLASTIC HOLSTER CZ 75/85, SP-01, SP-01 T, SP-01 SW
	5125-1022	SERVICE PLASTIC HOLSTER CZ P-07 (R)
	5125-1023	SERVICE PLASTIC HOLSTER CZ P-07 (L)
8	5125-1030	THIGH MODULE FOR PLASTIC HOLSTERS



ACCESSORIES

	0402-0610-01ND	MAGAZINE CZ 92 10/6.35 BROW
1	0422-0710-07ND	MAGAZINE CZ 75/85 16/9X19/9x21
2	0422-0710-09ND	MAGAZINE CZ 75 NEW EDITION 16/9X19
	0422-0710-10ND	MAGAZINE SP-01 15/9X21
3	0422-0710-11ND	MAGAZINE CZ 75 SHADOW LINE 17/9x19
4	0422-0710-19ND	MAGAZINE SP-01 18/9X19
5	0422-1710-1610ND	MAGAZINE CZ 75 10/.40 S&W
	0422-1710-26ND	MAGAZINE CZ 75/85, SP-01 10/9X19
6	0432-0710-04	MAGAZINE CZ 75 COMP SHADOW LINE 14/9X19
7	0432-0710-08ND	MAGAZINE CZ 75 COMP 14/9X19/9x21 (BASE RUBBER)
8	0432-0710-09ND	MAGAZINE CZ 75 COMP 14/9X19 (BASE PLATE)

9	0432-3710-1604ND	MAGAZINE CZ 75 COMP 10/.40 S&W
10	0442-1710-12ND	MAGAZINE CZ 75 KADET 2 10/.22 LR
11	0462-0710-01ND	MAGAZINE CZ 97 10/.45 ACP
12	0472-3710-0706ND	MAGAZINE TS, CZ 20/9X19
13	0472-3710-1610ND	MAGAZINE TS 10/.40 S&W
14	0472-3710-1617ND	MAGAZINE TS 17/.40 S&W
	0482-0710-01	MAGAZINE CZ 75 COMP 14/FX&CQT
15	0642-0710-01ND	MAGAZINE 2075 RAMI 10/9X19
16	0642-0710-02ND	MAGAZINE 2075 RAMI 14/9X19
	0472-3710-0710ND	MAGAZINE TS, CZ 10/9X19
	0472-3710-1601ND	MAGAZINE TS 16/.40 S&W

	0422-1710-25ND	MAGAZINE CZ 75/85 10/9X19
	0422-3710-1603ND	MAGAZINE 10/.40S&W
17	0712-0030-01ND	MAGAZINE P-07 16/9 BROW AFC
18	0712-0030-31ND	MAGAZINE P-07 9MM 10R
19	0712-0030-34ND	MAGAZINE P-07 9mm 16r AFC
20	0712-0030-35ND	MAGAZINE P-07 40SW 12r AFC
	0423-01-0730ND	ND SET CZ 75 SP-01 TACTICAL
	0423-01-0734ND	ND SET CZ 75 SP-01 SHADOW
	0423-01-0760ND	ND SET CZ 75 OMEGA
	0423-ND01-01	ND SET CZ 75 SP-01 PHANTOM
	0423-SD01-0715	TOOL KIT ARMOURER CZ 75 SP-01 PHANTOM

	0713-01-01ND	ND SET CZ P-07/P-09
	0713-2500-01ND	MANUAL SAFETY SET CZ P-07/P-09
	0713-2600-01ND	DECOCKING SET CZ P-07/P-09
	0713-SD01-01	TOOL KIT ARMOURER CZ P-07/P-09/CZ 75 OMEGA
	0722-0030-01ND	MAGAZINE P-09 9mm 19r AFC
21	0722-0030-02ND	MAGAZINE P-09 .40 SW 15r AFC
22	3660-0001	MAGAZINE CLIP FOR CZ SCORPION EVO 3
23	3662-0770-0720ND	MAGAZINE CZ SCORPION EVO 3 (9x19 / capacity 20 / polymer)
24	3662-0780-0730ND	MAGAZINE CZ SCORPION EVO 3 (9x19 / capacity 30 / polymer)
25	3701-3501-6501ND	MAGAZINE CZ 805 BREN (.223 Rem. / capacity 30 / polymer)
26	5138-1001	STANAG MAGAZINE (5,56x45 mm / capacity 30 / aluminium)



ACCESSORIES

1	8160-0053	CZ CAP
2	9010-0101-01	CZ GLOVES S
	9010-0101-02	CZ GLOVES M
	9010-0101-03	CZ GLOVES L
	9010-0101-04	CZ GLOVES XL
	9010-0101-05	CZ GLOVES XXL
3	5120-0300-01	HOLIK SHOOTING GLOVES WITH CZ LOGO SIZE 7
	5120-0300-02	HOLIK SHOOTING GLOVES WITH CZ LOGO SIZE 8
	5120-0300-03	HOLIK SHOOTING GLOVES WITH CZ LOGO SIZE 9
	5120-0300-04	HOLIK SHOOTING GLOVES WITH CZ LOGO SIZE 10
	5120-0300-05	HOLIK SHOOTING GLOVES WITH CZ LOGO SIZE 11
4	8160-0044-01	CZ POLO SHIRT S
	8160-0044-02	CZ POLO SHIRT M
	8160-0044-03	CZ POLO SHIRT L
	8160-0044-04	CZ POLO SHIRT XL
	8160-0044-05	CZ POLO SHIRT XXL

5	8162-0015-01	SHOOTING TEAM JERSEY S
	8162-0015-02	SHOOTING TEAM JERSEY M
	8162-0015-03	SHOOTING TEAM JERSEY L
	8162-0015-04	SHOOTING TEAM JERSEY XL
	8162-0015-05	SHOOTING TEAM JERSEY XXL
6	8161-0075-01	T-SHIRT CZ 557 LUX S
	8161-0075-02	T-SHIRT CZ 557 LUX M
	8161-0075-03	T-SHIRT CZ 557 LUX L
	8161-0075-04	T-SHIRT CZ 557 LUX XL
	8161-0075-05	T-SHIRT CZ 557 LUX XXL
	8178-0014	IPSC SET BLACK
7	8161-0072-01	T-SHIRT CZ SCORPION EVO 3 S
	8161-0072-02	T-SHIRT CZ SCORPION EVO 3 M
	8161-0072-03	T-SHIRT CZ SCORPION EVO 3 L
	8161-0072-04	T-SHIRT CZ SCORPION EVO 3 XL
	8161-0072-05	T-SHIRT CZ SCORPION EVO 3 XXL

8	8161-0071-01	T-SHIRT CZ P-09 S
	8161-0071-02	T-SHIRT CZ P-09 M
	8161-0071-03	T-SHIRT CZ P-09 L
	8161-0071-04	T-SHIRT CZ P-09 XL
	8161-0071-05	T-SHIRT CZ P-09 XXL
9	8161-0055-01	T-SHIRT CZ SHADOW 2 S
	8161-0055-02	T-SHIRT CZ SHADOW 2 M
	8161-0055-03	T-SHIRT CZ SHADOW 2 L
	8161-0055-04	T-SHIRT CZ SHADOW 2 XL
	8161-0055-05	T-SHIRT CZ SHADOW 2 XXL

STAY IN TOUCH WITH US



WWW.CZUB.CZ



SHOP.CZUB.CZ



WWW.FACEBOOK.COM/CESKAZBROJOVKA.CZ



#CZGUNS
WWW.INSTAGRAM.COM/CZGUNS/



WWW.YOUTUBE.COM/CESKAZBROJOVKAUB





WWW.CZUB.CZ

INFO@CZUB.CZ

FACEBOOK.COM/CESKAZBROJOVKA.CZ